


Resource Environmental Group
P.O. Box 481
Brookline, NH 03033
Phone: (603) 673-8878 Fax: (603) 672-8848
Email: reg4tw@aol.com



November 30, 2006

Ms. Jennifer Perry
Town Engineer
Town of Exeter DPW
15 Newfields Road
Exeter, NH 03833

Re: Cross Road Landfill – Exeter, NH
November 2006 Groundwater Monitoring

Dear Ms. Perry,

Enclosed is the field sampling summary from the November 20, 2006 groundwater sampling event performed by Resource Environmental Group (REG).

The sampling event consisted of taking the Total Depth, Static Water Elevations, purge and groundwater sample collection from seven (2) monitoring wells identified as RFW-2, RFW-3, RFW-4, GZ-1L, GZ-1U, GZ-2L and GZ-3L, four (4) piezometers identified as P-2R, P-5R, P-9R and GZWP-1 and one (1) surface water point identified as SW-1. The monitoring well identified as GZ-2M had an insufficient static volume to purge and collect a sample during this monitoring period.

Following sampling activities, the samples were delivered under chain of custody documentation and relinquished for the required permit analyses to the projects contract laboratory, Resource Laboratories, LLC of Portsmouth, NH.

FIELD ACTIVITIES:

Prior to the collection of groundwater samples, REG measured the static water elevation using a Solinst Model 101 water level meter. Well purge volumes were calculated and the wells were purged to insure representative groundwater samples were collected. Field analysis for pH and Specific Conductivity were taken from each monitoring point following well purging and required well recharging and are submitted on the attached table. A YSI 600XL meter was used for field parameter analysis and was calibrated and functioning properly.

Samples were collected into prepreserved samples bottles provided by **RL** (metals samples for dissolved metals analysis were field filtered using 0.45 micron filters prior to preservation) and were placed on ice in a cooler.

All monitoring wells were covered and secured with locks. All piezometers were capped but only P-5R was locked. Dedicated watera tubing and foot valves were in place in each of the wells.

Thank you for your continued use of **REG's** environmental field support and permit management services. Please feel free to contact me should you have any questions or need additional information regarding the work that was performed.

Sincerely,

A handwritten signature in black ink, appearing to read 'T. Walker', written in a cursive style.

Thomas E. Walker
Resource Environmental Group

Resource Environmental Group

Groundwater Monitoring Summary

Project Location: Exeter – Cross Road Landfill

Date: 11-20-2006

Field Personnel: Tom Walker

Weather: Mostly Cloudy, low – mid 40's, light breeze

Well ID	Well Depth	Static Elevation	Static Vol.	Temp.	Actual Purge	pH	Spec. Cond.	Time
#	ft.	ft.	ft.	C	Volume gal.	s.u.	umS/cm	
SW-1	--		--	4.9		7.62	113	8:35
RFW-3	100.6	70.76	29.84	13.6	16	6.35	796	9:25
GZ-1L	76.85	16.83	60.02	13.2	14TD	7.13	582	10:25
GZ-1U	39.75	19.9	19.85	13.6	10	6.23	1050	10:10
RFW-4	66.8	43.85	24	10.2	12	6.46	756	11:00
P-9R	7.42	3.26	4.16	10.6	0.25	7.11	442	11:20
P-5R	22.9	5.29	17.61	9.3	9	6.33	363	11:55
P-2R	7.93	3.46	4.47	7.7	0.25	6.46	197	12:35
RFW-2	73.2	39.3	33.9	9.4	18	6.1	274	14:40
GZWP-1	7.8	2.74	5.06	9.4	0.25	6.34	718	13:55
GZ-2M	32.35	28.61	3.74	--	--	--	--	N/A
GZ-2L	56.45	31.48	24.97	10.2	5TD	7.32	308	15:20
GZ-3L	46.8	7.47	39.33	8.3	19	7.28	257	16:00
SW-10								8:00
SW-11								8:10
SW-12								8:20

Notes:

All samples were preserved upon sampling with the exception of the dissolved metals, which were preserved after filtration. Sample stored and transported at 4° C and accompanied by complete chain of custody documentation. Samples delivered to Resource Laboratories, LLC, Portsmouth, NH for analysis.

GZ-2M could not be sampled due to low static volume

All metal samples except SW-1 filtered through 0.45-micron filter.

TD – To Dryness

CERTIFICATION: High Capacity, Groundwater Capsules are validated for 67 metals and 2 anions. Each manufacturing lot is verified against the original manufacturing process validation. All validation tests performed by an independent laboratory using EPA test method levels of detection under Class 100 clean room conditions for metals and under Class 10,000 conditions for anions.

Element or Compound	LOD ppb (ug/l)	Element or Compound	LOD ppb (ug/l)	Element or Compound	LOD ppb (ug/l)
Chloride (Cl ⁻)	50.00	Hafnium (Hf)	0.03	Rubidium (Rb)	0.10
Sulfate (SO ₄ ⁻)	10.00	Holmium (Ho)	0.01	Ruthenium (Ru)	0.05
Aluminum (Al)	0.20	Indium (In)	0.02	Samarium (Sm)	0.04
Antimony (Sb)	0.10	Iridium (Ir)	0.06	Scandium (Sc)	0.20
Arsenic (As)	0.20	Iron (Fe)	1.00	Selenium (Se)	7.00
Barium (Ba)	0.10	Lanthanum (La)	0.01	Silver (Ag)	0.03
Beryllium (Be)	0.04	Lead (Pb)	0.50	Sodium (Na)	25.00
Bismuth (Bi)	0.04	Lithium (Li)	0.30	Strontium (Sr)	0.20
Boron (B)	5.00	Lutetium (Lu)	0.01	Tantalum (Ta)	0.02
Cadmium (Cd)	0.03	Magnesium (Mg)	10.00	Tellurium (Te)	0.04
Calcium (Ca)	25.00	Manganese (Mn)	0.30	Terbium (Tb)	0.02
Cerium (Ce)	0.01	Mercury (Hg)	0.05	Thallium (Tl)	0.05
Cesium (Cs)	0.02	Molybdenum (Mo)	0.05	Thorium (Th)	0.02
Chromium (Cr)	0.03	Neodymium (Nd)	0.02	Thulium (Tm)	0.01
Cobalt (Co)	0.02	Nickel (Ni)	0.50	Tin (Sn)	0.20
Copper (Cu)	0.50	Niobium (Nb)	0.02	Titanium (Ti)	0.05
Dysprosium (Dy)	0.04	Osmium (Os)	0.02	Tungsten (W)	0.20
Erbium (Er)	0.02	Palladium (Pd)	0.03	Uranium (U)	0.02
Europium (Eu)	0.02	Platinum (Pt)	0.08	Vanadium (V)	0.03
Gadolinium (Gd)	0.04	Potassium (K)	25.00	Ytterbium (Yb)	0.03
Gallium (Ga)	0.04	Praseodymium (Pr)	0.01	Yttrium (Y)	0.02
Germanium (Ge)	0.05	Rhenium (Re)	0.06	Zinc (Zn)	1.00
Gold (Au)	0.05	Rhodium (Rh)	0.02	Zirconium (Zr)	0.05

RL

Resource Laboratories, LLC
124 Heritage Avenue
Portsmouth, NH 03801

Voice: 603-436-2001

Fax: 603-430-2100

CHAIN OF CUSTODY DOCUMENTATION

Client: Town of Exeter		Contact:		Project: LF		Page 1 of 4			
Report to: Jennifer Perry		Address:		E-mail:		Phone:			
Invoice To:		Address:		Fax:					
Protocol: (please circle applicable) RCRA SDWA NPDES Other:						P.O. # Quote #			
Lab Number: (assigned by laboratory)	Your Field ID: must agree with container	Date Sampled	Time Sampled	Sampled By	Container Size (mL)	Container Type (P/G/T)	Field Preser- vation	Matrix S=Soil W=Water	Analyses Requested: Special Instructions:
	SW-1	11-20-06	0835	TW	40	P	None	W=Water	Anions Chloride, Nitrate
	↓	11-20-06	0835	TW	250	P	H2SO4	W=Water	TKN
	↓	11-20-06	0835	TW	250	P	HNO3	W=Water	Metals As,Ba,Cd,Cr,Pb,Hg,Se,Ag,Fe, Mn
	GZ-3	11-20-06	0920	TW	40	P	None	W=Water	Anions Chloride, Nitrate
	↓	11-20-06	0920	TW	250	P	H2SO4	W=Water	TKN
	↓	11-20-06	0920	TW	250	P	HNO3	W=Water	Metals As,Ba,Cd,Cr,Pb,Hg,Se,Ag,Fe, Mn
	GZ-14	11-20-06	10:10	TW	40	P	None	W=Water	Anions Chloride, Nitrate
	↓	11-20-06	10:10	TW	250	P	H2SO4	W=Water	TKN
	↓	11-20-06	10:10	TW	250	P	HNO3	W=Water	Metals As,Ba,Cd,Cr,Pb,Hg,Se,Ag,Fe, Mn
	GZ-1L	11-20-06	10:25	TW	40	P	None	W=Water	Anions Chloride, Nitrate
	↓	11-20-06	10:25	TW	250	P	H2SO4	W=Water	TKN
	↓	11-20-06	10:25	TW	250	P	HNO3	W=Water	Metals As,Ba,Cd,Cr,Pb,Hg,Se,Ag,Fe, Mn
Relinquished by: <i>[Signature]</i>		Date: 11-20-06	Time: 17:00	Received by: <i>[Signature]</i>		Date: 11/20/06	Time: 17:00		
Relinquished by:		Date:	Time:	Received by:		Date:	Time:		
Relinquished by:		Date:	Time:	Received by:		Date:	Time:		

*Mail in
7:00
7:00*



Comments: SW-1 is not field filtered, run and analyze as "Total", All "GZ" and "P" samples field filtered using 0.45 micron filter prior to preservation, analyze and report as "Dissolved"

RL

Resource Laboratories, LLC
124 Heritage Avenue
Portsmouth, NH 03801

Voice: 603-436-2001
Fax: 603-430-2100

CHAIN OF CUSTODY DOCUMENTATION

Client: Town of Exeter		Contact: Jennifer Perry		Project: LF		Page 2 of 4			
Report to: Jennifer Perry		Address: 13 Newfields Road, Exeter		E-mail:		Phone: 603-778-0591			
Invoice To: Jennifer Perry		Address: 13 Newfields Road, Exeter				Fax: 772-1355			
Protocol: (please circle applicable program)		RCRA	SDWA	NPDES	Other:		P.O. # Quote # 1543EXE1		
Lab Number: (assigned by laboratory)	Your Field ID: (must agree with container)	Date Sampled	Time Sampled	Sampled By	Container Size (mL)	Container Type (P/G/T)	Field Preser- vation	Matrix S=Soil W=Water	Analyses Requested: Special Instructions:
	G2-4	11-20-06	11:00	TW	40	P	None	W=Water	Anions Chloride, Nitrate
	↓	11-20-06	11:00	TW	250	P	H2SO4	W=Water	TKN
	↓	11-20-06	11:00	TW	250	P	HNO3	W=Water	Diss-Metals As,Ba,Cd,Cr,Pb,Hg,Se,Ag,Fe, Mn
	P-9R	11-20-06	11:20	TW	40	P	None	W=Water	Anions Chloride, Nitrate
	↓	11-20-06	11:20	TW	250	P	H2SO4	W=Water	TKN
	↓	11-20-06	11:20	TW	250	P	HNO3	W=Water	Diss-Metals As,Ba,Cd,Cr,Pb,Hg,Se,Ag,Fe, Mn
	P-5R	11-20-06	11:55	TW	40	P	None	W=Water	Anions Chloride, Nitrate
	↓	11-20-06	11:55	TW	250	P	H2SO4	W=Water	TKN
	↓	11-20-06	11:55	TW	250	P	HNO3	W=Water	Diss-Metals As,Ba,Cd,Cr,Pb,Hg,Se,Ag,Fe, Mn
	P-2R	11-20-06	12:35	TW	40	P	None	W=Water	Anions Chloride, Nitrate
	↓	11-20-06	12:35	TW	250	P	H2SO4	W=Water	TKN
	↓	11-20-06	12:35	TW	250	P	HNO3	W=Water	Diss-Metals As,Ba,Cd,Cr,Pb,Hg,Se,Ag,Fe, Mn
Relinquished by: 	Date: 11-20-06	Time: 17:00		Received by: 		Date: 11/20/06		Time: 1700	
Relinquished by:	Date:	Time:		Received by:		Date:		Time:	
Relinquished by:	Date:	Time:		Received by:		Date:		Time:	

Comments: _____

RL

Resource Laboratories, LLC
124 Heritage Avenue
Portsmouth, NH 03801

Voice: 603-436-2001

Fax: 603-430-2100

CHAIN OF CUSTODY DOCUMENTATION

Client: Town of Exeter		Contact: Jennifer Perry		Project: LF		Page <u>3</u> of <u>4</u>			
Report to: Jennifer Perry		Address: 13 Newfields Road Exeter		E-mail:		Phone: 603-778-0591			
Invoice To: Jennifer Perry		Address: 13 Newfields Road Exeter				Fax: 772-1355			
Protocol: (please circle applicable program)		RCRA		SDWA		NPDES Other:			
						P.O. # Quote # 1543EXE1			
Lab Number: (assigned by laboratory)	Your Field ID: (must agree with container)	Date Sampled	Time Sampled	Sampled By	Container Size (mL)	Container Type (P/G/T)	Field Preser- vation	Matrix S=Soil W=Water	Analyses Requested: Special Instructions:
	GZWP-1	11-20-06	13:55	TW	40	P	None	W=Water	Anions Chloride, Nitrate
	↓	11-20-06	13:55	TW	250	P	H2SO4	W=Water	TKN
	↓	11-20-06	13:55	TW	250	P	HNO3	W=Water	Diss-Metals As,Ba,Cd,Cr,Pb,Hg,Se,Ag,Fe, Mn
	GZ-2	11-20-06	14:40	TW	40	P	None	W=Water	Anions Chloride, Nitrate
	↓	11-20-06	14:40	TW	250	P	H2SO4	W=Water	TKN
	↓	11-20-06	14:40	TW	250	P	HNO3	W=Water	Diss-Metals As,Ba,Cd,Cr,Pb,Hg,Se,Ag,Fe, Mn
	GZ-2L	11-20-06	15:30	TW	40	P	None	W=Water	Anions Chloride, Nitrate
	↓	11-20-06	15:30	TW	250	P	H2SO4	W=Water	TKN
	↓	11-20-06	15:30	TW	250	P	HNO3	W=Water	Diss-Metals As,Ba,Cd,Cr,Pb,Hg,Se,Ag,Fe, Mn
	GZ-3L	11-20-06	16:00	TW	40	P	None	W=Water	Anions Chloride, Nitrate
	↓	11-20-06	16:00	TW	250	P	H2SO4	W=Water	TKN
	↓	11-20-06	16:00	TW	250	P	HNO3	W=Water	Diss-Metals As,Ba,Cd,Cr,Pb,Hg,Se,Ag,Fe, Mn
Relinquished by:	<i>[Signature]</i>	Date: 11-20-06	Time: 17:00	Received by:	<i>[Signature]</i>	Date: 11/20/06	Time: 17:00		
Relinquished by:		Date:	Time:	Received by:		Date:	Time:		
Relinquished by:		Date:	Time:	Received by:		Date:	Time:		

Comments: _____



Resource Laboratories, LLC
124 Heritage Avenue
Portsmouth, NH 03801

Voice: 603-436-2001

Fax: 603-430-2100

CHAIN OF CUSTODY DOCUMENTATION

Client: Town of Exeter		Contact:		Project: LF		Page 4 of 4			
Report to: Jennifer Perry		Address:		E-mail:		Phone:			
Invoice To:		Address:				Fax:			
Protocol: (please circle applicable program)		RCRA		SDWA		NPDES			
		Other:				P.O. #			
						Quote #			
Lab Number: (assigned by laboratory)	Your Field ID: (must agree with container)	Date Sampled	Time Sampled	Sampled By	Container Size (mL)	Container Type (P/G/T)	Field Preser- vation	Matrix S=Soil W=Water	Analyses Requested: Special Instructions:
	SW-1	11-20-06	0835	TW	2*40	G	HCl	W=Water	VOC 8260
	GZ-3	11-20-06	0920	TW	2*40	G	HCl	W=Water	VOC 8260
	GZ-1H	11-20-06	10:10	TW	2*40	G	HCl	W=Water	VOC 8260
	GZ-1L	11-20-06	10:25	TW	2*40	G	HCl	W=Water	VOC 8260
	GZ-4	11-20-06	11:00	TW	2*40	G	HCl	W=Water	VOC 8260
	P-9R	11-20-06	11:20	TW	2*40	G	HCl	W=Water	VOC 8260
	P-5R	11-20-06	11:55	TW	2*40	G	HCl	W=Water	VOC 8260
	P-2R	11-20-06	12:35	TW	2*40	G	HCl	W=Water	VOC 8260
	GZWP-1	11-20-06	13:55	TW	2*40	G	HCl	W=Water	VOC 8260
	GZ-2	11-20-06	14:40	TW	2*40	G	HCl	W=Water	VOC 8260
	GZ-2L	11-20-06	15:30	TW	2*40	G	HCl	W=Water	VOC 8260
	GZ-3L	11-20-06	16:00	TW	2*40	G	HCl	W=Water	VOC 8260
Relinquished by:	Date: 11-20-06	Time: 17:00	Received by:	Date: 11/20/06	Time: 1700				
Relinquished by:	Date:	Time:	Received by:	Date:	Time:				
Relinquished by:	Date:	Time:	Received by:	Date:	Time:				

Comments:


CHAIN OF CUSTODY DOCUMENTATION

Client: Town of Exeter		Contact:	Project: LF		Page / of /				
Report to: Jennifer Perry		Address: 10 Front Street		E-mail:	Phone: 773-6157				
Invoice To: Jennifer Perry		Address:			Fax: 772-1355				
Protocol: (please circle applicable) RCRA SDWA NPDES Other:					P.O. #	Quote #			
Lab Number: (assigned by laboratory)	Your Field ID:	Date Sampled	Time Sampled	Sampled By	Container Size (mL)	Field Preser- vation	Matrix S=Soil W=Water	Analyses Requested: Special Instructions:	
	SW-10	11-20-06	08:00	TW	250	P	HNO3	W=Water Metals As	
	SW-11	11-20-06	08:10	TW	250	P	HNO3	W=Water Metals As	
	SW-12	11-20-06	08:20	TW	250	P	HNO3	W=Water Metals As	
Relinquished by: [Signature]					Received by: [Signature]			Date: 11/20/06	Time: 1700
Relinquished by:					Received by:			Date:	Time:
Relinquished by:					Received by:			Date:	Time:

Comments:

Laboratory Report

Jennifer Perry
Town of Exeter
13 Newfields Road
Exeter, NH 03833



PO Number: None
LabID: 11395
Date Received: 11/20/06

Project: LF

Attached please find results for the analysis of the samples received on the date referenced above.

Unless otherwise noted in the attached report, the analyses performed met the requirements of Resource Laboratories, LLC Quality Assurance Plan. The Standard Operating Procedures (SOP) are based upon USEPA SW-846, USEPA Methods for Chemical Analysis of Water and Wastewater, Standard Methods for the Examination of Water and Wastewater and other recognized methodologies. The results contained in this report pertain only to the samples as indicated on the chain of custody.

Resource Laboratories, LLC maintains certification with the agencies listed below.

We appreciate the opportunity to provide laboratory services. If you have any questions regarding the enclosed report, please contact the laboratory and we will be glad to assist you.

Sincerely,
Resource Laboratories, LLC

Susan Sylvester
Principal, General Manager

12-7-06
Date

Total number of pages _____

Resource Laboratories, LLC Certifications

New Hampshire 1732
Maine NH903

Massachusetts M-NH902

Project ID: Lr

Lab ID: 11395

Lab Number: 11395-001

Sample ID: SW-1

Matrix: Water

Sampled: 11/20/06 8:35

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
chlorobenzene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
styrene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
bromoform	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
isopropylbenzene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
n-propylbenzene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
bromobenzene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
2-chlorotoluene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
4-chlorotoluene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
tert-butylbenzene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
sec-butylbenzene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
4-isopropyltoluene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
n-butylbenzene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
hexachlorobutadiene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
Surrogate Recovery:		Limits							
dibromofluoromethane SUR	102	78-114	%	1	LMM		11/25/06	14:27	SW5030B8260B
toluene-D8 SUR	100	88-110	%	1	LMM		11/25/06	14:27	SW5030B8260B
4-bromofluorobenzene SUR	90	86-115	%	1	LMM		11/25/06	14:27	SW5030B8260B

Project ID: LF

Lab ID: 11395

Lab Number: 11395-002

Sample ID: GZ-3

Matrix: Water

Sampled: 11/20/06 9:20

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
chloromethane	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
vinyl chloride	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
bromomethane	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
chloroethane	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
trichlorofluoromethane	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
diethyl ether	< 10	10	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
acetone	< 10	10	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
1,1-dichloroethene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
methylene chloride	< 5	5	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
carbon disulfide	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
methyl t-butyl ether (MTBE)	3	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
1,1-dichloroethane	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
t-butanol (TBA)	< 40	40	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
2-butanone (MEK)	< 10	10	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
2,2-dichloropropane	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
chloroform	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
bromochloromethane	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
1,1-dichloropropene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
carbon tetrachloride	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
trichloroethene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
1,2-dichloropropane	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
bromodichloromethane	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
dibromomethane	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
2-hexanone	< 10	10	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
1,3-dichloropropane	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
tetrachloroethene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
dibromochloromethane	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B

DT - 11/30/06

Project ID: LF

Lab ID: 11395

Lab Number: 11395-002

Sample ID: GZ-3

Matrix: Water

Sampled: 11/20/06 9:20

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
chlorobenzene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
styrene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
bromoform	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
isopropylbenzene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
n-propylbenzene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
bromobenzene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
2-chlorotoluene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
4-chlorotoluene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
tert-butylbenzene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
sec-butylbenzene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
4-isopropyltoluene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
n-butylbenzene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
hexachlorobutadiene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		11/30/06	23:17	SW5030B8260B
Surrogate Recovery:		Limits							
dibromofluoromethane SUR	100	78-114	%	1	LMM		11/30/06	23:17	SW5030B8260B
toluene-D8 SUR	99	88-110	%	1	LMM		11/30/06	23:17	SW5030B8260B
4-bromofluorobenzene SUR	104	86-115	%	1	LMM		11/30/06	23:17	SW5030B8260B

Project ID: LF

Lab ID: 11395

Lab Number: 11395-003

Sample ID: GZ-1U

Matrix: Water

Sampled: 11/20/06 10:10

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
chloromethane	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
vinyl chloride	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
bromomethane	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
chloroethane	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
trichlorofluoromethane	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
diethyl ether	< 10	10	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
acetone	< 10	10	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
1,1-dichloroethene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
methylene chloride	< 5	5	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
carbon disulfide	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
1,1-dichloroethane	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
t-butanol (TBA)	< 40	40	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
2-butanone (MEK)	< 10	10	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
2,2-dichloropropane	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
chloroform	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
bromochloromethane	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
1,1-dichloropropene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
carbon tetrachloride	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
trichloroethene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
1,2-dichloropropane	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
bromodichloromethane	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
dibromomethane	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
2-hexanone	< 10	10	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
1,3-dichloropropane	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
tetrachloroethene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
dibromochloromethane	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B

Project ID: LF

Lab ID: 11395

Lab Number: 11395-003

Sample ID: GZ-1U

Matrix: Water

Sampled: 11/20/06 10:10

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
chlorobenzene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
styrene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
bromoform	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
isopropylbenzene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
n-propylbenzene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
bromobenzene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
2-chlorotoluene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
4-chlorotoluene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
tert-butylbenzene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
sec-butylbenzene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
4-isopropyltoluene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
n-butylbenzene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
hexachlorobutadiene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		11/30/06	23:50	SW5030B8260B
Surrogate Recovery:		Limits							
dibromofluoromethane SUR	101	78-114	%	1	LMM		11/30/06	23:50	SW5030B8260B
toluene-D8 SUR	99	88-110	%	1	LMM		11/30/06	23:50	SW5030B8260B
4-bromofluorobenzene SUR	105	86-115	%	1	LMM		11/30/06	23:50	SW5030B8260B

Project ID: L-

Lab ID: 11395

Lab Number: 11395-004

Sample ID: GZ-1L

Matrix: Water

Sampled: 11/20/06 10:25

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
chloromethane	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
vinyl chloride	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
bromomethane	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
chloroethane	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
trichlorofluoromethane	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
diethyl ether	< 10	10	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
acetone	< 10	10	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
1,1-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
methylene chloride	< 5	5	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
carbon disulfide	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
1,1-dichloroethane	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
t-butanol (TBA)	< 40	40	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
2-butanone (MEK)	< 10	10	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
2,2-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
chloroform	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
bromochloromethane	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
1,1-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
carbon tetrachloride	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
trichloroethene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
1,2-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
bromodichloromethane	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
dibromomethane	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
2-hexanone	< 10	10	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
1,3-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
tetrachloroethene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
dibromochloromethane	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B

RT: 11/20/06 10:25

Project ID: LF

Lab ID: 11395

Lab Number: 11395-004

Sample ID: GZ-1L

Matrix: Water

Sampled: 11/20/06 10:25

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
chlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
styrene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
bromoform	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
isopropylbenzene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
n-propylbenzene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
bromobenzene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
2-chlorotoluene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
4-chlorotoluene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
tert-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
sec-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
4-isopropyltoluene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
n-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
hexachlorobutadiene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	0:24	SW5030B8260B
Surrogate Recovery:		Limits							
dibromofluoromethane SUR	100	78-114	%	1	LMM		12/1/06	0:24	SW5030B8260B
toluene-D8 SUR	99	88-110	%	1	LMM		12/1/06	0:24	SW5030B8260B
4-bromofluorobenzene SUR	105	86-115	%	1	LMM		12/1/06	0:24	SW5030B8260B

Project ID: LF

Lab ID: 11395

Lab Number: 11395-005

Sample ID: GZ-4

Matrix: Water

Sampled: 11/20/06 11:00

Parameter:	Result	Quant Limit	Units	Instr DIL'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
chloromethane	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
vinyl chloride	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
bromomethane	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
chloroethane	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
trichlorofluoromethane	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
diethyl ether	< 10	10	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
acetone	< 10	10	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
1,1-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
methylene chloride	< 5	5	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
carbon disulfide	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
1,1-dichloroethane	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
t-butanol (TBA)	< 40	40	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
2-butanone (MEK)	< 10	10	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
2,2-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
chloroform	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
bromochloromethane	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
1,1-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
carbon tetrachloride	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
trichloroethene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
1,2-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
bromodichloromethane	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
dibromomethane	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
2-hexanone	< 10	10	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
1,3-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
tetrachloroethene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
dibromochloromethane	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B

Project ID: LF

Lab ID: 11395

Lab Number: 11395-005

Sample ID: GZ-4

Matrix: Water

Sampled: 11/20/06 11:00

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
chlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
styrene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
bromoform	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
isopropylbenzene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
n-propylbenzene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
bromobenzene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
2-chlorotoluene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
4-chlorotoluene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
tert-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
sec-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
4-isopropyltoluene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
n-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
hexachlorobutadiene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	0:57	SW5030B8260B
Surrogate Recovery:		Limits							
dibromofluoromethane SUR	100	78-114	%	1	LMM		12/1/06	0:57	SW5030B8260B
toluene-D8 SUR	98	88-110	%	1	LMM		12/1/06	0:57	SW5030B8260B
4-bromofluorobenzene SUR	102	86-115	%	1	LMM		12/1/06	0:57	SW5030B8260B

Project ID: LF
Lab ID: 11395

Lab Number: 11395-006

Sample ID: P-9R

Matrix: Water

Sampled: 11/20/06 11:20

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
chloromethane	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
vinyl chloride	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
bromomethane	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
chloroethane	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
trichlorofluoromethane	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
diethyl ether	< 10	10	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
acetone	21	10	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
1,1-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
methylene chloride	< 5	5	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
carbon disulfide	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
1,1-dichloroethane	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
t-butanol (TBA)	< 40	40	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
2-butanone (MEK)	< 10	10	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
2,2-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
chloroform	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
bromochloromethane	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
1,1-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
carbon tetrachloride	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
trichloroethene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
1,2-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
bromodichloromethane	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
dibromomethane	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
2-hexanone	< 10	10	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
1,3-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
tetrachloroethene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
dibromochloromethane	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B

DT - 11/20/06

Project ID: LF

Lab ID: 11395

Lab Number: 11395-006

Sample ID: P-9R

Matrix: Water

Sampled: 11/20/06 11:20

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
chlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
styrene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
bromoform	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
isopropylbenzene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
n-propylbenzene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
bromobenzene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
2-chlorotoluene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
4-chlorotoluene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
tert-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
sec-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
4-isopropyltoluene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
n-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
hexachlorobutadiene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	1:31	SW5030B8260B
Surrogate Recovery:		Limits							
dibromofluoromethane SUR	101	78-114	%	1	LMM		12/1/06	1:31	SW5030B8260B
toluene-D8 SUR	100	88-110	%	1	LMM		12/1/06	1:31	SW5030B8260B
4-bromofluorobenzene SUR	104	86-115	%	1	LMM		12/1/06	1:31	SW5030B8260B

Project ID: LF

Lab ID: 11395

Lab Number: 11395-007

Sample ID: P-5R

Matrix: Water

Sampled: 11/20/06 11:55

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
chloromethane	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
vinyl chloride	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
bromomethane	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
chloroethane	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
trichlorofluoromethane	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
diethyl ether	< 10	10	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
acetone	< 10	10	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
1,1-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
methylene chloride	< 5	5	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
carbon disulfide	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
1,1-dichloroethane	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
t-butanol (TBA)	< 40	40	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
2-butanone (MEK)	< 10	10	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
2,2-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
chloroform	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
bromochloromethane	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
1,1-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
carbon tetrachloride	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
trichloroethene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
1,2-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
bromodichloromethane	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
dibromomethane	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
2-hexanone	< 10	10	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
1,3-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
tetrachloroethene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
dibromochloromethane	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B

DT

Project ID: LR

Lab ID: 11395

Lab Number: 11395-007

Sample ID: P-5R

Matrix: Water

Sampled: 11/20/06 11:55

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
chlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
styrene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
bromoform	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
isopropylbenzene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
n-propylbenzene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
bromobenzene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
2-chlorotoluene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
4-chlorotoluene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
tert-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
sec-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
4-isopropyltoluene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
n-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
hexachlorobutadiene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	2:05	SW5030B8260B
Surrogate Recovery:		Limits							
dlbromofluoromethane SUR	100	78-114	%	1	LMM		12/1/06	2:05	SW5030B8260B
toluene-D8 SUR	98	88-110	%	1	LMM		12/1/06	2:05	SW5030B8260B
4-bromofluorobenzene SUR	103	86-115	%	1	LMM		12/1/06	2:05	SW5030B8260B

Project ID: LF

Lab ID: 11395

Lab Number: 11395-008

Sample ID: P-2R

Matrix: Water

Sampled: 11/20/06 12:35

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
chloromethane	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
vinyl chloride	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
bromomethane	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
chloroethane	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
trichlorofluoromethane	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
diethyl ether	< 10	10	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
acetone	< 10	10	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
1,1-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
methylene chloride	< 5	5	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
carbon disulfide	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
1,1-dichloroethane	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
t-butanol (TBA)	< 40	40	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
2-butanone (MEK)	< 10	10	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
2,2-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
chloroform	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
bromochloromethane	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
1,1-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
carbon tetrachloride	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
trichloroethene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
1,2-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
bromodichloromethane	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
dibromomethane	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
2-hexanone	< 10	10	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
1,3-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
tetrachloroethene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
dibromochloromethane	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B

Project ID: LH

Lab ID: 11395

Lab Number: 11395-008

Sample ID: P-2R

Matrix: Water

Sampled: 11/20/06 12:35

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
chlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
styrene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
bromoform	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
Isopropylbenzene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
n-propylbenzene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
bromobenzene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
2-chlorotoluene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
4-chlorotoluene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
tert-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
sec-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
4-isopropyltoluene	19	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
n-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
hexachlorobutadiene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	15:54	SW5030B8260B
Surrogate Recovery:		Limits							
dibromofluoromethane SUR	102	78-114	%	1	LMM		12/1/06	15:54	SW5030B8260B
toluene-D8 SUR	98	88-110	%	1	LMM		12/1/06	15:54	SW5030B8260B
4-bromofluorobenzene SUR	107	86-115	%	1	LMM		12/1/06	15:54	SW5030B8260B

Project ID: LH

Lab ID: 11395

Lab Number: 11395-009

Sample ID: GZWP-1

Matrix: Water

Sampled: 11/20/06 13:55

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
chloromethane	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
vinyl chloride	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
bromomethane	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
chloroethane	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
trichlorofluoromethane	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
diethyl ether	< 10	10	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
acetone	< 10	10	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
1,1-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
methylene chloride	< 5	5	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
carbon disulfide	6	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
1,1-dichloroethane	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
t-butanol (TBA)	< 40	40	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
2-butanone (MEK)	< 10	10	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
2,2-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
chloroform	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
bromochloromethane	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
1,1-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
carbon tetrachloride	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
trichloroethene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
1,2-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
bromodichloromethane	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
dibromomethane	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
2-hexanone	< 10	10	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
1,3-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
tetrachloroethene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
dibromochloromethane	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B

DT

Project ID: LF

Lab ID: 11395

Lab Number: 11395-009

Sample ID: GZWP-1

Matrix: Water

Sampled: 11/20/06 13:55

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
chlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
styrene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
bromoform	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
isopropylbenzene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
n-propylbenzene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
bromobenzene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
2-chlorotoluene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
4-chlorotoluene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
tert-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
sec-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
4-isopropyltoluene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
n-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
hexachlorobutadiene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	2:38	SW5030B8260B
Surrogate Recovery:		Limits							
dibromofluoromethane SUR	102	78-114	%	1	LMM		12/1/06	2:38	SW5030B8260B
toluene-D8 SUR	100	88-110	%	1	LMM		12/1/06	2:38	SW5030B8260B
4-bromofluorobenzene SUR	103	86-115	%	1	LMM		12/1/06	2:38	SW5030B8260B

Project ID: LF

Lab ID: 11395

Lab Number: 11395-010

Sample ID: GZ-2

Matrix: Water

Sampled: 11/20/06 14:40

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
chloromethane	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
vinyl chloride	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
bromomethane	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
chloroethane	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
trichlorofluoromethane	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
diethyl ether	< 10	10	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
acetone	< 10	10	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
1,1-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
methylene chloride	< 5	5	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
carbon disulfide	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
1,1-dichloroethane	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
t-butanol (TBA)	< 40	40	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
2-butanone (MEK)	< 10	10	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
2,2-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
chloroform	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
bromochloromethane	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
1,1-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
carbon tetrachloride	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
trichloroethene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
1,2-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
bromodichloromethane	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
dibromomethane	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
2-hexanone	< 10	10	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
1,3-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
tetrachloroethene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
dibromochloromethane	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B

DT

Project ID: LR

Lab ID: 11395

Lab Number: 11395-010

Sample ID: GZ-2

Matrix: Water

Sampled: 11/20/06 14:40

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
chlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
styrene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
bromoform	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
isopropylbenzene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
n-propylbenzene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
bromobenzene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
2-chlorotoluene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
4-chlorotoluene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
tert-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
sec-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
4-isopropyltoluene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
n-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
hexachlorobutadiene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	3:12	SW5030B8260B
Surrogate Recovery:		Limits							
dibromofluoromethane SUR	101	78-114	%	1	LMM		12/1/06	3:12	SW5030B8260B
toluene-D8 SUR	99	88-110	%	1	LMM		12/1/06	3:12	SW5030B8260B
4-bromofluorobenzene SUR	102	86-115	%	1	LMM		12/1/06	3:12	SW5030B8260B

Project ID: LF

Lab ID: 11395

Lab Number: 11395-011

Sample ID: GZ-2L

Matrix: Water

Sampled: 11/20/06 15:30

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
chloromethane	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
vinyl chloride	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
bromomethane	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
chloroethane	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
trichlorofluoromethane	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
diethyl ether	< 10	10	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
acetone	23	10	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
1,1-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
methylene chloride	< 5	5	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
carbon disulfide	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
1,1-dichloroethane	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
t-butanol (TBA)	< 40	40	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
2-butanone (MEK)	< 10	10	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
2,2-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
chloroform	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
bromochloromethane	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
1,1-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
carbon tetrachloride	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
trichloroethene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
1,2-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
bromodichloromethane	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
dibromomethane	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
2-hexanone	< 10	10	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
1,3-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
tetrachloroethene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
dibromochloromethane	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B

DT

Project ID: LF

Lab ID: 11395

Lab Number: 11395-011

Sample ID: GZ-2L

Matrix: Water

Sampled: 11/20/06 15:30

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
chlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
styrene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
bromoform	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
isopropylbenzene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
n-propylbenzene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
bromobenzene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
2-chlorotoluene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
4-chlorotoluene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
tert-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
sec-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
4-isopropyltoluene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
n-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
hexachlorobutadiene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	3:45	SW5030B8260B
Surrogate Recovery:		Limits							
dibromofluoromethane SUR	101	78-114	%	1	LMM		12/1/06	3:45	SW5030B8260B
toluene-D8 SUR	99	88-110	%	1	LMM		12/1/06	3:45	SW5030B8260B
4-bromofluorobenzene SUR	103	86-115	%	1	LMM		12/1/06	3:45	SW5030B8260B

Project ID: LF

Lab ID: 11395

Lab Number: 11395-012

Sample ID: GZ-3L

Matrix: Water

Sampled: 11/20/06 16:00

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
chloromethane	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
vinyl chloride	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
bromomethane	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
chloroethane	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
trichlorofluoromethane	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
diethyl ether	< 10	10	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
acetone	< 10	10	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
1,1-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
methylene chloride	< 5	5	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
carbon disulfide	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
1,1-dichloroethane	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
t-butanol (TBA)	< 40	40	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
2-butanone (MEK)	< 10	10	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
2,2-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
chloroform	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
bromochloromethane	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
1,1-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
carbon tetrachloride	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
trichloroethene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
1,2-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
bromodichloromethane	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
dibromomethane	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
2-hexanone	< 10	10	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
1,3-dichloropropane	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
tetrachloroethene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
dibromochloromethane	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B

DT - 11/20/06

Project ID: LT

Lab ID: 11395

Lab Number: 11395-012

Sample ID: GZ-3L

Matrix: Water

Sampled: 11/20/06 16:00

Parameter:	Result	Quant Limit	Units	Instr Dll'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
chlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
styrene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
bromoform	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
isopropylbenzene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
n-propylbenzene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
bromobenzene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
2-chlorotoluene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
4-chlorotoluene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
tert-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
sec-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
4-isopropyltoluene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
n-butylbenzene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
hexachlorobutadiene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		12/1/06	4:19	SW5030B8260B
Surrogate Recovery:		Limits							
dibromofluoromethane SUR	99	78-114	%	1	LMM		12/1/06	4:19	SW5030B8260B
toluene-D8 SUR	99	88-110	%	1	LMM		12/1/06	4:19	SW5030B8260B
4-bromofluorobenzene SUR	105	86-115	%	1	LMM		12/1/06	4:19	SW5030B8260B

Project ID: LF

Lab ID: 11395

Lab Number: 11395-013

Sample ID: Trip Blank

Matrix: Water

Sampled: 11/20/06

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
chloromethane	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
vinyl chloride	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
bromomethane	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
chloroethane	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
trichlorofluoromethane	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
diethyl ether	< 10	10	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
acetone	< 10	10	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
1,1-dichloroethene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
methylene chloride	< 5	5	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
carbon disulfide	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
1,1-dichloroethane	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
t-butanol (TBA)	< 40	40	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
2-butanone (MEK)	< 10	10	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
2,2-dichloropropane	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
chloroform	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
bromochloromethane	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
1,1-dichloropropene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
carbon tetrachloride	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
trichloroethene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
1,2-dichloropropane	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
bromodichloromethane	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
dibromomethane	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
2-hexanone	< 10	10	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
1,3-dichloropropane	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
tetrachloroethene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
dibromochloromethane	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B

DT -

Project ID: LH

Lab ID: 11395

Lab Number: 11395-013

Sample ID: Trip Blank

Matrix: Water

Sampled: 11/20/06

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
chlorobenzene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
ethylbenzene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
m&p-xylenes	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
o-xylene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
styrene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
bromoform	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
isopropylbenzene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
n-propylbenzene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
bromobenzene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
2-chlorotoluene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
4-chlorotoluene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
tert-butylbenzene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
sec-butylbenzene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
4-isopropyltoluene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
n-butylbenzene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
hexachlorobutadiene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
naphthalene	< 5	5	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		11/30/06	22:43	SW5030B8260B
Surrogate Recovery:		Limits							
dibromofluoromethane SUR	100	78-114	%	1	LMM		11/30/06	22:43	SW5030B8260B
toluene-D8 SUR	99	88-110	%	1	LMM		11/30/06	22:43	SW5030B8260B
4-bromofluorobenzene SUR	103	86-115	%	1	LMM		11/30/06	22:43	SW5030B8260B

Project ID: LF

Lab ID: 11395

Lab Number: 11395-001

Sample ID: SW-1

Matrix: Water

Sampled: 11/20/06 8:35

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Arsenic	< 0.005	0.005	mg/L	1	BJS	11/28/06	11/28/06	14:17	SW3005A6010B
Barium	< 0.05	0.05	mg/L	1	BJS	11/28/06	11/28/06	14:17	SW3005A6010B
Cadmium	< 0.005	0.005	mg/L	1	BJS	11/28/06	11/28/06	14:17	SW3005A6010B
Chromium	< 0.05	0.05	mg/L	1	BJS	11/28/06	11/28/06	14:17	SW3005A6010B
Iron	0.49	0.05	mg/L	1	BJS	11/28/06	11/28/06	14:17	SW3005A6010B
Lead	< 0.01	0.01	mg/L	1	BJS	11/28/06	11/28/06	14:17	SW3005A6010B
Manganese	0.19	0.03	mg/L	1	BJS	11/28/06	11/28/06	14:17	SW3005A6010B
Mercury	< 0.0009	0.0009	mg/L	1	BJS	11/29/06	11/29/06		SW7470A
Selenium	< 0.05	0.05	mg/L	1	BJS	11/28/06	11/28/06	14:17	SW3005A6010B
Silver	< 0.007	0.007	mg/L	1	BJS	11/28/06	11/28/06	14:17	SW3005A6010B

Lab Number: 11395-002

Sample ID: GZ-3

Matrix: Water

Sampled: 11/20/06 9:20

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Arsenic	0.014	0.005	mg/L	1	BJS		11/28/06	12:08	SW3005A6010B
Barium	0.09	0.05	mg/L	1	BJS		11/28/06	12:08	SW3005A6010B
Cadmium	< 0.005	0.005	mg/L	1	BJS		11/28/06	12:08	SW3005A6010B
Chromium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:08	SW3005A6010B
Iron	2.9	0.05	mg/L	1	BJS		11/28/06	12:08	SW3005A6010B
Lead	< 0.01	0.01	mg/L	1	BJS		11/28/06	12:08	SW3005A6010B
Manganese	0.36	0.03	mg/L	1	BJS		11/28/06	12:08	SW3005A6010B
Mercury	< 0.0009	0.0009	mg/L	1	BJS	11/29/06	11/29/06		SW7470A
Selenium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:08	SW3005A6010B
Silver	< 0.007	0.007	mg/L	1	BJS		11/28/06	12:08	SW3005A6010B

Lab Number: 11395-003

Sample ID: GZ-1U

Matrix: Water

Sampled: 11/20/06 10:10

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Arsenic	< 0.005	0.005	mg/L	1	BJS		11/28/06	12:14	SW3005A6010B
Barium	0.06	0.05	mg/L	1	BJS		11/28/06	12:14	SW3005A6010B
Cadmium	< 0.005	0.005	mg/L	1	BJS		11/28/06	12:14	SW3005A6010B
Chromium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:14	SW3005A6010B
Iron	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:14	SW3005A6010B
Lead	< 0.01	0.01	mg/L	1	BJS		11/28/06	12:14	SW3005A6010B
Manganese	1.5	0.03	mg/L	1	BJS		11/28/06	12:14	SW3005A6010B
Mercury	< 0.0009	0.0009	mg/L	1	BJS	11/29/06	11/29/06		SW7470A
Selenium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:14	SW3005A6010B
Silver	< 0.007	0.007	mg/L	1	BJS		11/28/06	12:14	SW3005A6010B

Project ID: LF

Lab ID: 11395

Lab Number: 11395-004

Sample ID: GZ-1L

Matrix: Water

Sampled: 11/20/06 10:25

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Arsenic	< 0.005	0.005	mg/L	1	BJS		11/28/06	12:20	SW3005A6010B
Barium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:20	SW3005A6010B
Cadmium	< 0.005	0.005	mg/L	1	BJS		11/28/06	12:20	SW3005A6010B
Chromium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:20	SW3005A6010B
Iron	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:20	SW3005A6010B
Lead	< 0.01	0.01	mg/L	1	BJS		11/28/06	12:20	SW3005A6010B
Manganese	0.03	0.03	mg/L	1	BJS		11/28/06	12:20	SW3005A6010B
Mercury	< 0.0009	0.0009	mg/L	1	BJS	11/29/06	11/29/06		SW7470A
Selenium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:20	SW3005A6010B
Silver	< 0.007	0.007	mg/L	1	BJS		11/28/06	12:20	SW3005A6010B

Lab Number: 11395-005

Sample ID: GZ-4

Matrix: Water

Sampled: 11/20/06 11:00

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Arsenic	0.14	0.005	mg/L	1	BJS		11/28/06	12:26	SW3005A6010B
Barium	0.11	0.05	mg/L	1	BJS		11/28/06	12:26	SW3005A6010B
Cadmium	< 0.005	0.005	mg/L	1	BJS		11/28/06	12:26	SW3005A6010B
Chromium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:26	SW3005A6010B
Iron	25	0.05	mg/L	1	BJS		11/28/06	12:26	SW3005A6010B
Lead	< 0.01	0.01	mg/L	1	BJS		11/28/06	12:26	SW3005A6010B
Manganese	2.3	0.03	mg/L	1	BJS		11/28/06	12:26	SW3005A6010B
Mercury	< 0.0009	0.0009	mg/L	1	BJS	11/29/06	11/29/06		SW7470A
Selenium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:26	SW3005A6010B
Silver	< 0.007	0.007	mg/L	1	BJS		11/28/06	12:26	SW3005A6010B

Lab Number: 11395-006

Sample ID: P-9R

Matrix: Water

Sampled: 11/20/06 11:20

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Arsenic	0.042	0.005	mg/L	1	BJS		11/28/06	12:39	SW3005A6010B
Barium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:39	SW3005A6010B
Cadmium	< 0.005	0.005	mg/L	1	BJS		11/28/06	12:39	SW3005A6010B
Chromium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:39	SW3005A6010B
Iron	0.45	0.05	mg/L	1	BJS		11/28/06	12:39	SW3005A6010B
Lead	< 0.01	0.01	mg/L	1	BJS		11/28/06	12:39	SW3005A6010B
Manganese	1.5	0.03	mg/L	1	BJS		11/28/06	12:39	SW3005A6010B
Mercury	< 0.0009	0.0009	mg/L	1	BJS	11/29/06	11/29/06		SW7470A
Selenium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:39	SW3005A6010B
Silver	< 0.007	0.007	mg/L	1	BJS		11/28/06	12:39	SW3005A6010B

Project ID: LF
Lab ID: 11395

Lab Number: 11395-007

Sample ID: P-5R

Matrix: Water

Sampled: 11/20/06 11:55

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Arsenic	< 0.005	0.005	mg/L	1	BJS		11/28/06	12:49	SW3005A6010B
Barium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:49	SW3005A6010B
Cadmium	< 0.005	0.005	mg/L	1	BJS		11/28/06	12:49	SW3005A6010B
Chromium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:49	SW3005A6010B
Iron	0.39	0.05	mg/L	1	BJS		11/28/06	12:49	SW3005A6010B
Lead	< 0.01	0.01	mg/L	1	BJS		11/28/06	12:49	SW3005A6010B
Manganese	0.48	0.03	mg/L	1	BJS		11/28/06	12:49	SW3005A6010B
Mercury	< 0.0009	0.0009	mg/L	1	BJS	11/29/06	11/29/06		SW7470A
Selenium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:49	SW3005A6010B
Silver	< 0.007	0.007	mg/L	1	BJS		11/28/06	12:49	SW3005A6010B

Lab Number: 11395-008

Sample ID: P-2R

Matrix: Water

Sampled: 11/20/06 12:35

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Arsenic	0.026	0.005	mg/L	1	BJS		11/28/06	12:55	SW3005A6010B
Barium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:55	SW3005A6010B
Cadmium	< 0.005	0.005	mg/L	1	BJS		11/28/06	12:55	SW3005A6010B
Chromium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:55	SW3005A6010B
Iron	2.0	0.05	mg/L	1	BJS		11/28/06	12:55	SW3005A6010B
Lead	< 0.01	0.01	mg/L	1	BJS		11/28/06	12:55	SW3005A6010B
Manganese	1.1	0.03	mg/L	1	BJS		11/28/06	12:55	SW3005A6010B
Mercury	< 0.0009	0.0009	mg/L	1	BJS	11/29/06	11/29/06		SW7470A
Selenium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:55	SW3005A6010B
Silver	< 0.007	0.007	mg/L	1	BJS		11/28/06	12:55	SW3005A6010B

Lab Number: 11395-009

Sample ID: GZWP-1

Matrix: Water

Sampled: 11/20/06 13:55

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Arsenic	0.062	0.005	mg/L	1	BJS		11/28/06	13:01	SW3005A6010B
Barium	0.05	0.05	mg/L	1	BJS		11/28/06	13:01	SW3005A6010B
Cadmium	< 0.005	0.005	mg/L	1	BJS		11/28/06	13:01	SW3005A6010B
Chromium	< 0.05	0.05	mg/L	1	BJS		11/28/06	13:01	SW3005A6010B
Iron	11	0.05	mg/L	1	BJS		11/28/06	13:01	SW3005A6010B
Lead	< 0.01	0.01	mg/L	1	BJS		11/28/06	13:01	SW3005A6010B
Manganese	2.7	0.03	mg/L	1	BJS		11/28/06	13:01	SW3005A6010B
Mercury	< 0.0009	0.0009	mg/L	1	BJS	11/29/06	11/29/06		SW7470A
Selenium	< 0.05	0.05	mg/L	1	BJS		11/28/06	13:01	SW3005A6010B
Silver	< 0.007	0.007	mg/L	1	BJS		11/28/06	13:01	SW3005A6010B

Project ID: LF

Lab ID: 11395

Lab Number: 11395-010

Sample ID: GZ-2

Matrix: Water

Sampled: 11/20/06 14:40

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Arsenic	0.007	0.005	mg/L	1	BJS		11/28/06	13:09	SW3005A6010B
Barium	< 0.05	0.05	mg/L	1	BJS		11/28/06	13:09	SW3005A6010B
Cadmium	< 0.005	0.005	mg/L	1	BJS		11/28/06	13:09	SW3005A6010B
Chromium	< 0.05	0.05	mg/L	1	BJS		11/28/06	13:09	SW3005A6010B
Iron	1.1	0.05	mg/L	1	BJS		11/28/06	13:09	SW3005A6010B
Lead	< 0.01	0.01	mg/L	1	BJS		11/28/06	13:09	SW3005A6010B
Manganese	0.78	0.03	mg/L	1	BJS		11/28/06	13:09	SW3005A6010B
Mercury	< 0.0009	0.0009	mg/L	1	BJS	11/29/06	11/29/06		SW7470A
Selenium	< 0.05	0.05	mg/L	1	BJS		11/28/06	13:09	SW3005A6010B
Silver	< 0.007	0.007	mg/L	1	BJS		11/28/06	13:09	SW3005A6010B

Lab Number: 11395-011

Sample ID: GZ-2L

Matrix: Water

Sampled: 11/20/06 15:30

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Arsenic	0.010	0.005	mg/L	1	BJS		11/28/06	13:28	SW3005A6010B
Barium	< 0.05	0.05	mg/L	1	BJS		11/28/06	13:28	SW3005A6010B
Cadmium	< 0.005	0.005	mg/L	1	BJS		11/28/06	13:28	SW3005A6010B
Chromium	< 0.05	0.05	mg/L	1	BJS		11/28/06	13:28	SW3005A6010B
Iron	0.08	0.05	mg/L	1	BJS		11/28/06	13:28	SW3005A6010B
Lead	< 0.01	0.01	mg/L	1	BJS		11/28/06	13:28	SW3005A6010B
Manganese	7.5	0.03	mg/L	1	BJS		11/28/06	13:28	SW3005A6010B
Mercury	< 0.0009	0.0009	mg/L	1	BJS	11/29/06	11/29/06		SW7470A
Selenium	< 0.05	0.05	mg/L	1	BJS		11/28/06	13:28	SW3005A6010B
Silver	< 0.007	0.007	mg/L	1	BJS		11/28/06	13:28	SW3005A6010B

Lab Number: 11395-012

Sample ID: GZ-3L

Matrix: Water

Sampled: 11/20/06 16:00

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Arsenic	< 0.005	0.005	mg/L	1	BJS		11/28/06	13:58	SW3005A6010B
Barium	< 0.05	0.05	mg/L	1	BJS		11/28/06	13:58	SW3005A6010B
Cadmium	< 0.005	0.005	mg/L	1	BJS		11/28/06	13:58	SW3005A6010B
Chromium	< 0.05	0.05	mg/L	1	BJS		11/28/06	13:58	SW3005A6010B
Iron	< 0.05	0.05	mg/L	1	BJS		11/28/06	13:58	SW3005A6010B
Lead	< 0.01	0.01	mg/L	1	BJS		11/28/06	13:58	SW3005A6010B
Manganese	0.10	0.03	mg/L	1	BJS		11/28/06	13:58	SW3005A6010B
Mercury	< 0.0009	0.0009	mg/L	1	BJS	11/29/06	11/29/06		SW7470A
Selenium	< 0.05	0.05	mg/L	1	BJS		11/28/06	13:58	SW3005A6010B
Silver	< 0.007	0.007	mg/L	1	BJS		11/28/06	13:58	SW3005A6010B

DT

Project ID: LF
Lab ID: 11395

Lab Number: 11395-001

Sample ID: SW-1

Matrix: Water

Sampled: 11/20/06 8:35

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Chloride	3.4	0.5	mg/L	1	JLZ		11/21/06	18:30	E300.0A
Nitrate-N	< 0.1	0.1	mg/L	1	JLZ		11/21/06	18:30	E300.0A

Lab Number: 11395-002

Sample ID: GZ-3

Matrix: Water

Sampled: 11/20/06 9:20

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Chloride	5.0	0.5	mg/L	1	JLZ		11/21/06	18:43	E300.0A
Nitrate-N	< 0.1	0.1	mg/L	1	JLZ		11/21/06	18:43	E300.0A

Lab Number: 11395-003

Sample ID: GZ-1U

Matrix: Water

Sampled: 11/20/06 10:10

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Chloride	63	2.5	mg/L	5	JLZ		11/29/06	21:09	E300.0A
Nitrate-N	0.2	0.1	mg/L	1	JLZ		11/21/06	18:56	E300.0A

Lab Number: 11395-004

Sample ID: GZ-1L

Matrix: Water

Sampled: 11/20/06 10:25

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Chloride	50	2.5	mg/L	5	JLZ		11/29/06	21:23	E300.0A
Nitrate-N	< 0.1	0.1	mg/L	1	JLZ		11/21/06	19:10	E300.0A

Lab Number: 11395-005

Sample ID: GZ-4

Matrix: Water

Sampled: 11/20/06 11:00

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Chloride	35	2.5	mg/L	5	JLZ		11/29/06	21:36	E300.0A
Nitrate-N	< 0.1	0.1	mg/L	1	JLZ		11/21/06	19:23	E300.0A

Lab Number: 11395-006

Sample ID: P-9R

Matrix: Water

Sampled: 11/20/06 11:20

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Chloride	18	0.5	mg/L	1	JLZ		11/21/06	20:03	E300.0A
Nitrate-N	< 0.1	0.1	mg/L	1	JLZ		11/21/06	20:03	E300.0A

DT

Project ID: LF

Lab ID: 11395

Lab Number: 11395-007

Sample ID: P-5R

Matrix: Water

Sampled: 11/20/06 11:55

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Chloride	1.8	0.5	mg/L	1	JLZ		11/21/06	20:16	E300.0A
Nitrate-N	< 0.1	0.1	mg/L	1	JLZ		11/21/06	20:16	E300.0A

Lab Number: 11395-008

Sample ID: P-2R

Matrix: Water

Sampled: 11/20/06 12:35

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Chloride	5.2	0.5	mg/L	1	JLZ		11/21/06	20:56	E300.0A
Nitrate-N	< 0.1	0.1	mg/L	1	JLZ		11/21/06	20:56	E300.0A

Lab Number: 11395-009

Sample ID: GZWP-1

Matrix: Water

Sampled: 11/20/06 13:55

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Chloride	4.0	0.5	mg/L	1	JLZ		11/21/06	21:09	E300.0A
Nitrate-N	< 0.1	0.1	mg/L	1	JLZ		11/21/06	21:09	E300.0A

Lab Number: 11395-010

Sample ID: GZ-2

Matrix: Water

Sampled: 11/20/06 14:40

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Chloride	11	0.5	mg/L	1	JLZ		11/21/06	21:23	E300.0A
Nitrate-N	< 0.1	0.1	mg/L	1	JLZ		11/21/06	21:23	E300.0A

Lab Number: 11395-011

Sample ID: GZ-2L

Matrix: Water

Sampled: 11/20/06 15:30

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Chloride	10	0.5	mg/L	1	JLZ		11/21/06	21:36	E300.0A
Nitrate-N	< 0.1	0.1	mg/L	1	JLZ		11/21/06	21:36	E300.0A

Lab Number: 11395-012

Sample ID: GZ-3L

Matrix: Water

Sampled: 11/20/06 16:00

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Chloride	7.9	0.5	mg/L	1	JLZ		11/21/06	21:49	E300.0A
Nitrate-N	0.1	0.1	mg/L	1	JLZ		11/21/06	21:49	E300.0A

Project ID: LF
Lab ID: 11395

Lab Number: 11395-001

Sample ID: SW-1

Matrix: Water

Sampled: 11/20/06 8:35

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Total Kjeldahl Nitrogen (TKN)	< 1 S	1	mg/L	1	DM		11/27/06		E351.3

S = Result provided by Northeast Laboratory Services of Waterville, ME.

Lab Number: 11395-002

Sample ID: GZ-3

Matrix: Water

Sampled: 11/20/06 9:20

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Total Kjeldahl Nitrogen (TKN)	1.7 S	1	mg/L	1	DM		11/27/06		E351.3

S = Result provided by Northeast Laboratory Services of Waterville, ME.

Lab Number: 11395-003

Sample ID: GZ-1U

Matrix: Water

Sampled: 11/20/06 10:10

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Total Kjeldahl Nitrogen (TKN)	< 1 S	1	mg/L	1	DM		11/27/06		E351.3

S = Result provided by Northeast Laboratory Services of Waterville, ME.

Lab Number: 11395-004

Sample ID: GZ-1L

Matrix: Water

Sampled: 11/20/06 10:25

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Total Kjeldahl Nitrogen (TKN)	< 1 S	1	mg/L	1	DM		11/27/06		E351.3

S = Result provided by Northeast Laboratory Services of Waterville, ME.

Lab Number: 11395-005

Sample ID: GZ-4

Matrix: Water

Sampled: 11/20/06 11:00

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Total Kjeldahl Nitrogen (TKN)	6.2 S	1	mg/L	1	DM		11/27/06		E351.3

S = Result provided by Northeast Laboratory Services of Waterville, ME.

Lab Number: 11395-006

Sample ID: P-9R

Matrix: Water

Sampled: 11/20/06 11:20

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Total Kjeldahl Nitrogen (TKN)	110 S	1	mg/L	1	DM		11/27/06		E351.3

S = Result provided by Northeast Laboratory Services of Waterville, ME.

Project ID: LF

Lab ID: 11395

Lab Number: 11395-007

Sample ID: P-5R

Matrix: Water

Sampled: 11/20/06 11:55

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Total Kjeldahl Nitrogen (TKN)	6.0 S	1	mg/L	1	DM		11/27/06		E351.3

S = Result provided by Northeast Laboratory Services of Waterville, ME.

Lab Number: 11395-008

Sample ID: P-2R

Matrix: Water

Sampled: 11/20/06 12:35

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Total Kjeldahl Nitrogen (TKN)	77 S	1	mg/L	1	DM		11/27/06		E351.3

S = Result provided by Northeast Laboratory Services of Waterville, ME.

Lab Number: 11395-009

Sample ID: GZWP-1

Matrix: Water

Sampled: 11/20/06 13:55

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Total Kjeldahl Nitrogen (TKN)	2.2 S	1	mg/L	1	DM		11/27/06		E351.3

S = Result provided by Northeast Laboratory Services of Waterville, ME.

Lab Number: 11395-010

Sample ID: GZ-2

Matrix: Water

Sampled: 11/20/06 14:40

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Total Kjeldahl Nitrogen (TKN)	1.3 S	1	mg/L	1	DM		11/27/06		E351.3

S = Result provided by Northeast Laboratory Services of Waterville, ME.

Lab Number: 11395-011

Sample ID: GZ-2L

Matrix: Water

Sampled: 11/20/06 15:30

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Total Kjeldahl Nitrogen (TKN)	14 S	1	mg/L	1	DM		11/27/06		E351.3

S = Result provided by Northeast Laboratory Services of Waterville, ME.

Lab Number: 11395-012

Sample ID: GZ-3L

Matrix: Water

Sampled: 11/20/06 16:00

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Total Kjeldahl Nitrogen (TKN)	1.3 S	1	mg/L	1	DM		11/27/06		E351.3

S = Result provided by Northeast Laboratory Services of Waterville, ME.

Project ID: L1

Lab ID: 11395

Lab Number: 11395-001

Sample ID: SW-1

Matrix: Water

Sampled: 11/20/06 8:35

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
chloromethane	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
vinyl chloride	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
bromomethane	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
chloroethane	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
trichlorofluoromethane	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
diethyl ether	< 10	10	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
acetone	< 10	10	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
1,1-dichloroethene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
methylene chloride	< 5	5	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
carbon disulfide	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
1,1-dichloroethane	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
t-butanol (TBA)	< 40	40	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
2-butanone (MEK)	< 10	10	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
2,2-dichloropropane	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
chloroform	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
bromochloromethane	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
1,1-dichloropropene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
carbon tetrachloride	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
1,2-dichloroethane	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
benzene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
trichloroethene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
1,2-dichloropropane	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
bromodichloromethane	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
dibromomethane	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
toluene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
2-hexanone	< 10	10	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
1,3-dichloropropane	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
tetrachloroethene	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
dibromochloromethane	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		11/25/06	14:27	SW5030B8260B

RL

Resource Laboratories, LLC
124 Heritage Avenue
Portsmouth, NH 03801

Voice: 603-436-2001
Fax: 603-430-2100

11395**CHAIN OF CUSTODY DOCUMENTATION**

Client: Town of Exeter		Contact:		Project: LF		Page 1 of 4	
Report to: Jennifer Perry		Address:		E-mail:		Phone:	
Invoice To:		Address:		Fax:			
Protocol: (please circle applicable)		RCRA		SDWA		NPDES Other:	
Lab Number: (assigned by laboratory)		Your Field ID: must agree with container		Date Sampled	Time Sampled	Sampled By	Container Size (mL)
							Container Type (P/G/T)
							Field Preservation
							Matrix S=Soil W=Water
							Analyses Requested: Special Instructions:
1395-01	SW-1	11-20-06	0835	TW	40	P	None
	↓	11-20-06	0835	TW	250	P	H2SO4
	↓	11-20-06	0835	TW	250	P	HNO3
02	GZ-3	11-20-06	0920	TW	40	P	None
	↓	11-20-06	0920	TW	250	P	H2SO4
	↓	11-20-06	0920	TW	250	P	HNO3
03	GZ-1U	11-20-06	0920	TW	40	P	None
	↓	11-20-06	10:10	TW	250	P	H2SO4
	↓	11-20-06	10:10	TW	250	P	HNO3
04	GZ-1L	11-20-06	10:25	TW	40	P	None
	↓	11-20-06	10:25	TW	250	P	H2SO4
	↓	11-20-06	10:25	TW	250	P	HNO3
Relinquished by: [Signature]		Date: 11-20-06		Time: 17:00		Received by: [Signature]	
Relinquished by:		Date:		Time:		Received by:	
Relinquished by:		Date:		Time:		Received by:	

Comments: SW-1 is not field filtered, run and analyze as "Total". All "GZ" and "P" samples field filtered using 0.45 micron filter prior to preservation, analyze and report as "Dissolve

Rec'd
11/20/06

RL

Resource Laboratories, LLC
124 Heritage Avenue
Portsmouth, NH 03801

Voice: 603-436-2001
Fax: 603-430-2100

CHAIN OF CUSTODY DOCUMENTATION

Client: Town of Exeter		Contact: Jennifer Perry		Project: LF		Page: 2 of 4					
Report to: Jennifer Perry		Address: 13 Newfields Road, Exeter		E-mail:		Phone: 603-778-0591					
Invoice To: Jennifer Perry		Address: 13 Newfields Road, Exeter				Fax: 772-1355					
Protocol: (please circle applicable program)		RCRA	SDWA	NPDES	Other:		P.O. # Quote # 1543EXE1				
Lab Number: (assigned by laboratory)	Your Field ID: (must agree with container)	Date Sampled	Time Sampled	Sampled By	Container Size (mL)	Container Type (P/G/T)	Field Preser- vation	Matrix S=Soil W=Water	Analyses Requested: Special Instructions:		
113915-05	G2-4	11-20-06	11:00	TW	40	P	None	W=Water	Anions Chloride, Nitrate		
	↓	11-20-06	11:00	TW	250	P	H2SO4	W=Water	TKN		
	↓	11-20-06	11:00	TW	250	P	HNO3	W=Water	Diss-Metals As,Ba,Cd,Cr,Pb,Hg,Se,Ag,Fe, Mn		
06	P-9R	11-20-06	11:20	TW	40	P	None	W=Water	Anions Chloride, Nitrate		
	↓	11-20-06	11:20	TW	250	P	H2SO4	W=Water	TKN		
	↓	11-20-06	11:20	TW	250	P	HNO3	W=Water	Diss-Metals As,Ba,Cd,Cr,Pb,Hg,Se,Ag,Fe, Mn		
07	P-5R	11-20-06	11:55	TW	40	P	None	W=Water	Anions Chloride, Nitrate		
	↓	11-20-06	11:55	TW	250	P	H2SO4	W=Water	TKN		
	↓	11-20-06	11:55	TW	250	P	HNO3	W=Water	Diss-Metals As,Ba,Cd,Cr,Pb,Hg,Se,Ag,Fe, Mn		
08	P-2R	11-20-06	12:35	TW	40	P	None	W=Water	Anions Chloride, Nitrate		
	↓	11-20-06	12:35	TW	250	P	H2SO4	W=Water	TKN		
	↓	11-20-06	12:35	TW	250	P	HNO3	W=Water	Diss-Metals As,Ba,Cd,Cr,Pb,Hg,Se,Ag,Fe, Mn		
Relinquished by: [Signature]		Date: 11-20-06		Time: 17:00		Received by: [Signature]		Date: 11/20/06		Time: 1700	
Relinquished by:		Date:		Time:		Received by:		Date:		Time:	
Relinquished by:		Date:		Time:		Received by:		Date:		Time:	

Comments:

RL

Resource Laboratories, LLC
124 Heritage Avenue
Portsmouth, NH 03801

Voice: 603-436-2001
Fax: 603-430-2100

CHAIN OF CUSTODY DOCUMENTATION

Client: Town of Exeter		Contact: Jennifer Perry		Project: LF		Page <u>3</u> of <u>4</u>	
Report to: Jennifer Perry		Address: 13 Newfields Road Exeter		E-mail:		Phone: 603-778-0591	
Invoice To: Jennifer Perry		Address: 13 Newfields Road Exeter		Fax: 772-1355			
Protocol: (please circle applicable program)		RCRA		SDWA		NPDES Other:	
Lab Number: (assigned by laboratory)		Your Field ID: (must agree with container)		Date Sampled		Time Sampled	
Sampled By		Container Size (mL)		Container Type (P/G/T)		Field Preservation	
Matrix S=Soil W=Water		Analyses Requested:		Special Instructions:			
11315-09	GZWP-1	11-20-06	13:55	TW	40	P	None
	↓	11-20-06	13:55	TW	250	P	H2SO4
	↓	11-20-06	13:55	TW	250	P	HNO3
10	GZ-2	11-20-06	14:40	TW	40	P	None
	↓	11-20-06	14:40	TW	250	P	H2SO4
	↓	11-20-06	14:40	TW	250	P	HNO3
11	GZ-2L	11-20-06	15:30	TW	40	P	None
	↓	11-20-06	15:30	TW	250	P	H2SO4
	↓	11-20-06	15:30	TW	250	P	HNO3
12	GZ-3L	11-20-06	16:00	TW	40	P	None
	↓	11-20-06	16:00	TW	250	P	H2SO4
	↓	11-20-06	16:00	TW	250	P	HNO3
Relinquished by: <i>[Signature]</i>		Date: 11-20-06		Time: 17:00		Received by: <i>[Signature]</i>	
Relinquished by:		Date:		Time:		Received by:	
Relinquished by:		Date:		Time:		Received by:	

Comments:



Resource Laboratories, LLC
124 Heritage Avenue
Portsmouth, NH 03801

Voice: 603-436-2001
Fax: 603-430-2100

CHAIN OF CUSTODY DOCUMENTATION

Client: Town of Exeter		Contact:		Project: LF		Page 4 of 4			
Report to: Jennifer Perry		Address:		E-mail:		Phone:			
Invoice To:		Address:				Fax:			
Protocol: (please circle applicable program)		RCRA	SDWA	NPDES	Other:		P.O. # Quote #		
Log Number: (assigned by laboratory)	Your Field ID: (must agree with container)	Date Sampled	Time Sampled	Sampled By	Container Size (mL)	Container Type (P/G/T)	Field Preser- vation	Matrix S=Soil W=Water	Analyses Requested: Special Instructions:
1395-01	SW-1	11-20-06	0835	TLW	2*40	G	HCl	W=Water	VOC 8260
02	GZ-3	11-20-06	0920	TLW	2*40	G	HCl	W=Water	VOC 8260
03	GZ-1U	11-20-06	10:10	TLW	2*40	G	HCl	W=Water	VOC 8260
04	GZ-1L	11-20-06	10:25	TLW	2*40	G	HCl	W=Water	VOC 8260
05	GZ-4	11-20-06	11:00	TLW	2*40	G	HCl	W=Water	VOC 8260
06	P-9R	11-20-06	11:20	TLW	2*40	G	HCl	W=Water	VOC 8260
07	P-5R	11-20-06	11:55	TLW	2*40	G	HCl	W=Water	VOC 8260
08	P-2R	11-20-06	12:35	TLW	2*40	G	HCl	W=Water	VOC 8260
09	GZWP-1	11-20-06	13:55	TLW	2*40	G	HCl	W=Water	VOC 8260
10	GZ-2	11-20-06	14:40	TLW	2*40	G	HCl	W=Water	VOC 8260
11	GZ-2L	11-20-06	15:30	TLW	2*40	G	HCl	W=Water	VOC 8260
12	GZ-3L	11-20-06	16:00	TLW	2*40	G	HCl	W=Water	VOC 8260
Relinquished by: <i>[Signature]</i>		Date: 11-20-06	Time: 17:00	Received by: <i>[Signature]</i>		Date: 11/20/06	Time: 1700		
Relinquished by:		Date:	Time:	Received by:		Date:	Time:		
Relinquished by:		Date:	Time:	Received by:		Date:	Time:		

Comments:

Laboratory Report

Jennifer Perry
Town of Exeter
13 Newfields Road
Exeter, NH 03833

PO Number: None
LabID: 11396
Date Received: 11/20/06

Project: LF


Attached please find results for the analysis of the samples received on the date referenced above.

Unless otherwise noted in the attached report, the analyses performed met the requirements of Resource Laboratories, LLC Quality Assurance Plan. The Standard Operating Procedures (SOP) are based upon USEPA SW-846, USEPA Methods for Chemical Analysis of Water and Wastewater, Standard Methods for the Examination of Water and Wastewater and other recognized methodologies. The results contained in this report pertain only to the samples as indicated on the chain of custody.

Resource Laboratories, LLC maintains certification with the agencies listed below.

We appreciate the opportunity to provide laboratory services. If you have any questions regarding the enclosed report, please contact the laboratory and we will be glad to assist you.

Sincerely,
Resource Laboratories, LLC



Susan Sylvester
Principal, General Manager

12-6-06
Date

Total number of pages

3

Resource Laboratories, LLC Certifications

New Hampshire 1732
Maine NH903

Massachusetts M-NH902

Project ID: LH
Lab ID: 11396

Lab Number: 11396-001
Sample ID: SW-10
Matrix: Water
Sampled: 11/20/06 8:00

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Arsenic	< 0.005	0.005	mg/L	1	BJS	11/28/06	11/28/06	14:25	SW3005A6010B

Lab Number: 11396-002
Sample ID: SW-11
Matrix: Water
Sampled: 11/20/06 8:10

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Arsenic	< 0.005	0.005	mg/L	1	BJS	11/28/06	11/28/06	14:31	SW3005A6010B

Lab Number: 11396-003
Sample ID: SW-12
Matrix: Water
Sampled: 11/20/06 8:20

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Arsenic	< 0.005	0.005	mg/L	1	BJS	11/28/06	11/28/06	14:35	SW3005A6010B

CHAIN OF CUSTODY DOCUMENTATION

Client: Town of Exeter		Contact:	Project: LF		Page 7 of 8			
Report to: Jennifer Perry		Address: 10 Front Street		E-mail:	Phone: 773-6157			
Invoice To: Jennifer Perry		Address:			Fax:	772-1355		
Protocol: (please circle applicable) RCRA SDWA NPDES Other:					P.O. #	Quote #		
Lab Number: (assigned by laboratory)	Your Field ID: must agree with container	Date Sampled	Time Sampled	Sampled By	Container Size (mL) Type (P/G/T)	Field Preser- vation	Matrix S=Soil W=Water	Analyses Requested: Special Instructions:
SW-13	SW-10	11-20-06	08:00	TW	250 P	HNO3	W=Water	Metals As
SW-14	SW-11	11-20-06	08:10	TW	250 P	HNO3	W=Water	Metals As
SW-15	SW-12	11-20-06	08:20	TW	250 P	HNO3	W=Water	Metals As
SW-16	Imp Bicarls							
Relinquished by: [Signature]					Date: 11/20/06 Time: 17:00		Received by: [Signature] Date: 11/20/06 Time: 17:00	
Relinquished by:					Date:		Time:	
Relinquished by:					Date:		Time:	

Comments:

Ami
700
58