



LETTER OF TRANSMITTAL

Town of Exeter ■ Public Works Department ■ 10 Front Street ■ Exeter, NH ■ 03833
■ (603) 773-6157 tel ■ (603) 772-1355 fax

TO: NHDES
6 HAZEN DRIVE
P.O. Box 95
CONCORD, NH 03302-0095
ATTN: GROUNDWATER MANAGEMENT PERMITS COORD.

DATE: 4/10/2007
RE: EXETER CROSS ROAD LANDFILL MONITORING
PERMIT NO. GWP-198401081-E-002

JOB NO:

WE ARE SENDING YOU ☒ Attached ☐ Under separate cover via _____ the following items:

☐ Prints/Plans ☐ Invoices ☐ Shop Drawings ☐ Specifications
☒ Reports ☐ Disk(s) ☐ Copy of Letter/Memo ☐ Other


COPIES	DATE	DESCRIPTION
1	04/05/07	Laboratory Report, Resource Laboratories (15 pp) - REISSUED (Sample ID Changes)

THESE ARE TRANSMITTED:

☐ For approval ☐ For your use ☒ As requested ☐ For Review & Comment


REMARKS:

Please find attached the reissued report for the November 2006 water quality results for the Cross Road Landfill. The original report had mislabeled RFW-1, RFW-2, and RFW-3.



TOWN OF EXETER

Copy to: James Wieck, GZA



Jennifer R. Perry, P.E., Town Engineer

Dan Jones

If enclosures are not as noted, kindly notify us at once.

Laboratory Report

Jennifer Perry
Town of Exeter
13 Newfields Road
Exeter, NH 03833



PO Number: None
LabID: 11395
Date Received: 11/20/06

Project: LF

Attached please find results for the analysis of the samples received on the date referenced above.

As requested, the report has been reissued to reflect sample ID changes for samples 11395-02,-05 and -10.

Unless otherwise noted in the attached report, the analyses performed met the requirements of Resource Laboratories, LLC Quality Assurance Plan. The Standard Operating Procedures (SOP) are based upon USEPA SW-846, USEPA Methods for Chemical Analysis of Water and Wastewater, Standard Methods for the Examination of Water and Wastewater and other recognized methodologies. The results contained in this report pertain only to the samples as indicated on the chain of custody.

Resource Laboratories, LLC maintains certification with the agencies listed below.

We appreciate the opportunity to provide laboratory services. If you have any questions regarding the enclosed report, please contact the laboratory and we will be glad to assist you.

Sincerely,
Resource Laboratories, LLC

A handwritten signature in cursive script, appearing to read "Susan Sylvester", written over a horizontal line.

Susan Sylvester
Principal, General Manager

4-5-07

Date

Total number of pages

15

Resource Laboratories, LLC Certifications

New Hampshire 1732
Maine NH903

Massachusetts M-NH902

Project ID: LF

Lab ID: 11395

Lab Number: 11395-002

Sample ID: RFW-3

Matrix: Water

Sampled: 11/20/06 9:20

Parameter	Result	Quant Limit	Units	Instr DIL'n		Analyst	Prep Date	Analysis			Reference
				Factor				Batch	Date	Time	
dichlorodifluoromethane	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
chloromethane	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
vinyl chloride	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
bromomethane	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
chloroethane	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
trichlorofluoromethane	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
diethyl ether	< 10	10	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
acetone	< 10	10	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
1,1-dichloroethene	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
methylene chloride	< 5	5	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
carbon disulfide	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
methyl t-butyl ether (MTBE)	3	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
trans-1,2-dichloroethene	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
isopropyl ether (DIPE)	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
1,1-dichloroethane	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
t-butanol (TBA)	< 40	40	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
2-butanone (MEK)	< 10	10	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
2,2-dichloropropane	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
cis-1,2-dichloroethene	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
chloroform	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
bromochloromethane	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
tetrahydrofuran (THF)	< 10	10	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
1,1,1-trichloroethane	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
1,1-dichloropropene	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
carbon tetrachloride	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
1,2-dichloroethane	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
benzene	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
trichloroethene	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
1,2-dichloropropane	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
bromodichloromethane	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
dibromomethane	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
cis-1,3-dichloropropene	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
toluene	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
trans-1,3-dichloropropene	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
2-hexanone	< 10	10	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
1,1,2-trichloroethane	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
1,3-dichloropropane	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
tetrachloroethene	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
dibromochloromethane	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
1,2-dibromoethane (EDB)	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260
chlorobenzene	< 2	2	ug/L	1		LMM		40385	11/30/06	23:17	SW5030B8260

revised 4/15/07

Project ID: LF

Lab ID: 11395

Lab Number: 11395-002

Sample ID: RFW-3

Matrix: Water

Sampled: 11/20/06 9:20

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis			Reference
							Batch	Date	Time	
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
ethylbenzene	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
m&p-xylenes	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
o-xylene	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
styrene	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
bromoform	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
isopropylbenzene	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
n-propylbenzene	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
bromobenzene	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
2-chlorotoluene	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
4-chlorotoluene	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
tert-butylbenzene	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
sec-butylbenzene	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
4-isopropyltoluene	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
n-butylbenzene	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
hexachlorobutadiene	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
naphthalene	< 5	5	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		40385	11/30/06	23:17	SW5030B82I
Surrogate Recovery		Limits								
dibromofluoromethane SUR	100	78-114	%	1	LMM		40385	11/30/06	23:17	SW5030B82I
toluene-D8 SUR	99	88-110	%	1	LMM		40385	11/30/06	23:17	SW5030B82I
4-bromofluorobenzene SUR	104	86-115	%	1	LMM		40385	11/30/06	23:17	SW5030B82I

revised 4/15/07

Project ID: LF

Lab ID: 11395

Lab Number: 11395-005

Sample ID: RFW-4

Matrix: Water

Sampled: 11/20/06 11:00

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
chloromethane	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
vinyl chloride	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
bromomethane	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
chloroethane	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
trichlorofluoromethane	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
diethyl ether	< 10	10	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
acetone	< 10	10	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
1,1-dichloroethene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
methylene chloride	< 5	5	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
carbon disulfide	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
1,1-dichloroethane	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
t-butanol (TBA)	< 40	40	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
2-butanone (MEK)	< 10	10	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
2,2-dichloropropane	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
chloroform	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
bromochloromethane	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
1,1-dichloropropene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
carbon tetrachloride	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
1,2-dichloroethane	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
benzene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
trichloroethene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
1,2-dichloropropane	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
bromodichloromethane	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
dibromomethane	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
toluene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
2-hexanone	< 10	10	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
1,3-dichloropropane	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
tetrachloroethene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
dibromochloromethane	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
chlorobenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260

revised 4/5/07

Project ID: LF

Lab ID: 11395

Lab Number: 11395-005

Sample ID: RFW-4

Matrix: Water

Sampled: 11/20/06 11:00

Parameter	Result	Quant	Units	Instr Dil'n	Analyst	Prep Date	Analysis			Reference
		Limit					Batch	Date	Time	
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
ethylbenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
m&p-xylenes	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
o-xylene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
styrene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
bromoform	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
isopropylbenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
n-propylbenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
bromobenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
2-chlorotoluene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
4-chlorotoluene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
tert-butylbenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
sec-butylbenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
4-isopropyltoluene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
n-butylbenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
hexachlorobutadiene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
naphthalene	< 5	5	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	0:57	SW5030B8260
Surrogate Recovery		Limits								
dibromofluoromethane SUR	100	78-114	%	1	LMM		40385	12/1/06	0:57	SW5030B8260
toluene-D8 SUR	98	88-110	%	1	LMM		40385	12/1/06	0:57	SW5030B8260
4-bromofluorobenzene SUR	102	86-115	%	1	LMM		40385	12/1/06	0:57	SW5030B8260

revised 4/15/07

Project ID: LF

Lab ID: 11395

Lab Number: 11395-010

Sample ID: RFW-2

Matrix: Water

Sampled: 11/20/06 14:40

Parameter	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Batch	Analysis Date	Time	Reference
dichlorodifluoromethane	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
chloromethane	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
vinyl chloride	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
bromomethane	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
chloroethane	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
trichlorofluoromethane	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
diethyl ether	< 10	10	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
acetone	< 10	10	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
1,1-dichloroethene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
methylene chloride	< 5	5	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
carbon disulfide	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
methyl t-butyl ether (MTBE)	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
trans-1,2-dichloroethene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
isopropyl ether (DIPE)	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
ethyl t-butyl ether (ETBE)	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
1,1-dichloroethane	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
t-butanol (TBA)	< 40	40	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
2-butanone (MEK)	< 10	10	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
2,2-dichloropropane	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
cis-1,2-dichloroethene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
chloroform	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
bromochloromethane	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
tetrahydrofuran (THF)	< 10	10	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
1,1,1-trichloroethane	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
1,1-dichloropropene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
t-amyl-methyl ether (TAME)	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
carbon tetrachloride	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
1,2-dichloroethane	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
benzene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
trichloroethene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
1,2-dichloropropane	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
bromodichloromethane	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
dibromomethane	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
4-methyl-2-pentanone (MIBK)	< 10	10	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
cis-1,3-dichloropropene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
toluene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
trans-1,3-dichloropropene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
2-hexanone	< 10	10	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
1,1,2-trichloroethane	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
1,3-dichloropropane	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
tetrachloroethene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
dibromochloromethane	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
1,2-dibromoethane (EDB)	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826
chlorobenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826

REV. 5/11/07

RL Resource Laboratories, LLC

Project ID: LF

Lab ID: 11395

Lab Number: 11395-010

Sample ID: RFW-2

Matrix: Water

Sampled: 11/20/06 14:40

Parameter	Result	Quant	Instr Dil'n		Analyst	Prep Date	Analysis			Reference
		Limit	Units	Factor			Batch	Date	Time	
1,1,1,2-tetrachloroethane	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
ethylbenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
m&p-xylenes	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
o-xylene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
styrene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
bromoform	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
isopropylbenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
1,1,2,2-tetrachloroethane	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
1,2,3-trichloropropane	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
n-propylbenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
bromobenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
1,3,5-trimethylbenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
2-chlorotoluene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
4-chlorotoluene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
tert-butylbenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
1,2,4-trimethylbenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
sec-butylbenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
1,3-dichlorobenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
4-isopropyltoluene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
1,4-dichlorobenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
1,2-dichlorobenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
n-butylbenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
1,2-dibromo-3-chloropropane (DBCP)	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
1,2,4-trichlorobenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
hexachlorobutadiene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
naphthalene	< 5	5	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
1,2,3-trichlorobenzene	< 2	2	ug/L	1	LMM		40385	12/1/06	3:12	SW5030B826C
Surrogate Recovery		Limits								
dibromofluoromethane SUR	101	78-114	%	1	LMM		40385	12/1/06	3:12	SW5030B826C
toluene-D8 SUR	99	88-110	%	1	LMM		40385	12/1/06	3:12	SW5030B826C
4-bromofluorobenzene SUR	102	86-115	%	1	LMM		40385	12/1/06	3:12	SW5030B826C

revised 4/10/07

Project ID: LF

Lab ID: 11395

Lab Number: 11395-001

Sample ID: SW-1

Matrix: Water

Sampled: 11/20/06 8:35

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Arsenic	< 0.005	0.005	mg/L	1	BJJ	11/28/06	11/28/06	14:17	SW3005A6010B
Barium	< 0.05	0.05	mg/L	1	BJJ	11/28/06	11/28/06	14:17	SW3005A6010B
Cadmium	< 0.005	0.005	mg/L	1	BJJ	11/28/06	11/28/06	14:17	SW3005A6010B
Chromium	< 0.05	0.05	mg/L	1	BJJ	11/28/06	11/28/06	14:17	SW3005A6010B
Iron	0.49	0.05	mg/L	1	BJJ	11/28/06	11/28/06	14:17	SW3005A6010B
Lead	< 0.01	0.01	mg/L	1	BJJ	11/28/06	11/28/06	14:17	SW3005A6010B
Manganese	0.19	0.03	mg/L	1	BJJ	11/28/06	11/28/06	14:17	SW3005A6010B
Mercury	< 0.0009	0.0009	mg/L	1	BJJ	11/29/06	11/29/06		SW7470A
Selenium	< 0.05	0.05	mg/L	1	BJJ	11/28/06	11/28/06	14:17	SW3005A6010B
Silver	< 0.007	0.007	mg/L	1	BJJ	11/28/06	11/28/06	14:17	SW3005A6010B

Lab Number: 11395-002

Sample ID: RFW-3

Matrix: Water

Sampled: 11/20/06 9:20

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Arsenic	0.014	0.005	mg/L	1	BJJ		11/28/06	12:08	SW3005A6010B
Barium	0.09	0.05	mg/L	1	BJJ		11/28/06	12:08	SW3005A6010B
Cadmium	< 0.005	0.005	mg/L	1	BJJ		11/28/06	12:08	SW3005A6010B
Chromium	< 0.05	0.05	mg/L	1	BJJ		11/28/06	12:08	SW3005A6010B
Iron	2.9	0.05	mg/L	1	BJJ		11/28/06	12:08	SW3005A6010B
Lead	< 0.01	0.01	mg/L	1	BJJ		11/28/06	12:08	SW3005A6010B
Manganese	0.36	0.03	mg/L	1	BJJ		11/28/06	12:08	SW3005A6010B
Mercury	< 0.0009	0.0009	mg/L	1	BJJ	11/29/06	11/29/06		SW7470A
Selenium	< 0.05	0.05	mg/L	1	BJJ		11/28/06	12:08	SW3005A6010B
Silver	< 0.007	0.007	mg/L	1	BJJ		11/28/06	12:08	SW3005A6010B

Lab Number: 11395-003

Sample ID: GZ-1U

Matrix: Water

Sampled: 11/20/06 10:10

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Arsenic	< 0.005	0.005	mg/L	1	BJJ		11/28/06	12:14	SW3005A6010B
Barium	0.06	0.05	mg/L	1	BJJ		11/28/06	12:14	SW3005A6010B
Cadmium	< 0.005	0.005	mg/L	1	BJJ		11/28/06	12:14	SW3005A6010B
Chromium	< 0.05	0.05	mg/L	1	BJJ		11/28/06	12:14	SW3005A6010B
Iron	< 0.05	0.05	mg/L	1	BJJ		11/28/06	12:14	SW3005A6010B
Lead	< 0.01	0.01	mg/L	1	BJJ		11/28/06	12:14	SW3005A6010B
Manganese	1.5	0.03	mg/L	1	BJJ		11/28/06	12:14	SW3005A6010B
Mercury	< 0.0009	0.0009	mg/L	1	BJJ	11/29/06	11/29/06		SW7470A
Selenium	< 0.05	0.05	mg/L	1	BJJ		11/28/06	12:14	SW3005A6010B
Silver	< 0.007	0.007	mg/L	1	BJJ		11/28/06	12:14	SW3005A6010B

revised 4/5/07

Project ID: LF

Lab ID: 11395

Lab Number: 11395-004

Sample ID: GZ-1L

Matrix: Water

Sampled: 11/20/06 10:25

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Arsenic	< 0.005	0.005	mg/L	1	BJS		11/28/06	12:20	SW3005A6010B
Barium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:20	SW3005A6010B
Cadmium	< 0.005	0.005	mg/L	1	BJS		11/28/06	12:20	SW3005A6010B
Chromium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:20	SW3005A6010B
Iron	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:20	SW3005A6010B
Lead	< 0.01	0.01	mg/L	1	BJS		11/28/06	12:20	SW3005A6010B
Manganese	0.03	0.03	mg/L	1	BJS		11/28/06	12:20	SW3005A6010B
Mercury	< 0.0009	0.0009	mg/L	1	BJS	11/29/06	11/29/06		SW7470A
Selenium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:20	SW3005A6010B
Silver	< 0.007	0.007	mg/L	1	BJS		11/28/06	12:20	SW3005A6010B

Lab Number: 11395-005

Sample ID: RFW-4

Matrix: Water

Sampled: 11/20/06 11:00

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Arsenic	0.14	0.005	mg/L	1	BJS		11/28/06	12:26	SW3005A6010B
Barium	0.11	0.05	mg/L	1	BJS		11/28/06	12:26	SW3005A6010B
Cadmium	< 0.005	0.005	mg/L	1	BJS		11/28/06	12:26	SW3005A6010B
Chromium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:26	SW3005A6010B
Iron	25	0.05	mg/L	1	BJS		11/28/06	12:26	SW3005A6010B
Lead	< 0.01	0.01	mg/L	1	BJS		11/28/06	12:26	SW3005A6010B
Manganese	2.3	0.03	mg/L	1	BJS		11/28/06	12:26	SW3005A6010B
Mercury	< 0.0009	0.0009	mg/L	1	BJS	11/29/06	11/29/06		SW7470A
Selenium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:26	SW3005A6010B
Silver	< 0.007	0.007	mg/L	1	BJS		11/28/06	12:26	SW3005A6010B

Lab Number: 11395-006

Sample ID: P-9R

Matrix: Water

Sampled: 11/20/06 11:20

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Arsenic	0.042	0.005	mg/L	1	BJS		11/28/06	12:39	SW3005A6010B
Barium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:39	SW3005A6010B
Cadmium	< 0.005	0.005	mg/L	1	BJS		11/28/06	12:39	SW3005A6010B
Chromium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:39	SW3005A6010B
Iron	0.45	0.05	mg/L	1	BJS		11/28/06	12:39	SW3005A6010B
Lead	< 0.01	0.01	mg/L	1	BJS		11/28/06	12:39	SW3005A6010B
Manganese	1.5	0.03	mg/L	1	BJS		11/28/06	12:39	SW3005A6010B
Mercury	< 0.0009	0.0009	mg/L	1	BJS	11/29/06	11/29/06		SW7470A
Selenium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:39	SW3005A6010B
Silver	< 0.007	0.007	mg/L	1	BJS		11/28/06	12:39	SW3005A6010B

Revised 4/5/07

Project ID: LF

Lab ID: 11395

Lab Number: 11395-007

Sample ID: P-5R

Matrix: Water

Sampled: 11/20/06 11:55

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Arsenic	< 0.005	0.005	mg/L	1	BJS		11/28/06	12:49	SW3005A6010B
Barium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:49	SW3005A6010B
Cadmium	< 0.005	0.005	mg/L	1	BJS		11/28/06	12:49	SW3005A6010B
Chromium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:49	SW3005A6010B
Iron	0.39	0.05	mg/L	1	BJS		11/28/06	12:49	SW3005A6010B
Lead	< 0.01	0.01	mg/L	1	BJS		11/28/06	12:49	SW3005A6010B
Manganese	0.48	0.03	mg/L	1	BJS		11/28/06	12:49	SW3005A6010B
Mercury	< 0.0009	0.0009	mg/L	1	BJS	11/29/06	11/29/06		SW7470A
Selenium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:49	SW3005A6010B
Silver	< 0.007	0.007	mg/L	1	BJS		11/28/06	12:49	SW3005A6010B

Lab Number: 11395-008

Sample ID: P-2R

Matrix: Water

Sampled: 11/20/06 12:35

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Arsenic	0.026	0.005	mg/L	1	BJS		11/28/06	12:55	SW3005A6010B
Barium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:55	SW3005A6010B
Cadmium	< 0.005	0.005	mg/L	1	BJS		11/28/06	12:55	SW3005A6010B
Chromium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:55	SW3005A6010B
Iron	2.0	0.05	mg/L	1	BJS		11/28/06	12:55	SW3005A6010B
Lead	< 0.01	0.01	mg/L	1	BJS		11/28/06	12:55	SW3005A6010B
Manganese	1.1	0.03	mg/L	1	BJS		11/28/06	12:55	SW3005A6010B
Mercury	< 0.0009	0.0009	mg/L	1	BJS	11/29/06	11/29/06		SW7470A
Selenium	< 0.05	0.05	mg/L	1	BJS		11/28/06	12:55	SW3005A6010B
Silver	< 0.007	0.007	mg/L	1	BJS		11/28/06	12:55	SW3005A6010B

Lab Number: 11395-009

Sample ID: GZWP-1

Matrix: Water

Sampled: 11/20/06 13:55

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Arsenic	0.062	0.005	mg/L	1	BJS		11/28/06	13:01	SW3005A6010B
Barium	0.05	0.05	mg/L	1	BJS		11/28/06	13:01	SW3005A6010B
Cadmium	< 0.005	0.005	mg/L	1	BJS		11/28/06	13:01	SW3005A6010B
Chromium	< 0.05	0.05	mg/L	1	BJS		11/28/06	13:01	SW3005A6010B
Iron	11	0.05	mg/L	1	BJS		11/28/06	13:01	SW3005A6010B
Lead	< 0.01	0.01	mg/L	1	BJS		11/28/06	13:01	SW3005A6010B
Manganese	2.7	0.03	mg/L	1	BJS		11/28/06	13:01	SW3005A6010B
Mercury	< 0.0009	0.0009	mg/L	1	BJS	11/29/06	11/29/06		SW7470A
Selenium	< 0.05	0.05	mg/L	1	BJS		11/28/06	13:01	SW3005A6010B
Silver	< 0.007	0.007	mg/L	1	BJS		11/28/06	13:01	SW3005A6010B

Revised 4/15/07

Project ID: LF

Lab ID: 11395

Lab Number: 11395-010

Sample ID: RFW-2

Matrix: Water

Sampled: 11/20/06 14:40

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis		Reference
							Date	Time	
Arsenic	0.007	0.005	mg/L	1	BJS		11/28/06	13:09	SW3005A6010B
Barium	< 0.05	0.05	mg/L	1	BJS		11/28/06	13:09	SW3005A6010B
Cadmium	< 0.005	0.005	mg/L	1	BJS		11/28/06	13:09	SW3005A6010B
Chromium	< 0.05	0.05	mg/L	1	BJS		11/28/06	13:09	SW3005A6010B
Iron	1.1	0.05	mg/L	1	BJS		11/28/06	13:09	SW3005A6010B
Lead	< 0.01	0.01	mg/L	1	BJS		11/28/06	13:09	SW3005A6010B
Manganese	0.78	0.03	mg/L	1	BJS		11/28/06	13:09	SW3005A6010B
Mercury	< 0.0009	0.0009	mg/L	1	BJS	11/29/06	11/29/06		SW7470A
Selenium	< 0.05	0.05	mg/L	1	BJS		11/28/06	13:09	SW3005A6010B
Silver	< 0.007	0.007	mg/L	1	BJS		11/28/06	13:09	SW3005A6010B

Lab Number: 11395-011

Sample ID: GZ-2L

Matrix: Water

Sampled: 11/20/06 15:30

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis		Reference
							Date	Time	
Arsenic	0.010	0.005	mg/L	1	BJS		11/28/06	13:28	SW3005A6010B
Barium	< 0.05	0.05	mg/L	1	BJS		11/28/06	13:28	SW3005A6010B
Cadmium	< 0.005	0.005	mg/L	1	BJS		11/28/06	13:28	SW3005A6010B
Chromium	< 0.05	0.05	mg/L	1	BJS		11/28/06	13:28	SW3005A6010B
Iron	0.08	0.05	mg/L	1	BJS		11/28/06	13:28	SW3005A6010B
Lead	< 0.01	0.01	mg/L	1	BJS		11/28/06	13:28	SW3005A6010B
Manganese	7.5	0.03	mg/L	1	BJS		11/28/06	13:28	SW3005A6010B
Mercury	< 0.0009	0.0009	mg/L	1	BJS	11/29/06	11/29/06		SW7470A
Selenium	< 0.05	0.05	mg/L	1	BJS		11/28/06	13:28	SW3005A6010B
Silver	< 0.007	0.007	mg/L	1	BJS		11/28/06	13:28	SW3005A6010B

Lab Number: 11395-012

Sample ID: GZ-3L

Matrix: Water

Sampled: 11/20/06 16:00

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis		Reference
							Date	Time	
Arsenic	< 0.005	0.005	mg/L	1	BJS		11/28/06	13:58	SW3005A6010B
Barium	< 0.05	0.05	mg/L	1	BJS		11/28/06	13:58	SW3005A6010B
Cadmium	< 0.005	0.005	mg/L	1	BJS		11/28/06	13:58	SW3005A6010B
Chromium	< 0.05	0.05	mg/L	1	BJS		11/28/06	13:58	SW3005A6010B
Iron	< 0.05	0.05	mg/L	1	BJS		11/28/06	13:58	SW3005A6010B
Lead	< 0.01	0.01	mg/L	1	BJS		11/28/06	13:58	SW3005A6010B
Manganese	0.10	0.03	mg/L	1	BJS		11/28/06	13:58	SW3005A6010B
Mercury	< 0.0009	0.0009	mg/L	1	BJS	11/29/06	11/29/06		SW7470A
Selenium	< 0.05	0.05	mg/L	1	BJS		11/28/06	13:58	SW3005A6010B
Silver	< 0.007	0.007	mg/L	1	BJS		11/28/06	13:58	SW3005A6010B

Revised 4/5/07

Project ID: LF

Lab ID: 11395

Lab Number: 11395-001

Sample ID: SW-1

Matrix: Water

Sampled: 11/20/06 8:35

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Chloride	3.4	0.5	mg/L	1	JLZ		11/21/06	18:30	E300.0A
Nitrate-N	< 0.1	0.1	mg/L	1	JLZ		11/21/06	18:30	E300.0A

Lab Number: 11395-002

Sample ID: RFW-3

Matrix: Water

Sampled: 11/20/06 9:20

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Chloride	5.0	0.5	mg/L	1	JLZ		11/21/06	18:43	E300.0A
Nitrate-N	< 0.1	0.1	mg/L	1	JLZ		11/21/06	18:43	E300.0A

Lab Number: 11395-003

Sample ID: GZ-1U

Matrix: Water

Sampled: 11/20/06 10:10

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Chloride	63	2.5	mg/L	5	JLZ		11/29/06	21:09	E300.0A
Nitrate-N	0.2	0.1	mg/L	1	JLZ		11/21/06	18:56	E300.0A

Lab Number: 11395-004

Sample ID: GZ-1L

Matrix: Water

Sampled: 11/20/06 10:25

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Chloride	50	2.5	mg/L	5	JLZ		11/29/06	21:23	E300.0A
Nitrate-N	< 0.1	0.1	mg/L	1	JLZ		11/21/06	19:10	E300.0A

Lab Number: 11395-005

Sample ID: RFW-4

Matrix: Water

Sampled: 11/20/06 11:00

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Chloride	35	2.5	mg/L	5	JLZ		11/29/06	21:36	E300.0A
Nitrate-N	< 0.1	0.1	mg/L	1	JLZ		11/21/06	19:23	E300.0A

Lab Number: 11395-006

Sample ID: P-9R

Matrix: Water

Sampled: 11/20/06 11:20

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Chloride	18	0.5	mg/L	1	JLZ		11/21/06	20:03	E300.0A
Nitrate-N	< 0.1	0.1	mg/L	1	JLZ		11/21/06	20:03	E300.0A

revised 4/5/07

RL Resource Laboratories, LLC

Project ID: LF

Lab ID: 11395

Lab Number: 11395-007

Sample ID: P-5R

Matrix: Water

Sampled: 11/20/06 11:55

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Chloride	1.8	0.5	mg/L	1	JLZ		11/21/06	20:16	E300.0A
Nitrate-N	< 0.1	0.1	mg/L	1	JLZ		11/21/06	20:16	E300.0A

Lab Number: 11395-008

Sample ID: P-2R

Matrix: Water

Sampled: 11/20/06 12:35

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Chloride	5.2	0.5	mg/L	1	JLZ		11/21/06	20:56	E300.0A
Nitrate-N	< 0.1	0.1	mg/L	1	JLZ		11/21/06	20:56	E300.0A

Lab Number: 11395-009

Sample ID: GZWP-1

Matrix: Water

Sampled: 11/20/06 13:55

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Chloride	4.0	0.5	mg/L	1	JLZ		11/21/06	21:09	E300.0A
Nitrate-N	< 0.1	0.1	mg/L	1	JLZ		11/21/06	21:09	E300.0A

Lab Number: 11395-010

Sample ID: RFW-2

Matrix: Water

Sampled: 11/20/06 14:40

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Chloride	11	0.5	mg/L	1	JLZ		11/21/06	21:23	E300.0A
Nitrate-N	< 0.1	0.1	mg/L	1	JLZ		11/21/06	21:23	E300.0A

Lab Number: 11395-011

Sample ID: GZ-2L

Matrix: Water

Sampled: 11/20/06 15:30

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Chloride	10	0.5	mg/L	1	JLZ		11/21/06	21:36	E300.0A
Nitrate-N	< 0.1	0.1	mg/L	1	JLZ		11/21/06	21:36	E300.0A

Lab Number: 11395-012

Sample ID: GZ-3L

Matrix: Water

Sampled: 11/20/06 16:00

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Chloride	7.9	0.5	mg/L	1	JLZ		11/21/06	21:49	E300.0A
Nitrate-N	0.1	0.1	mg/L	1	JLZ		11/21/06	21:49	E300.0A

Revised 4/15/07

RL Resource Laboratories, LLC

Project ID: LF

Lab ID: 11395

Lab Number: 11395-001

Sample ID: SW-1

Matrix: Water

Sampled: 11/20/06 8:35

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Total Kjeldahl Nitrogen (TKN)	< 1 S	1	mg/L	1	DM		11/27/06		E351.3

S = Result provided by Northeast Laboratory Services of Waterville, ME.

Lab Number: 11395-002

Sample ID: RFW-3

Matrix: Water

Sampled: 11/20/06 9:20

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Total Kjeldahl Nitrogen (TKN)	1.7 S	1	mg/L	1	DM		11/27/06		E351.3

S = Result provided by Northeast Laboratory Services of Waterville, ME.

Lab Number: 11395-003

Sample ID: GZ-1U

Matrix: Water

Sampled: 11/20/06 10:10

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Total Kjeldahl Nitrogen (TKN)	< 1 S	1	mg/L	1	DM		11/27/06		E351.3

S = Result provided by Northeast Laboratory Services of Waterville, ME.

Lab Number: 11395-004

Sample ID: GZ-1L

Matrix: Water

Sampled: 11/20/06 10:25

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Total Kjeldahl Nitrogen (TKN)	< 1 S	1	mg/L	1	DM		11/27/06		E351.3

S = Result provided by Northeast Laboratory Services of Waterville, ME.

Lab Number: 11395-005

Sample ID: RFW-4

Matrix: Water

Sampled: 11/20/06 11:00

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Total Kjeldahl Nitrogen (TKN)	6.2 S	1	mg/L	1	DM		11/27/06		E351.3

S = Result provided by Northeast Laboratory Services of Waterville, ME.

Lab Number: 11395-006

Sample ID: P-9R

Matrix: Water

Sampled: 11/20/06 11:20

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Total Kjeldahl Nitrogen (TKN)	110 S	1	mg/L	1	DM		11/27/06		E351.3

S = Result provided by Northeast Laboratory Services of Waterville, ME.

11/27/06

RL Resource Laboratories, LLC

Project ID: LF

Lab ID: 11395

Lab Number: 11395-007

Sample ID: P-5R

Matrix: Water

Sampled: 11/20/06 11:55

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Total Kjeldahl Nitrogen (TKN)	6.0 S	1	mg/L	1	DM		11/27/06		E351.3

S = Result provided by Northeast Laboratory Services of Waterville, ME.

Lab Number: 11395-008

Sample ID: P-2R

Matrix: Water

Sampled: 11/20/06 12:35

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Total Kjeldahl Nitrogen (TKN)	77 S	1	mg/L	1	DM		11/27/06		E351.3

S = Result provided by Northeast Laboratory Services of Waterville, ME.

Lab Number: 11395-009

Sample ID: GZWP-1

Matrix: Water

Sampled: 11/20/06 13:55

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Total Kjeldahl Nitrogen (TKN)	2.2 S	1	mg/L	1	DM		11/27/06		E351.3

S = Result provided by Northeast Laboratory Services of Waterville, ME.

Lab Number: 11395-010

Sample ID: RFW-2

Matrix: Water

Sampled: 11/20/06 14:40

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Total Kjeldahl Nitrogen (TKN)	1.3 S	1	mg/L	1	DM		11/27/06		E351.3

S = Result provided by Northeast Laboratory Services of Waterville, ME.

Lab Number: 11395-011

Sample ID: GZ-2L

Matrix: Water

Sampled: 11/20/06 15:30

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Total Kjeldahl Nitrogen (TKN)	14 S	1	mg/L	1	DM		11/27/06		E351.3

S = Result provided by Northeast Laboratory Services of Waterville, ME.

Lab Number: 11395-012

Sample ID: GZ-3L

Matrix: Water

Sampled: 11/20/06 16:00

Parameter:	Result	Quant Limit	Units	Instr Dil'n Factor	Analyst	Prep Date	Analysis Date	Analysis Time	Reference
Total Kjeldahl Nitrogen (TKN)	1.3 S	1	mg/L	1	DM		11/27/06		E351.3

S = Result provided by Northeast Laboratory Services of Waterville, ME.

revised 4/5/07