DES Waste Management Division 29 Hazen Drive; PO Box 95 Concord, NH 03302-0095

May 2018 Unvalidated Groundwater Data Submittal Saint-Gobain Performance Plastics 701 Daniel Webster Highway Merrimack, New Hampshire 03054 NHDES Site No.: 199712055 Project Number: 36430

Prepared For:
Saint-Gobain Performance Plastics Corp.
14 McCaffrey Street
Hoosick Falls, New York 12090
Phone Number (518) 686-6268
RP Contact Name: Chris Angier
RP Contact Email:
Christopher.Angier@saint-gobain.com

Prepared By:
Golder Associates Inc.
670 North Commercial Street
Manchester, New Hampshire 03101
Phone Number: (603) 688-0880
Contact Name: Ross Bennett
Contact Email: rbennett@golder.com

Date of Report: July 13, 2018



July 13, 2018 Project No. 166-8623

Ms. Lea Anne Atwell New Hampshire Department of Environmental Services Waste Management Division P.O. Box 95, 29 Hazen Drive Concord, New Hampshire 03302-0095

RE: MAY 2018 UNVALIDATED GROUNDWATER DATA SUBMITTAL SAINT-GOBAIN PERFORMANCE PLASTICS 701 DANIEL WEBSTER HIGHWAY, MERRIMACK, NEW HAMPSHIRE NHDES SITE NO. 199712055

Dear Ms. Atwell:

Golder Associates Inc. (Golder) is pleased to provide this Data Submittal to the New Hampshire Department of Environmental Services (NHDES) on behalf of Saint-Gobain Performance Plastics (SGPP) for the SGPP facility located at 701 Daniel Webster Highway, Merrimack, New Hampshire (Site). This letter summarizes the May 2018 groundwater monitoring results.

At the request of the New Hampshire Department of Environmental Services (NHDES), Golder sampled three monitoring wells (GZ-1, GZ-2, and GZ-3) located on Flatley-owned tax lot 6E3-5 in Merrimack, New Hampshire on May 30, 2018. Golder sent the groundwater samples under chain-of-custody procedures to Eurofins Lancaster Laboratories Environmental, Inc. of Lancaster, Pennsylvania (ELLE) for analysis of per- and polyfluoroalkyl substances (PFAS) by Method 537.1.1. Laboratory analytical reports are included as Attachment A and field forms for the sampling event are provided as Attachment B. Analytical results are summarized in Table 1. Analytical results provided in this data submittal have not yet been validated. Validated data will be submitted to NHDES within 45 days of receipt of analytical data in all formats necessary for the validation process from ELLE, which have not been provided to Golder as of July 13, 2018. Golder measured the depth-to-water in the monitoring wells on May 30, 2018 after sampling was completed. Groundwater elevation data are summarized in Table 2.

Should you have any questions regarding this Data Submittal, please call Mr. Ross Bennett at (603) 668-0880.

Sincerely,

Golder Associates Inc.

Alistair Macdonald, P.G., LSP

Senior Program Leader and Principal

Ross Bennett, P.E.

Senior Engineer

Encl: Table 1 – Preliminary Groundwater Data Summary Table – May 2018

Table 2 – Groundwater Elevation Summary – May 2018 Attachment A – May 2018 Laboratory Analytical Reports

Attachment B - May 2018 Field Sampling Forms

LWL/RWB/drb

\man1-v-fs1\confidential\1668623 sgpp merrimack\700 reports-deliv\2 - data submittals\2018-07 flatley gw to des\2018-07-12 flatley gw data submittal_unval.docx



Table 1: Preliminary Groundwater Data Summary Table - May 2018 Saint-Gobain Performance Plastics Merrimack, New Hampshire

		Sample	Analyte Name		perfluorooctanesulfonamid oacetic acid (NEtFOSAA)	N-methyl	perfluorooctanesulfonamid oacetic acid (NMeFOSAA)	Perfluorobutanesulfonic		Perfluorobutanoic acid (PFBA)	Perfluorodecanoic acid	ŗ	odeca	(PFDOA)	oheptar	(РЕНРА)	Perfluorohexanesulfonic acid	エー	Perfluorohexanoic acid (PFHXA)	Perfluorononanoic acid	(PFNA)	Perfluoro-octanesulfonic	. O 1	Perfluorooctanoic acid (PFOA)		(PFPEA)	Perfluorotetradecanoic acid	(PFTEDA)		(PFTRDA)	Perfluoroundecanoic acid	(PFUNA)
Location	Sample Date	Type	Validated (Y/N)	n	g/l	n	ıg/l	ng	g/l	ng/l	ng/	/I	ng	g/l	nç	g/l	ng/l	Ί	ng/l	n	g/l	ng	g/l	ng/l	n	g/l	ng	g/l	nç	g/l	ng	/I
GZ-1	5/30/2018	N	N	0.92	U	0.92	U	18		200	0.92	U	0.28	U	1500		58	15	500	26		30		7000	610		0.28	U	0.28	U	0.37	U
GZ-1	3/30/2016	FD	N	0.90	U	0.90	U	16		180	0.90	U	0.27	U	1200		52	14	400	23		25		5900	570		0.27	U	0.27	U	0.36	U
GZ-2	5/30/2018	N	N	9.0	U	9.0	U	12		350	9.0	U	2.7	U	3300		130	12	200	5.3	J	3.8	J	11000	650		2.7	U	2.7	U	3.6	U
GZ-3	5/30/2018	N	N	9.0	U	9.0	U	5.9	J	310	9.0	U	2.7	U	1100		80	7	40	3.6	U	4.1	J	19000	590		2.7	U	2.7	U	3.6	U

Notes:

- 1. Samples were collected by Golder on the dates indicated and submitted to Eurofins Lancaster Laboratory Environmental, Inc. (ELLE) of Lancaster, PA for analysis of the indicated compounds. Data presented in the table are unvalidated.
- 2. U analytical results below laboratory method detection limit
- J = analytical results above laboratory method detection limit but below laboratory reporting limit
- 3. N = indicates normal sample FD indicates the sample is a field duplicate
- 4. ng/L nanograms per liter

Prepared By: LWL
Checked By: STD
Reviewed By: RWB

TABLE 2: Groundwater Elevation Summary - May 2018 Saint-Gobain Performance Plastics

Merrimack, New Hampshire


Monitoring	Date	5/30/2018							
Location	Ref. Elev.	DTW (ft)	Elevation (ft amsl)						
GZ-1	186.04	10.30	175.74						
GZ-2	185.73	9.38	176.35						
GZ-3	184.56	7.81	176.75						

Notes:

- 1. Groundwater elevation data were collected by Golder Associates, Inc. after sampling was completed.
- NM = not measuredDTW = depth to waterft = feet

amsl = above mean sea level

Prepared by: LWL Checked by: STD Reviewed by: RWB











ANALYSIS REPORT

Prepared by:

Prepared for:

Eurofins Lancaster Laboratories Environmental 2425 New Holland Pike Lancaster, PA 17601 Golder Associates 670 North Commercial Street Suite 103 Manchester NH 03101

Report Date: June 18, 2018 16:05

Project: SGPP-Merrimack NH

Account #: 10253 Group Number: 1949637 SDG: GOA19

PO Number: PROJECT: 166-8623 State of Sample Origin: NH

Regulatory agencies do not accredit laboratories for all methods, analytes, and matrices. Our current scopes of accreditation can be viewed at http://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/resources/certifications/. To request copies of prior scopes of accreditation, contact your project manager.

Electronic Copy To Golder Associates Attn: Scott Drew Electronic Copy To Golder Associates Attn: Ross Bennett Electronic Copy To Environmental Standards Attn: SaintGobain Electronic Copy To Golder Associates Attn: Meg Michell Electronic Copy To Golder Associates Attn: Jim Peace

Respectfully Submitted,

Nancy Jean Bornholm Principal Specialist

(717) 556-7250









SAMPLE INFORMATION

Client Sample Description	Sample Collection Date/Time	ELLE#
GZ-1 Grab Groundwater	05/30/2018 10:35	9636396
GZ-2 Grab Groundwater	05/30/2018 12:35	9636397
GZ-3 Grab Groundwater	05/30/2018 14:30	9636398
Dup-1 Grab Groundwater	05/30/2018 10:35	9636399
EB-1 Grab Water	05/30/2018 14:45	9636400
FB-1 Grab Water	05/30/2018 14:10	9636401
TB-1 Grab Water	05/30/2018 14:55	9636402

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.



Case Narrative

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LancLabsEnv

Project Name: SGPP-Merrimack NH

ELLE Group #: 1949637

General Comments:

See the Laboratory Sample Analysis Record section of the Analysis Report for the method references.

All QC met criteria unless otherwise noted in an Analysis Specific Comment below.

Refer to the QC Summary for specific values and acceptance criteria.

Project specific QC samples are not included in this data set.

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Surrogate recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in an Analysis Specific Comment below.

The samples were received at the appropriate temperature and in accordance with the chain of custody unless otherwise noted.

Analysis Specific Comments:

EPA 537 Version 1.1 Modified, LC/MS/MS Miscellaneous

Sample #s: 9636397, 9636398

Reporting limits were raised due to interference from the sample matrix.



WW 9636396

1949637

Golder Associates

Matrix: Groundwater

ELLE Sample #:

ELLE Group #:

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LancLabsEnv

Sample Description: **GZ-1 Grab Groundwater**

SGPP

Project Name: SGPP-Merrimack NH

Submittal Date/Time: 05/31/2018 10:10 Collection Date/Time: 05/30/2018 10:35

SDG#: GOA19-01

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
LC/MS	/MS Miscellaneous EPA 537 Modified	Version 1.1	ng/l	ng/l	ng/l	
14473	NEtFOSAA	2991-50-6	0.92 U	0.92	2.8	1
	NEtFOSAA is the acronym for N-ethyl	perfluorooctanesulfona	amidoacetic Acid.			
14473	NMeFOSAA	2355-31-9	0.92 U	0.92	2.8	1
	NMeFOSAA is the acronym for N-meth	yl perfluorooctanesulf	onamidoacetic Acid.			
14473	Perfluorobutanesulfonic Acid	375-73-5	18	0.28	0.92	1
14473	Perfluorobutanoic acid	375-22-4	200	1.8	5.5	1
14473	Perfluorodecanoic acid	335-76-2	0.92 U	0.92	1.8	1
14473	Perfluorododecanoic acid	307-55-1	0.28 U	0.28	0.92	1
14473	Perfluoroheptanoic acid	375-85-9	1,500	28	92	100
14473	Perfluorohexanesulfonic Acid	355-46-4	58	0.37	1.8	1
14473	Perfluorohexanoic acid	307-24-4	1,500	3.7	18	10
14473	Perfluorononanoic acid	375-95-1	26	0.37	1.8	1
14473	Perfluoro-Octanesulfonic Acid	1763-23-1	30	0.37	1.8	1
14473	Perfluorooctanoic acid	335-67-1	7,000	28	92	100
14473	Perfluoropentanoic acid	2706-90-3	610	18	55	10
14473	Perfluorotetradecanoic acid	376-06-7	0.28 U	0.28	0.92	1
14473	Perfluorotridecanoic acid	72629-94-8	0.28 U	0.28	0.92	1
14473	Perfluoroundecanoic acid	2058-94-8	0.37 U	0.37	1.8	1

Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

	Laboratory Sample Analysis Record										
CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor				
14473	16 PFAS Compounds	EPA 537 Version 1.1 Modified	1	18155013	06/14/2018 01:38	Joshua P Trost	1				
14473	16 PFAS Compounds	EPA 537 Version 1.1 Modified	1	18155013	06/14/2018 03:42	Joshua P Trost	10				
14473	16 PFAS Compounds	EPA 537 Version 1.1 Modified	1	18155013	06/14/2018 04:44	Joshua P Trost	100				
14091	PFAS Water Prep	EPA 537 Version 1.1 Modified	1	18155013	06/04/2018 17:15	Anthony C Polaski	1				

^{*=}This limit was used in the evaluation of the final result



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LancLabsEnv

Sample Description: GZ-2 Grab Groundwater

SGPP

Project Name: SGPP-Merrimack NH

Submittal Date/Time: 05/31/2018 10:10
Collection Date/Time: 05/30/2018 12:35
SDG#: GOA19-02

Golder Associates

ELLE Sample #: WW 9636397 ELLE Group #: 1949637

Matrix: Groundwater

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
LC/MS/	/MS Miscellaneous EPA 537 V Modified	ersion 1.1	ng/l	ng/l	ng/l	
14473	NEtFOSAA	2991-50-6	9.0 U	9.0	27	10
	NEtFOSAA is the acronym for N-ethyl pe	fluorooctanesulfonar	nidoacetic Acid.			
14473	NMeFOSAA	2355-31-9	9.0 U	9.0	27	10
	NMeFOSAA is the acronym for N-methyl	•				
14473	Perfluorobutanesulfonic Acid	375-73-5	12	2.7	9.0	10
14473	Perfluorobutanoic acid	375-22-4	350	18	54	10
14473	Perfluorodecanoic acid	335-76-2	9.0 U	9.0	18	10
14473	Perfluorododecanoic acid	307-55-1	2.7 U	2.7	9.0	10
14473	Perfluoroheptanoic acid	375-85-9	3,300	27	90	100
14473	Perfluorohexanesulfonic Acid	355-46-4	130	3.6	18	10
14473	Perfluorohexanoic acid	307-24-4	1,200	3.6	18	10
14473	Perfluorononanoic acid	375-95-1	5.3 J	3.6	18	10
14473	Perfluoro-Octanesulfonic Acid	1763-23-1	3.8 J	3.6	18	10
14473	Perfluorooctanoic acid	335-67-1	11,000	27	90	100
14473	Perfluoropentanoic acid	2706-90-3	650	18	54	10
14473	Perfluorotetradecanoic acid	376-06-7	2.7 U	2.7	9.0	10
14473	Perfluorotridecanoic acid	72629-94-8	2.7 U	2.7	9.0	10
14473	Perfluoroundecanoic acid	2058-94-8	3.6 U	3.6	18	10
Repo	rting limits were raised due to interference t	rom the sample matr	ix.			

Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record Analysis Name Method Trial# Batch# Analys

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
14473	16 PFAS Compounds	EPA 537 Version 1.1 Modified	1	18155013	06/14/2018 03:58	Joshua P Trost	10
14473	16 PFAS Compounds	EPA 537 Version 1.1 Modified	1	18155013	06/14/2018 05:00	Joshua P Trost	100
14091	PFAS Water Prep	EPA 537 Version 1.1 Modified	1	18155013	06/04/2018 17:15	Anthony C Polaski	1

^{*=}This limit was used in the evaluation of the final result



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LancLabsEnv

Sample Description: GZ-3 Grab Groundwater

SGPP

Project Name: SGPP-Merrimack NH

Submittal Date/Time: 05/31/2018 10:10
Collection Date/Time: 05/30/2018 14:30
SDG#: GOA19-03

Golder Associates

ELLE Sample #: WW 9636398 ELLE Group #: 1949637

Matrix: Groundwater

CAT No.	Analysis Name	CAS Number	Res	ult		ethod etection Limit*	Limit of Quantitation	Dilution Factor
LC/MS		EPA 537 Version 1.1 Modified	ng/l		n	g/I	ng/l	
14473	NEtFOSAA	2991-50-6	9.0	U	9.	.0	27	10
4.4470	•	for N-ethyl perfluorooctanesulfonar			0	0	07	40
14473	NMeFOSAA	2355-31-9	9.0	_	9.	.0	27	10
14473	Perfluorobutanesulfonic Ac	n for N-methyl perfluorooctanesulfo id 375-73-5	namido 5.9		2.	.7	9.0	10
14473	Perfluorobutanoic acid	375-22-4	310		18		54	10
14473	Perfluorodecanoic acid	335-76-2	9.0	U	9.	.0	18	10
14473	Perfluorododecanoic acid	307-55-1	2.7	U	2.	.7	9.0	10
14473	Perfluoroheptanoic acid	375-85-9	1,10	00	2	7	90	100
14473	Perfluorohexanesulfonic Ad	cid 355-46-4	80		3.	.6	18	10
14473	Perfluorohexanoic acid	307-24-4	740		3.	.6	18	10
14473	Perfluorononanoic acid	375-95-1	3.6	U	3.	.6	18	10
14473	Perfluoro-Octanesulfonic A	cid 1763-23-1	4.1	J	3.	.6	18	10
14473	Perfluorooctanoic acid	335-67-1	19,0	000	27	7	90	100
14473	Perfluoropentanoic acid	2706-90-3	590		18	8	54	10
14473	Perfluorotetradecanoic acid	376-06-7	2.7	U	2.	.7	9.0	10
14473	Perfluorotridecanoic acid	72629-94-8	2.7	U	2.	.7	9.0	10
14473	Perfluoroundecanoic acid	2058-94-8	3.6	U	3.	.6	18	10
Repo	rting limits were raised due to	o interference from the sample matr	ix.					

Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
14473	16 PFAS Compounds	EPA 537 Version 1.1 Modified	1	18155013	06/14/2018 04:13	Joshua P Trost	10
14473	16 PFAS Compounds	EPA 537 Version 1.1 Modified	1	18155013	06/14/2018 05:16	Joshua P Trost	100
14091	PFAS Water Prep	EPA 537 Version 1.1 Modified	1	18155013	06/04/2018 17:15	Anthony C Polaski	1

^{*=}This limit was used in the evaluation of the final result



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LancLabsEnv

Sample Description: Dup-1 Grab Groundwater

SGPP

Project Name: SGPP-Merrimack NH

 Submittal Date/Time:
 05/31/2018 10:10

 Collection Date/Time:
 05/30/2018 10:35

 SDG#:
 GOA19-04FD

Golder Associates

ELLE Sample #: WW 9636399 ELLE Group #: 1949637

Matrix: Groundwater

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
LC/MS	ino imovonanovao —	A 537 Version 1.1	ng/l	ng/l	ng/l	
14473	NEtFOSAA	2991-50-6	0.90 U	0.90	2.7	1
	NEtFOSAA is the acronym for I	N-ethyl perfluorooctanesulfonan	nidoacetic Acid.			
14473	NMeFOSAA	2355-31-9	0.90 U	0.90	2.7	1
	NMeFOSAA is the acronym for	· .				
14473	Perfluorobutanesulfonic Acid	375-73-5	16	0.27	0.90	1
14473	Perfluorobutanoic acid	375-22-4	180	1.8	5.4	1
14473	Perfluorodecanoic acid	335-76-2	0.90 U	0.90	1.8	1
14473	Perfluorododecanoic acid	307-55-1	0.27 U	0.27	0.90	1
14473	Perfluoroheptanoic acid	375-85-9	1,200	27	90	100
14473	Perfluorohexanesulfonic Acid	355-46-4	52	0.36	1.8	1
14473	Perfluorohexanoic acid	307-24-4	1,400	3.6	18	10
14473	Perfluorononanoic acid	375-95-1	23	0.36	1.8	1
14473	Perfluoro-Octanesulfonic Acid	1763-23-1	25	0.36	1.8	1
14473	Perfluorooctanoic acid	335-67-1	5,900	27	90	100
14473	Perfluoropentanoic acid	2706-90-3	570	18	54	10
14473	Perfluorotetradecanoic acid	376-06-7	0.27 U	0.27	0.90	1
14473	Perfluorotridecanoic acid	72629-94-8	0.27 U	0.27	0.90	1
14473	Perfluoroundecanoic acid	2058-94-8	0.36 U	0.36	1.8	1

Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

	Laboratory Sample Analysis Record										
CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor				
14473	16 PFAS Compounds	EPA 537 Version 1.1 Modified	1	18155013	06/14/2018 02:25	Joshua P Trost	1				
14473	16 PFAS Compounds	EPA 537 Version 1.1 Modified	1	18155013	06/14/2018 04:29	Joshua P Trost	10				
14473	16 PFAS Compounds	EPA 537 Version 1.1 Modified	1	18155013	06/14/2018 05:31	Joshua P Trost	100				
14091	PFAS Water Prep	EPA 537 Version 1.1 Modified	1	18155013	06/04/2018 17:15	Anthony C Polaski	1				

^{*=}This limit was used in the evaluation of the final result



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LancLabsEnv

Sample Description: EB-1 Grab Water

SGPP

Project Name: SGPP-Merrimack NH

 Submittal Date/Time:
 05/31/2018 10:10

 Collection Date/Time:
 05/30/2018 14:45

 SDG#:
 GOA19-05EB

Golder Associates

ELLE Sample #: WW 9636400 ELLE Group #: 1949637

Matrix: Water

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
LC/MS	MS Miscellaneous	EPA 537 Version 1.1 Modified	ng/l	ng/l	ng/l	
14473	NEtFOSAA	2991-50-6	0.91 U	0.91	2.7	1
	NEtFOSAA is the acronym	for N-ethyl perfluorooctanesulfona	midoacetic Acid.			
14473	NMeFOSAA	2355-31-9	0.91 U	0.91	2.7	1
		m for N-methyl perfluorooctanesulfo				
14473	Perfluorobutanesulfonic Ad	oid 375-73-5	0.27 U	0.27	0.91	1
14473	Perfluorobutanoic acid	375-22-4	1.8 U	1.8	5.5	1
14473	Perfluorodecanoic acid	335-76-2	0.91 U	0.91	1.8	1
14473	Perfluorododecanoic acid	307-55-1	0.27 U	0.27	0.91	1
14473	Perfluoroheptanoic acid	375-85-9	0.27 U	0.27	0.91	1
14473	Perfluorohexanesulfonic A	cid 355-46-4	0.36 U	0.36	1.8	1
14473	Perfluorohexanoic acid	307-24-4	0.36 U	0.36	1.8	1
14473	Perfluorononanoic acid	375-95-1	0.36 U	0.36	1.8	1
14473	Perfluoro-Octanesulfonic A	Acid 1763-23-1	0.36 U	0.36	1.8	1
14473	Perfluorooctanoic acid	335-67-1	0.27 U	0.27	0.91	1
14473	Perfluoropentanoic acid	2706-90-3	1.8 U	1.8	5.5	1
14473	Perfluorotetradecanoic aci	d 376-06-7	0.27 U	0.27	0.91	1
14473	Perfluorotridecanoic acid	72629-94-8	0.27 U	0.27	0.91	1
14473	Perfluoroundecanoic acid	2058-94-8	0.36 U	0.36	1.8	1

Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

	Laboratory Sample Analysis Record							
CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor	
14473	16 PFAS Compounds	EPA 537 Version 1.1 Modified	1	18155013	06/14/2018 02:40	Joshua P Trost	1	
14091	PFAS Water Prep	EPA 537 Version 1.1 Modified	1	18155013	06/04/2018 17:15	Anthony C Polaski	1	

^{*=}This limit was used in the evaluation of the final result



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LancLabsEnv

Sample Description: FB-1 Grab Water

SGPP

Project Name: SGPP-Merrimack NH

 Submittal Date/Time:
 05/31/2018 10:10

 Collection Date/Time:
 05/30/2018 14:10

 SDG#:
 GOA19-06FB

Golder Associates

ELLE Sample #: WW 9636401 ELLE Group #: 1949637

Matrix: Water

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
LC/MS/	/MS Miscellaneous EPA 537 Ve Modified	rsion 1.1	ng/l	ng/l	ng/l	
14473	NEtFOSAA	2991-50-6	0.90 U	0.90	2.7	1
	NEtFOSAA is the acronym for N-ethyl perfl	uorooctanesulfonam	nidoacetic Acid.			
14473	NMeFOSAA	2355-31-9	0.90 U	0.90	2.7	1
	NMeFOSAA is the acronym for N-methyl p					
14473	Perfluorobutanesulfonic Acid	375-73-5	0.27 U	0.27	0.90	1
14473	Perfluorobutanoic acid	375-22-4	1.8 U	1.8	5.4	1
14473	Perfluorodecanoic acid	335-76-2	0.90 U	0.90	1.8	1
14473	Perfluorododecanoic acid	307-55-1	0.27 U	0.27	0.90	1
14473	Perfluoroheptanoic acid	375-85-9	0.27 U	0.27	0.90	1
14473	Perfluorohexanesulfonic Acid	355-46-4	0.36 U	0.36	1.8	1
14473	Perfluorohexanoic acid	307-24-4	0.36 U	0.36	1.8	1
14473	Perfluorononanoic acid	375-95-1	0.36 U	0.36	1.8	1
14473	Perfluoro-Octanesulfonic Acid	1763-23-1	0.36 U	0.36	1.8	1
14473	Perfluorooctanoic acid	335-67-1	0.27 U	0.27	0.90	1
14473	Perfluoropentanoic acid	2706-90-3	1.8 U	1.8	5.4	1
14473	Perfluorotetradecanoic acid	376-06-7	0.27 U	0.27	0.90	1
14473	Perfluorotridecanoic acid	72629-94-8	0.27 U	0.27	0.90	1
14473	Perfluoroundecanoic acid	2058-94-8	0.36 U	0.36	1.8	1

Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record Method CAT **Analysis Name** Trial# Batch# **Analysis Analyst** Dilution **Date and Time** Factor No. 16 PFAS Compounds EPA 537 Version 1.1 Joshua P Trost 14473 18155013 06/14/2018 02:56 Modified PFAS Water Prep EPA 537 Version 1.1 18155013 06/04/2018 17:15 Anthony C Polaski 14091 1 Modified

^{*=}This limit was used in the evaluation of the final result



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LancLabsEnv

Sample Description: TB-1 Grab Water

SGPP

Project Name: SGPP-Merrimack NH

 Submittal Date/Time:
 05/31/2018 10:10

 Collection Date/Time:
 05/30/2018 14:55

 SDG#:
 GOA19-07TB

Golder Associates

ELLE Sample #: WW 9636402 ELLE Group #: 1949637

Matrix: Water

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
LC/MS	/MS Miscellaneous EPA 537 Ve Modified	rsion 1.1	ng/l	ng/l	ng/l	
14473	NEtFOSAA	2991-50-6	0.91 U	0.91	2.7	1
14473	NEtFOSAA is the acronym for N-ethyl perfli NMeFOSAA NMeFOSAA is the acronym for N-methyl pe	2355-31-9	0.91 U	0.91	2.7	1
14473	Perfluorobutanesulfonic Acid	375-73-5	0.27 U	0.27	0.91	1
14473	Perfluorobutanoic acid	375-22-4	1.8 U	1.8	5.4	1
14473	Perfluorodecanoic acid	335-76-2	0.91 U	0.91	1.8	1
14473	Perfluorododecanoic acid	307-55-1	0.27 U	0.27	0.91	1
14473	Perfluoroheptanoic acid	375-85-9	0.27 U	0.27	0.91	1
14473	Perfluorohexanesulfonic Acid	355-46-4	0.36 U	0.36	1.8	1
14473	Perfluorohexanoic acid	307-24-4	0.36 U	0.36	1.8	1
14473	Perfluorononanoic acid	375-95-1	0.36 U	0.36	1.8	1
14473	Perfluoro-Octanesulfonic Acid	1763-23-1	0.36 U	0.36	1.8	1
14473	Perfluorooctanoic acid	335-67-1	0.27 U	0.27	0.91	1
14473	Perfluoropentanoic acid	2706-90-3	1.8 U	1.8	5.4	1
14473	Perfluorotetradecanoic acid	376-06-7	0.27 U	0.27	0.91	1
14473	Perfluorotridecanoic acid	72629-94-8	0.27 U	0.27	0.91	1
14473	Perfluoroundecanoic acid	2058-94-8	0.36 U	0.36	1.8	1

Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

	Laboratory Sample Analysis Record								
CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor		
14473	16 PFAS Compounds	EPA 537 Version 1.1 Modified	1	18155013	06/14/2018 03:11	Joshua P Trost	1		
14091	PFAS Water Prep	EPA 537 Version 1.1 Modified	1	18155013	06/04/2018 17:15	Anthony C Polaski	1		

^{*=}This limit was used in the evaluation of the final result

Quality Control Summary

Client Name: Golder Associates Group Number: 1949637

Reported: 06/18/2018 16:05

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Method Blank

Analysis Name	Result	MDL**	LOQ
	ng/l	ng/l	ng/l
Batch number: 18155013	Sample numb	er(s): 9636396-	-9636402
NEtFOSAA	1.0 U	1.0	3.0
NMeFOSAA	1.0 U	1.0	3.0
Perfluorobutanesulfonic Acid	0.30 U	0.30	1.0
Perfluorobutanoic acid	2.0 U	2.0	6.0
Perfluorodecanoic acid	1.0 U	1.0	2.0
Perfluorododecanoic acid	0.30 U	0.30	1.0
Perfluoroheptanoic acid	0.30 U	0.30	1.0
Perfluorohexanesulfonic Acid	0.40 U	0.40	2.0
Perfluorohexanoic acid	0.40 U	0.40	2.0
Perfluorononanoic acid	0.40 U	0.40	2.0
Perfluoro-Octanesulfonic Acid	0.40 U	0.40	2.0
Perfluorooctanoic acid	0.30 U	0.30	1.0
Perfluoropentanoic acid	2.0 U	2.0	6.0
Perfluorotetradecanoic acid	0.30 U	0.30	1.0
Perfluorotridecanoic acid	0.30 U	0.30	1.0
Perfluoroundecanoic acid	0.40 U	0.40	2.0

LCS/LCSD

Analysis Name	LCS Spike Added ng/l	LCS Conc ng/l	LCSD Spike Added ng/l	LCSD Conc ng/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 18155013	Sample number(s): 9636396-9	9636402						
NEtFOSAA	5.44	5.40	5.44	5.57	99	102	55-169	3	30
NMeFOSAA	5.44	5.75	5.44	5.47	106	100	62-167	5	30
Perfluorobutanesulfonic Acid	4.81	4.48	4.81	4.59	93	95	73-128	2	30
Perfluorobutanoic acid	5.44	5.54	5.44	5.51	102	101	74-142	1	30
Perfluorodecanoic acid	5.44	5.30	5.44	5.78	98	106	69-148	9	30
Perfluorododecanoic acid	5.44	5.42	5.44	5.63	100	104	75-136	4	30
Perfluoroheptanoic acid	5.44	5.02	5.44	4.86	92	89	76-140	3	30
Perfluorohexanesulfonic Acid	5.14	4.86	5.14	5.18	94	101	71-131	6	30
Perfluorohexanoic acid	5.44	5.74	5.44	5.83	105	107	75-135	2	30
Perfluorononanoic acid	5.44	5.41	5.44	5.59	99	103	72-148	3	30
Perfluoro-Octanesulfonic Acid	5.20	5.15	5.20	5.08	99	98	67-138	1	30
Perfluorooctanoic acid	5.44	5.61	5.44	5.91	103	109	72-138	5	30
Perfluoropentanoic acid	5.44	5.59	5.44	5.82	103	107	74-134	4	30

^{*-} Outside of specification

P###### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

^{**-}This limit was used in the evaluation of the final result for the blank

⁽¹⁾ The result for one or both determinations was less than five times the LOQ.

⁽²⁾ The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Golder Associates Group Number: 1949637 Reported: 06/18/2018 16:05

LCS/LCSD (continued)

Analysis Name	LCS Spike Added ng/l	LCS Conc ng/l	LCSD Spike Added ng/l	LCSD Conc ng/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Perfluorotetradecanoic acid	5.44	5.52	5.44	5.68	102	104	74-135	3	30
Perfluorotridecanoic acid	5.44	5.48	5.44	5.75	101	106	61-145	5	30
Perfluoroundecanoic acid	5.44	5.35	5.44	5.30	98	97	75-146	1	30

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: 16 PFAS Compounds

Batch number: 18155013

eurofins

Daton Hamb	13C4-PFBA	13C5-PFPeA	13C3-PFBS	13C5-PFHxA	13C3-PFHxS	13C4-PFHpA
9636396	73	79	119	87	99	84
9636397	91	98	107	114	107	98
9636398	92	98	109	114	117	116
9636399	82	90	133	95	108	99
9636400	81	86	92	83	82	82
9636401	74	79	85	75	70	74
9636402	73	77	81	75	74	76
Blank	84	92	95	87	84	84
LCS	83	90	93	80	81	80
LCSD	84	86	94	82	78	86
Limits:	33-123	39-135	26-148	31-128	34-126	35-126
	13C8-PFOA	13C8-PFOS	13C9-PFNA	13C6-PFDA	d3-NMeFOSAA	13C7-PFUnDA
9636396	53	75	83	76	59	76
9636397	84	90	91	96	81	91
9636398	79	95	98	93	82	91
9636399	60	86	98	85	70	81
9636400	85	82	101	85	69	78
9636401	76	75	90	76	62	73
9636402	75	75	99	74	65	73
Blank	84	83	97	89	74	88
LCS	82	81	93	84	70	78
LCSD	81	84	89	81	66	80
Limits:	43-112	43-115	32-134	40-115	17-120	30-128
	d5-NEtFOSAA	13C2-PFDoDA	13C2-PFTeDA			
9636396	69	75	66			

^{*-} Outside of specification

88

9636397

90

P###### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

79

^{**-}This limit was used in the evaluation of the final result for the blank

⁽¹⁾ The result for one or both determinations was less than five times the LOQ.

⁽²⁾ The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Golder Associates Group Number: 1949637

Reported: 06/18/2018 16:05

Surrogate Quality Control (continued)

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: 16 PFAS Compounds

Batch number: 18155013

	d5-NEtFOSAA	13C2-PFDoDA	13C2-PFTeDA	
9636398	98	91	79	
9636399	78	84	72	
9636400	82	82	72	
9636401	69	74	63	
9636402	69	71	64	
Blank	81	92	79	
LCS	77	84	71	
LCSD	73	78	68	
Limits:	21-135	28-127	26-119	

P###### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.

^{*-} Outside of specification

^{**-}This limit was used in the evaluation of the final result for the blank

⁽¹⁾ The result for one or both determinations was less than five times the LOQ.

⁽²⁾ The unspiked result was more than four times the spike added.

Environmental Analysis Request/Chain of Custody

NYSDEC Category A or B

MA MCP

CT RCP

Lancaster Laborator Environmental	ies Acct. # 1	0253	For E	urofir iroup	ıs Lan	ncaster Labo	orator	ies En	vironn , # 90	nental us	e onl	ly ,- 407				C	OC i	# 549	3581
Client Infor	rmation					Matrix				Million Phonon Co.	An	nalysis l	Regu	ester	d		For Lab U	se Only	
Client:	Acct. #:				恓							reservat					FSC:	•	
Colder Ossociates						Ground 🛱 Surface 🗌			1								SCR#:		
Project Name/#:	PWSID #:				Tissue	Ground			A								Pres	ervation C	odes
S6-PP / 1668623		h			Ě	rou urfs			134	`							H =HCl		niosulfate
Project Manager: /	P.O. #:					0 0		ß	124								N=HNC S=H ₂ SC	•	
Sampler:	Quote #:				ŧ			9	200					1			CONTRACTOR OF THE PARTY OF THE	Remarks	CONTRACTOR TO THE CONTRACTOR OF THE CONTRACTOR O
Scott Drew					e E	<u>e</u> S		nta	Compount										
State where samples were collected: For Comp	pliance: es			site	Sediment	Potable NPDES		Total # of Containers	21								11	especi ^s	
Sample Identification	***************************************	llected	Grab	Composite	Soil	Water	Other:	otal #	PERS										
	Date	COMMAND COMPANY CONTRACTOR CONTRA	(A)	ပ	Ś	S	0	島					-		_			Sec. 10.	
17-1	5/30/1		$\frac{X}{X}$			-		4	Ϋ́		_		╀		\dashv	-			
6-Z-3		1235	#/> +					4	\Rightarrow										
		1430	X				 	3	\Diamond		+			\dashv	_				
Dup-1 CB-1		1445	X			-		5			+		\vdash	_					***************************************
FB-1		1410	1× 1			 \ 	 	2	\forall	\vdash	+		┼─┼	\dashv					
T13-1		1455	 		H	$\vdash \updownarrow \dashv$		H	Ŷ		+		┼─┼	\dashv	_				
112-1		1722	\vdash					_			┪		-					MENONE CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR CONT	
			+								_		1						
			H								+		\vdash					And the state of t	## The second se
Turnaround Time (TAT) Requ	ested (please ci	rcle)	Relinqu	uished	N I		and the state of t			Date	Ţį	ime	Receive	ed by				Date	Time
(Standard)	Rush	,		Z			Marie College			S 20 14 Date) [700							
(Rush TAT is subject to taboratory approval and	surcharge.)	1		ulshed						Date /	Ti	ime	Receive	∍d by				Date	Time
Date results are needed:		— .)	Relinqu	uished	by					Date	Ti	ime	Receive	ed by				Date	Time
E-mail address: Rennet (a) golder. (UM)	sict drev	6) glock (cm	Relingu	··lahod	L.,		\geq			D-1-	- 		Toonahu	- d by	militar e construente de la construencia de la cons	no and an analysis of the second and an	***************************************	Date	Time
E-mail address: \(\frac{\sqrt{k}}{k}\) \(\frac{\left{content}}{\right{content}}\) \(\frac{\left{content}}{\right{content}}\) \(\frac{\left{content}}{\right{content}}\) \(\frac{\left{content}}{\right{content}}\) \(\frac{\left{content}}{\right{content}}\) \(\frac{\left{content}}{\right{content}}\) \(\frac{\right{content}}{\right{content}}\) \(\frac{\right{content}}{c	scor)		Heimqu	Jisneu	эу				7	Date	'"	ime	Receive	за ву				Date	Time
Type I (FPA Level 3			Relinqu	uished	by	2000 CO				Date	Th	ime	Reckive	ed by	Λ,			Date	Time
Equivalent/non-CLP)	ype VI (Raw Data	ત્ર Only) ા						_	~1 l				/ \}	re	Me	TN X		2-31-18	1010
	J DKQP TX	TRRP-13		1	if ves.	EDD Req	Juirec	15 (Yes	No				quishe		Commer edEx	rcial Carrie		
NVODEO Ostania A su D	IA MOD OT	DOD				ecific QC (I	MS/N	/ISD/E	 Dup)?	Yes) N	o						G (3	

(If yes, indicate QC sample and submit triplicate sample volume.)

Temperature upon receipt _



Client:

Sample Administration Receipt Documentation Log

Doc Log ID: 217832

No

Group Number(s): 1949637

Delivery and Receipt Information

Delivery Method: Fed Ex Arrival Timestamp: 05/31/2018 10:10

Number of Packages: Number of Projects: <u>1</u> <u>1</u>

State/Province of Origin: <u>NH</u>

GOLDER ASSOCIATES

Arrival Condition Summary

Shipping Container Sealed: Yes Sample IDs on COC match Containers: Yes

Custody Seal Present: Yes Sample Date/Times match COC: Yes

Custody Seal Intact: Yes VOA Vial Headspace ≥ 6mm: N/A

2 Samples Chilled: Yes Total Trip Blank Qty:

Paperwork Enclosed: Trip Blank Type: N/A Yes

Air Quality Samples Present: Samples Intact: Yes

Missing Samples: No

Extra Samples: No

Discrepancy in Container Qty on COC: No

Unpacked by Suegeily Mendez (14058) at 12:02 on 05/31/2018

Samples Chilled Details

Thermometer Types: DT = Digital (Temp. Bottle) IR = Infrared (Surface Temp) All Temperatures in °C.

Cooler# Thermometer ID Corrected Temp Therm. Type Ice Type Ice Present? Ice Container **Elevated Temp?** DT42-02 DT Wet Ν 1 0.9 Loose



Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

BMQL	Below Minimum Quantitation Level	mg	milligram(s)
С	degrees Celsius	mL	milliliter(s)
cfu	colony forming units	MPN	Most Probable Number
CP Units	cobalt-chloroplatinate units	N.D.	non-detect
F	degrees Fahrenheit	ng	nanogram(s)
g	gram(s)	NTU	nephelometric turbidity units
IU	International Units	pg/L	picogram/liter
kg	kilogram(s)	RL	Reporting Limit
L	liter(s)	TNTC	Too Numerous To Count
lb.	pound(s)	μg	microgram(s)
m3	cubic meter(s)	μL	microliter(s)
meq	milliequivalents	umhos/cm	micromhos/cm
<	less than		
>	greater than		
ppm		be equivalent to milli	kilogram (mg/kg) or one gram per million grams. For grams per liter (mg/l), because one liter of water has a weight uivalent to one microliter per liter of gas.
ppb	parts per billion		
Dry weight basis			oisture content. This increases the analyte weight ample without moisture. All other results are reported on an

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" are not performed within 15 minutes.


WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.



Data Qualifiers

Qualifier	Definition
С	Result confirmed by reanalysis
D1	Indicates for dual column analyses that the result is reported from column 1
D2	Indicates for dual column analyses that the result is reported from column 2
E	Concentration exceeds the calibration range
K1	Initial Calibration Blank is above the QC limit and the sample result is ND
K2	Continuing Calibration Blank is above the QC limit and the sample result is ND
K3	Initial Calibration Verification is above the QC limit and the sample result is ND
K4	Continuing Calibration Verification is above the QC limit and the sample result is ND
J (or G, I, X)	Estimated value >= the Method Detection Limit (MDL or DL) and < the Limit of Quantitation (LOQ or RL)
Р	Concentration difference between the primary and confirmation column >40%. The lower result is reported.
U	Analyte was not detected at the value indicated
V	Concentration difference between the primary and confirmation column >100%. The reporting limit is raised
	due to this disparity and evident interference.
W	The dissolved oxygen uptake for the unseeded blank is greater than 0.20 mg/L.
Z	Laboratory Defined - see analysis report

Additional Organic and Inorganic CLP qualifiers may be used with Form 1 reports as defined by the CLP methods. Qualifiers specific to Dioxin/Furans and PCB Congeners are detailed on the individual Analysis Report.



SAMPLE COLLECTION INFORMATION FORM

GAI Project Name:	Saint-Gob	ain Performance P	lastics	Project Number:	166-8623
Sample ID:	(-2-1			Sample Source:	GW
Golder Perso	nnel Present:	S. Dew.	L. Lan	3	

PURGING INFORMATION (IF APPLICABLE)

Purge Date:	5/30/2016	Time (24 hr):	905	Elapsed hours/min:	seeback
Purging Device:	,c	Dedicated?:	no Yes		
Casing Vol (Gal.):		Tubing Vol. (L)		Vol Purged (L):	see back
Material:		1/4" O	D HDPE tubing		

Sampling Date:	5/34/2018	Time (24 hr):	1035	Matrix:	GW
Sampling Device	C	Dedicated?:	Yes	Filtered?:	No
Material:		1/4" OD HDPE tubing		Sample Type:	Grab
(A) Air-Lift Pur	np; (B) Bladder Pump	o, (C) Peristaltic Pump; (D)	Scoop / Shovel; (E)	Bailer; (F) Foot Valve;	(G) Other.
Analytical	Parameters:	PFAS			

WELL INFORMATION (IF APPLICABLE)

Ref. Elevation (ft): - Historical Well Depth (ft): 19 Feet Common casing vol. factors Depth to Water (ft): - Sounded Well Depth (ft): - 1.5 = 0.09, 2.0 = 0.163, 4.0 = 1.96 Screen Interval: 6.5 - 16.5' Stickup (ft): Flush 0.25 = .003, 0.5 = 0.01, 1.0 = 0.041 Pump Intake: 13.5' Well Diameter (in): 2.00 Casing Vol.= 0.163 * r² GW Elevation (ft): - Tubing Diameter (in) 0.25 1.1	Reference Point:	TPVC	Land Elevation (ft):	_	
Screen Interval: 6.5-18.5° Stickup (ft): Flush 0.25 = .003, 0.5 = 0.01, 1.0 = 0.041 Pump Intake: 13.5° Well Diameter (in): 2.00 Casing Vol.= 0.163 * r²	Ref. Elevation (ft):	-	Historical Well Depth (ft):	19 feet	Common casing vol. factors
Pump Intake: 13.5 Well Diameter (in): 2.00 Casing Vol.= 0.163 * r ²	Depth to Water (ft):	-	Sounded Well Depth (ft):	-	1.5 = 0.09, 2.0 = 0.163, 4.0 = 1.96
	Screen Interval:	8.5-18.5'	Stickup (ft):	Flush	0.25 = .003, 0.5 = 0.01, 1.0 = 0.041
GW Elevation (ft): - Tubing Diameter (in) 0.25	Pump Intake:	13.5	Well Diameter (in):	2.00	Casing Vol.= 0.163 * r ²
	GW Elevation (ft):	-	Tubing Diameter (in)	0.25	WL- 1500, 10.30

FINAL FIELD MEASUREMENTS

PLEASE CHECK UNITS VS. METER!!!

Parameter	Units (proposed) actual	Result	Parameter	Units (proposed) actual	Result
Temperature	(°C)	9.79	рН	(S.U.)	6.26
Spec Cond	(uS/cm)	888	ORP	(mV)	-11.8
Dissolved Oxygen	(mg/L)	(.1)	Eh	(mV)	-
Flow Rate	(mL/min)	300	Turbidity	(NTU)	3.62
			Drawdown	(Ft)	-

Weather: 5, 705				
JURIA 10)			11	иĒ
Sample Description:				
Fampled @ 1035				
Insect Repellant Used Today? Kes No				
Sampler Signature:	Date:	5	130/2018	



PURGING AND STABILIZATION INFORMATION

Sample ID:	62-1
Initial DTW (ft):	
Final DTW(ft):	-

FIELD MEASUREMENTS

				TILLD WI	DI KO C KOO!	ADITIO				
Elapsed Time	Volume Purged	Flow Rate	Temp	Specific Cond.	DO	pН	ORP	Turb	DTW	
(Time)	(E) m	(mL/min)	(°C)	(uS/cm)	(mg/L)	(S.U.)	(mV)	(NTU)	(ft)	
Stabilization	on Criteria:	± 10%	± 3%	± 3%	± 10%**	± 0.1 SU	± 10 mV	± 10%*	<0.3 FT	
905	類	350	9.69	825	0.67	6.21	-11.9	91.6	-	
910		300	9.62	855	0,67	6.20	-3,3	63.0	-	
915		360	9.65	878	0.63	6,22	-8.7	35.6	-	
920		300	9,54	875	0.64	6.23	-12.0	240	-	
925		300	9.56	861	0.73	6.25	-16.2	2023	-	
930		300	9,59	861	0.79	6.27	-18.2	10,4	-	
935		300	9.56	863	0,88	6.26	-18.2	14,6	-	
940		300	9.53	865	1.02	6.28	-20.2	10,2	-	
945		300	9,66	853	1,08	6.27	-20.2	6.94	-	
950		300	9.56	858	1.17	6.27	-16.2	5.71	-	
955		300	9,60	862	1.32	6,26	-13.8	5.02	-	,
1000		300	9,60	860	1.32	6.27	-1601	6,35	-	
100 5		300	9.61	862	0,69	6.26	-15,8	3,87	-	
1010		300	9.69	8 55	0.85	6.27	-14.8	4.53	-	
1015		300	9,68	857	0,58	6.26	-14-1	4.58	-	
1020			9,79	853	1,24	6.27	-13.2	3,65	-	
1025		300	9.79	855	1.11	6.26	-11.8	3.62	-	
1035-	Sampler								_	
	1,20								-	
									-	
							-		-	
									-	
							-		-	
					!				-	
									-	

Comments: Depth to water and sounded well depth measurements are not collected during P	FAS sampling.
the facility grounds were being sprayed w	pesticide/hechizide
* \pm 10% or 1.00, whichever is greater ** \pm 10% or <0.5 for three consecutive re-	eadings
Sampler Signature: Date:	5/30/2016



SAMPLE COLLECTION INFORMATION FORM

GAI Project Name:	Saint-Gobain I	Performance Plastics	Project Number:	166-8623
Sample ID:	62-2		Sample Source:	GW
Golder Perso	onnel Present:	S. Drew, L.	Lampo	

PURGING INFORMATION (IF APPLICABLE)

5/30/2018	Time (24 hr):	1135	Elapsed hours/min:	See back
С	Dedicated?:	NO Ves		
	Tubing Vol. (L)		Vol Purged (L):	See back
	1/4" C	D HDPE tubing		
	5/30/2018 C	C Dedicated?: Tubing Vol. (L)	C Dedicated?: NO Ves	C Dedicated?: NO Yes Tubing Vol. (L) Vol Purged (L):

5130/2018 1235 Sampling Date: Time (24 hr): Matrix: $\mathbf{G}\mathbf{W}$ Dedicated?: Filtered?: Sampling Device Yes No Material: 1/4" OD HDPE tubing Sample Type: Grab (A) Air-Lift Pump; (B) Bladder Pump, (C) Peristaltic Pump; (D) Scoop / Shovel; (E) Bailer; (F) Foot Valve; (G) Other. PFAS Analytical Parameters:

WELL INFORMATION (IF APPLICABLE)

		(1 DDD II 11 ORGANIZZOTA (III 1 III	I DI CI IDDD)	
Reference Point:	TPVC	Land Elevation (ft):	-	
Ref. Elevation (ft):	-	Historical Well Depth (ft):	19	Common casing vol. factors
Depth to Water (ft):	-	Sounded Well Depth (ft):		1.5 = 0.09, 2.0 = 0.163, 4.0 = 1.96
Screen Interval:	7-171	Stickup (ft):	Flush	0.25 = .003, 0.5 = 0.01, 1.0 = 0.041
Pump Intake:	12	Well Diameter (in):	2.00	Casing Vol.= $0.163 * r^2$
GW Elevation (ft):	•	Tubing Diameter (in)	0.25	Jul. 1505, 938)
				- IU.L. 1703, 1.58)

FINAL FIELD MEASUREMENTS

PLEASE CHECK UNITS VS. METER!!!

Parameter	Units (proposed) actual	Result	Parameter	Units (proposed) actual	Result
Temperature	(°C)	10,92	pН	(S.U.)	4.84
Spec Cond	(uS/cm)	27	ORP	(mV)	3,5,5
Dissolved Oxygen	(mg/L)	8,37	Eh	(mV)	-
Flow Rate	(mL/min)	300	Turbidity	(NTU)	0,23
			Drawdown	(Ft)	-

COMMENTS / CALCULATIONS

	001.2.	and the termination of the termi			
Weather: 50 n.	nv. 705				
	/ '				
Sample Description:					
					_
Insect Repellant Used	Today?(Ye)/No				
Sampler Signature:	ATA	,	Date:	5/30 Dois	
Insect Repellant Used Sampler Signature:	Today?(Ye)/No		Date:	5/30/2018	



PURGING AND STABILIZATION INFORMATION

Sample ID:	62-2
Initial DTW (ft):	-
Final DTW(ft):	_

FIELD MEASUREMENTS

				FIELD MI	EASUREN	IEN IS				
Elapsed Time	Volume Purged	Flow Rate	Temp	Specific Cond.	DO	pН	ORP	Turb	DTW	
(Time)	(L)	(mL/min)	(°C)	(uS/cm)	(mg/L)	(S.U.)	(mV)	(NTU)	(ft)	
Stabilization	on Criteria:	± 10%	± 3%	± 3%	± 10%**	± 0.1 SU	± 10 mV	± 10%*	<0.3 FT	
1175		200	11.76	32	9.84	4.62	aso.	5,08	-	
1140		200	11.07	28	9.15	4,55	276.4	2.79	-	
1145		300	11.00	29	8.98	4.72	276,4	0.80	-	
1150		300	11.02	28	8.84	4,78	278.9	0,83	-	
1155		300	11.04	28	8.87	4.80	2829	0.76	-	
1200		300	10,94	28	8.71	4.82	288.2	0.53	-	
1205		300	11,13	28	8,99	4,83	291.6	0,29	_	-
1210		3 00	10,92	28	8.75	4.93	294.7	0.29	-	
1215		300	10,86	28	8.68	4,83	298.6	0.5>	-	
1220		300	10,83	28	8.56	4.84	300.8	0.3)	-	
1225		300	10.96	28	8,49	4.85	303,2	0.22	-	
1230		3,00	10.92	27	8,37	4.84	305.5	0.23	-	
1235 -	- Sand	7	7011		<u> </u>		,		-	
101-2	(10							-	
									_	
									-	
									-	
									_	
									_	
									-	
									-	
									-	
									-	
									-	
									-	

Comments: Depth to water and sounded well depth measurements are not collected during PFAS sampling.	
	_
	-
* \pm 10% or 1.00, whichever is greater ** \pm 10% or <0.5 for three consecutive readings	
Sampler Signature: Date: 5/30/2018	



SAMPLE COLLECTION INFORMATION FORM

GAI Project Name:	Saint-Goba	in Performance Plastics	Project Number:	166-8623
Sample ID:	62-3		Sample Source:	GW
Golder Perso	nnel Present:	S. Drew L. Lan	ρδ	

PURGING INFORMATION (IF APPLICABLE)

80/2018	Time (24 hr):	1430	Elapsed hours/min:	Cash L
		117	Liupsed Hours/IIIII.	See Dack
C	Dedicated?:	no Yes		
	Tubing Vol. (L)	8	Vol Purged (L):	See buck
1/4" OD HDPE tubing				19.1
_	C	Tubing Vol. (L)	Tubing Vol. (L)	Tubing Vol. (L) Vol Purged (L):

Sampling Date:	5/70/2018	Time (24 hr):	1330	Matrix:	GW
Sampling Device	С	Dedicated?:	Yes	Filtered?:	No
Material:	1/4" OD HDPE tubing			Sample Type:	Grab
(A) Air-Lift Pur	mp; (B) Bladder Pump, (C) Peristaltic Pump; (D) S	Scoop / Shovel; (E)	Bailer; (F) Foot Valve;	(G) Other.
Analytical	Parameters:	PF45			

WELL INFORMATION (IF APPLICABLE)

Reference Point:	TPVC	Land Elevation (ft):	-	
Ref. Elevation (ft):	-	Historical Well Depth (ft):	1>	Common casing vol. factors
Depth to Water (ft):	-	Sounded Well Depth (ft):	-	1.5 = 0.09, 2.0 = 0.163, 4.0 = 1.96
Screen Interval:	7-17	Stickup (ft):	Flush	0.25 = .003, 0.5 = 0.01, 1.0 = 0.041
Pump Intake:	12	Well Diameter (in):	2.00	Casing Vol.= 0.163 * r ²
GW Elevation (ft):	-	Tubing Diameter (in)	0.25	101 1011 7 11

W.L. 1510, 7.81

FINAL FIELD MEASUREMENTS

PLEASE CHECK UNITS VS. METER!!!

Parameter	Units (proposed) actual	Result	Parameter	Units (proposed) actual	Result
Temperature	(°C)	11,35	рН	(S.U.)	5.39
Spec Cond	(uS/cm)	27	ORP	(mV)	282.8
Dissolved Oxygen	(mg/L)	6.60	Eh	(mV)	-
Flow Rate	(mL/min)	250	Turbidity	(NTU)	0.14
			Drawdown	(Ft)	_

COMMENTS / CALCULATIONS

Weather: Sunny, 705	
Sample Description:	
Insect Repellant Used Today? Yes/No	
Sampler Signature:	Date: 5/30/2018



PURGING AND STABILIZATION INFORMATION

Sample ID:	62-3
Initial DTW (ft):	•
Final DTW(ft):	

FIELD MEASUREMENTS

				FIELD M.	EASUREN	IEN 15	,			
Elapsed Time	Volume Purged	Flow Rate	Temp	Specific Cond.	DO	pН	ORP	Turb	DTW	
(Time)	(L)	(mL/min)	(°C)	(uS/cm)	(mg/L)	(S.U.)	(mV)	(NTU)	(ft)	
Stabilization Criteria:		± 10%	± 3%	± 3%	± 10%**	± 0.1 SU	± 10 mV	± 10%*	<0.3 FT	
1330		250	12.05	37	8,67	5.46	260,0	1.26	844	
1335		250	11635	29	2.26	5.40	259.9	1,10	-	
1340		250	11,35	28	6.85	5.33	267.4	0.34	-	
1345		250	11.19	26	6.75	5,35	270,8	0,20	-	
1350		250	11.15	27	6,66	5.37	274,1	0.17	-	
1355		250	11.19	27	6.70	5.38	277-0	0.16	-	
1400		250	11,16	26	6.67	5.39	278,4	0,21	-	
1405		250	11.08	26	6.81	5.39	280.2	0.14	-	
1410		250	11.17	26	6.71	5.40	281.7	0,16	-	
1415		250	11.21	26	6,74	5.39	281.9	0.18	_	
1420		250	11,24	26	6.61	5,40	282.4		-	
1425		250	11.35	27	6.60	5.39	282.8	0.14	-	
	Sample									
1.70	MINIE								-	
									-	
									-	
									-	
									-	
									-	
									-	
									-	
									-	
									-	
		76							-	
									_	

Comments: Depth to water and sounded well depth measurements are not collected during PFAS sampling.	
* \pm 10% or 1.00, whichever is greater ** \pm 10% or <0.5 for three consecutive readings	
Sampler Signature: Date: 5/3c/2018	

