

Beach Id: **201** [Mapit](#)Waterbody Type: **SALTWATER**Beach Name: **NEW CASTLE TOWN BEACH**Beach Type: **TOWN**Beach Town: **NEW CASTLE**Current Advisory: **N**Inspection Frequency: **8 PER MONTH**Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Advisories (29)

Date Posted	Date Posting Removed	Advisory Type
08/08/2023	08/10/2023	Fecal Bacteria
07/06/2023	07/08/2023	Fecal Bacteria
08/11/2022	08/13/2022	Fecal Bacteria
08/05/2022	08/09/2022	Fecal Bacteria
07/08/2022	07/12/2022	Fecal Bacteria
06/24/2022	06/30/2022	Fecal Bacteria
06/16/2022	06/21/2022	Fecal Bacteria
08/31/2021	09/02/2021	Fecal Bacteria
08/24/2021	08/26/2021	Fecal Bacteria
08/10/2021	08/12/2021	Fecal Bacteria
06/15/2021	06/17/2021	Fecal Bacteria
08/25/2020	08/27/2020	Fecal Bacteria
07/02/2020	07/09/2020	Fecal Bacteria
06/23/2020	06/30/2020	Fecal Bacteria
08/14/2018	08/16/2018	Fecal Bacteria
08/24/2017	08/26/2017	Fecal Bacteria
07/25/2017	07/29/2017	Fecal Bacteria
06/01/2017	06/02/2017	Fecal Bacteria
08/15/2014	08/19/2014	Fecal Bacteria
08/02/2012	08/04/2012	Fecal Bacteria
07/13/2010	07/17/2010	Fecal Bacteria
06/16/2010	06/17/2010	Fecal Bacteria
06/30/2009	07/01/2009	Fecal Bacteria
06/24/2009	06/26/2009	Fecal Bacteria
08/19/2008	08/21/2008	Fecal Bacteria
07/23/2008	07/24/2008	Fecal Bacteria
07/02/2008	07/06/2008	Fecal Bacteria
07/12/2007	07/14/2007	Fecal Bacteria
06/20/2003	06/23/2003	Fecal Bacteria

Beach Id: **201** [Mapit](#)

Waterbody Type: **SALTWATER**

Beach Name: **NEW CASTLE TOWN BEACH**

Beach Type: **TOWN**

Beach Town: **NEW CASTLE**

Current Advisory: **N**

Inspection Frequency: **8 PER MONTH**

Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Documents (20)

Document Type

[2004 Annual Report](#)

[2005 Annual Report](#)

[2007 Annual Report](#)

[2009 Annual Report](#)

[2010 Annual Report](#)

[2011 Annual Report](#)

[2012 Annual Report](#)

[2013 Annual Report](#)

[2014 Annual Report](#)

[2015 Annual Report](#)

[2016 Annual Report](#)

[2017 Annual Report](#)

[2018 Annual Report](#)

[2019 Annual Report](#)

[2020 Annual Report](#)

[2021 Annual Report](#)

[2022 Annual Report](#)

[Map](#)

[2023 Annual Report](#)

[Photo](#)

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B306854002	08/28/2023	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B306849002	08/28/2023	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B306854001	08/28/2023	ENTEROCOCCUS	30	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B306854003	08/28/2023	ENTEROCOCCUS	30	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B306711002	08/23/2023	ENTEROCOCCUS	30	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B306711001	08/23/2023	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B306711003	08/23/2023	ENTEROCOCCUS	< 10	MPN/100ML

Beach Id: **201** [Mapit](#)

Waterbody Type: **SALTWATER**

Beach Name: **NEW CASTLE TOWN BEACH**

Beach Type: **TOWN**

Beach Town: **NEW CASTLE**

Current Advisory: **N**

Inspection Frequency: **8 PER MONTH**

Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B306578002	08/21/2023	ENTEROCOCCUS	62	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B306578001	08/21/2023	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B306578003	08/21/2023	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B306488002	08/17/2023	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B306488001	08/17/2023	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B306488003	08/17/2023	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B306303002	08/15/2023	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B306303001	08/15/2023	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B306303003	08/15/2023	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B306088002	08/09/2023	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B306088001	08/09/2023	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B306088003	08/09/2023	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B305939002	08/07/2023	ENTEROCOCCUS	168	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B305939001	08/07/2023	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B305939003	08/07/2023	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B305844002	08/03/2023	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B305844001	08/03/2023	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B305844003	08/03/2023	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B305705002	08/01/2023	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B305705001	08/01/2023	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B305700002	08/01/2023	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B305705003	08/01/2023	ENTEROCOCCUS	30	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B305541002	07/27/2023	ENTEROCOCCUS	81	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B305541001	07/27/2023	ENTEROCOCCUS	72	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B305541003	07/27/2023	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B305400002	07/25/2023	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B305400001	07/25/2023	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B305400003	07/25/2023	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B305153002	07/19/2023	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B305153001	07/19/2023	ENTEROCOCCUS	< 10	MPN/100ML

Beach Id: **201** [Mapit](#)

Waterbody Type: **SALTWATER**

Beach Name: **NEW CASTLE TOWN BEACH**

Beach Type: **TOWN**

Beach Town: **NEW CASTLE**

Current Advisory: **N**

Inspection Frequency: **8 PER MONTH**

Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B305153003	07/19/2023	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B304976002	07/17/2023	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B304976001	07/17/2023	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B304976003	07/17/2023	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B304870002	07/13/2023	ENTEROCOCCUS	81	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B304870001	07/13/2023	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B304870003	07/13/2023	ENTEROCOCCUS	51	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B304707002	07/11/2023	ENTEROCOCCUS	235	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B304708002	07/11/2023	ENTEROCOCCUS	51	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B304708001	07/11/2023	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B304708003	07/11/2023	ENTEROCOCCUS	51	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B304554002	07/07/2023	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B304555002	07/07/2023	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B304555001	07/07/2023	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B304555003	07/07/2023	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B304439002	07/05/2023	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B304439001	07/05/2023	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B304439003	07/05/2023	ENTEROCOCCUS	148	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B304286002	06/28/2023	ENTEROCOCCUS	63	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B304286001	06/28/2023	ENTEROCOCCUS	31	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B304286003	06/28/2023	ENTEROCOCCUS	51	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B304153002	06/26/2023	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B304153001	06/26/2023	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B304153003	06/26/2023	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B304085002	06/22/2023	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B304085001	06/22/2023	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B304085003	06/22/2023	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B303926002	06/20/2023	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B303926001	06/20/2023	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B303926003	06/20/2023	ENTEROCOCCUS	< 10	MPN/100ML

Beach Id: **201** [Mapit](#)

Waterbody Type: **SALTWATER**

Beach Name: **NEW CASTLE TOWN BEACH**

Beach Type: **TOWN**

Beach Town: **NEW CASTLE**

Current Advisory: **N**

Inspection Frequency: **8 PER MONTH**

Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B303752002	06/14/2023	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B303752001	06/14/2023	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B303752003	06/14/2023	ENTEROCOCCUS	41	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B303633002	06/12/2023	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B303633001	06/12/2023	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B303633003	06/12/2023	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B303563002	06/08/2023	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B303563001	06/08/2023	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B303563003	06/08/2023	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B303403002	06/06/2023	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B303398002	06/06/2023	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B303403001	06/06/2023	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B303403003	06/06/2023	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B206884002	08/24/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B206884001	08/24/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B206884003	08/24/2022	ENTEROCOCCUS	41	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B206771002	08/22/2022	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B206771001	08/22/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B206771003	08/22/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B206661002	08/18/2022	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B206661001	08/18/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B206661003	08/18/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B206482002	08/16/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B206482001	08/16/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B206477002	08/16/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B206482003	08/16/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B206346001	08/12/2022	ENTEROCOCCUS	41	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B206347002	08/12/2022	ENTEROCOCCUS	30	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B206347001	08/12/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B206347003	08/12/2022	ENTEROCOCCUS	31	MPN/100ML

Beach Id: **201** [Mapit](#)

Waterbody Type: **SALTWATER**

Beach Name: **NEW CASTLE TOWN BEACH**

Beach Type: **TOWN**

Beach Town: **NEW CASTLE**

Current Advisory: **N**

Inspection Frequency: **8 PER MONTH**

Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B206268002	08/10/2022	ENTEROCOCCUS	1036	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B206262002	08/10/2022	ENTEROCOCCUS	473	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B206268001	08/10/2022	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B206268003	08/10/2022	ENTEROCOCCUS	74	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B206060002	08/08/2022	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B206060001	08/08/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B206059002	08/08/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B206060003	08/08/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B205949002	08/04/2022	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B205948002	08/04/2022	ENTEROCOCCUS	121	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B205949001	08/04/2022	ENTEROCOCCUS	160	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B205949003	08/04/2022	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B205820002	08/02/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B205820001	08/02/2022	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B205820003	08/02/2022	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B205594002	07/27/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B205601002	07/27/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B205601001	07/27/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B205601003	07/27/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B205449002	07/25/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B205449001	07/25/2022	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B205449003	07/25/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B205327002	07/21/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B205327001	07/21/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B205327003	07/21/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B205172002	07/19/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B205172001	07/19/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B205172003	07/19/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B204943002	07/13/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B204943001	07/13/2022	ENTEROCOCCUS	< 10	MPN/100ML

Beach Id: **201** [Mapit](#)

Waterbody Type: **SALTWATER**

Beach Name: **NEW CASTLE TOWN BEACH**

Beach Type: **TOWN**

Beach Town: **NEW CASTLE**

Current Advisory: **N**

Inspection Frequency: **8 PER MONTH**

Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B204943003	07/13/2022	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRR	NEW CASTLE TB-CENTER	B204738002	07/11/2022	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCFL	NEW CASTLE TB-LEFT	B204738001	07/11/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B204738003	07/11/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRR	NEW CASTLE TB-CENTER	B204634002	07/07/2022	ENTEROCOCCUS	131	MPN/100ML
BCHNWCNWCFL	NEW CASTLE TB-LEFT	B204633002	07/07/2022	ENTEROCOCCUS	41	MPN/100ML
BCHNWCNWCFL	NEW CASTLE TB-LEFT	B204634001	07/07/2022	ENTEROCOCCUS	245	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B204634003	07/07/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRR	NEW CASTLE TB-CENTER	B204433002	07/05/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCFL	NEW CASTLE TB-LEFT	B204433001	07/05/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B204433003	07/05/2022	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRR	NEW CASTLE TB-CENTER	B204310002	06/29/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCFL	NEW CASTLE TB-LEFT	B204310001	06/29/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B204310003	06/29/2022	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRR	NEW CASTLE TB-CENTER	B204174002	06/27/2022	ENTEROCOCCUS	51	MPN/100ML
BCHNWCNWCFL	NEW CASTLE TB-LEFT	B204173002	06/27/2022	ENTEROCOCCUS	119	MPN/100ML
BCHNWCNWCFL	NEW CASTLE TB-LEFT	B204174001	06/27/2022	ENTEROCOCCUS	3654	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B204174003	06/27/2022	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRR	NEW CASTLE TB-CENTER	B204083002	06/23/2022	ENTEROCOCCUS	96	MPN/100ML
BCHNWCNWCFL	NEW CASTLE TB-LEFT	B204082001	06/23/2022	ENTEROCOCCUS	512	MPN/100ML
BCHNWCNWCFL	NEW CASTLE TB-LEFT	B204083001	06/23/2022	ENTEROCOCCUS	705	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B204083003	06/23/2022	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRR	NEW CASTLE TB-CENTER	B203931002	06/21/2022	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCFL	NEW CASTLE TB-LEFT	B203931001	06/21/2022	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B203926002	06/21/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B203931003	06/21/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRR	NEW CASTLE TB-CENTER	B203858002	06/20/2022	ENTEROCOCCUS	31	MPN/100ML
BCHNWCNWCFL	NEW CASTLE TB-LEFT	B203858001	06/20/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B203858003	06/20/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRR	NEW CASTLE TB-CENTER	B203809002	06/17/2022	ENTEROCOCCUS	285	MPN/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B203809001	06/17/2022	ENTEROCOCCUS	63	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B203809003	06/17/2022	ENTEROCOCCUS	41	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B203693002	06/15/2022	ENTEROCOCCUS	63	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B203693001	06/15/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B203693003	06/15/2022	ENTEROCOCCUS	187	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B203556002	06/13/2022	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B203555002	06/13/2022	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B203556001	06/13/2022	ENTEROCOCCUS	63	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B203556003	06/13/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B203465002	06/09/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B203463002	06/09/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B203465001	06/09/2022	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B203465003	06/09/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B203326002	06/07/2022	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B203326001	06/07/2022	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B203326003	06/07/2022	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B106842002	09/01/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B106842001	09/01/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B106842003	09/01/2021	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B106741002	08/30/2021	ENTEROCOCCUS	203	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B106741001	08/30/2021	ENTEROCOCCUS	52	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B106741003	08/30/2021	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B106621002	08/25/2021	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B106621001	08/25/2021	ENTEROCOCCUS	74	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B106621003	08/25/2021	ENTEROCOCCUS	85	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B106481002	08/23/2021	ENTEROCOCCUS	315	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B106481001	08/23/2021	ENTEROCOCCUS	404	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B106481003	08/23/2021	ENTEROCOCCUS	275	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B106345002	08/18/2021	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B106345001	08/18/2021	ENTEROCOCCUS	< 10	MPN/100ML

Beach Id: **201** [Mapit](#)

Waterbody Type: **SALTWATER**

Beach Name: **NEW CASTLE TOWN BEACH**

Beach Type: **TOWN**

Beach Town: **NEW CASTLE**

Current Advisory: **N**

Inspection Frequency: **8 PER MONTH**

Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B106345003	08/18/2021	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B106175002	08/16/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B106175001	08/16/2021	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B106175003	08/16/2021	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B106032002	08/11/2021	ENTEROCOCCUS	31	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B106032001	08/11/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B106032003	08/11/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B105886002	08/09/2021	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B105886001	08/09/2021	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B105886003	08/09/2021	ENTEROCOCCUS	345	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B105729002	08/04/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B105729001	08/04/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B105729003	08/04/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B105583002	08/02/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B105583001	08/02/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B105583003	08/02/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B105448002	07/28/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B105448001	07/28/2021	ENTEROCOCCUS	30	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B105448003	07/28/2021	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B105323002	07/26/2021	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B105323001	07/26/2021	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B105323003	07/26/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B105138002	07/21/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B105138001	07/21/2021	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B105138003	07/21/2021	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B104977002	07/19/2021	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B104977001	07/19/2021	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B104977003	07/19/2021	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B104802002	07/14/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B104802001	07/14/2021	ENTEROCOCCUS	52	MPN/100ML

Beach Id: **201** [Mapit](#)

Waterbody Type: **SALTWATER**

Beach Name: **NEW CASTLE TOWN BEACH**

Beach Type: **TOWN**

Beach Town: **NEW CASTLE**

Current Advisory: **N**

Inspection Frequency: **8 PER MONTH**

Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B104802003	07/14/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B104649002	07/12/2021	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B104649001	07/12/2021	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B104649003	07/12/2021	ENTEROCOCCUS	52	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B104535002	07/08/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B104535001	07/08/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B104535003	07/08/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B104361002	07/06/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B104361001	07/06/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B104361003	07/06/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B104208002	06/30/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B104208001	06/30/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B104208003	06/30/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B104095002	06/28/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B104095001	06/28/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B104095003	06/28/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B103969002	06/23/2021	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B103969001	06/23/2021	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B103969003	06/23/2021	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B103824002	06/21/2021	ENTEROCOCCUS	31	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B103824001	06/21/2021	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B103824003	06/21/2021	ENTEROCOCCUS	73	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B103682002	06/16/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B103682001	06/16/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B103682003	06/16/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B103540002	06/14/2021	ENTEROCOCCUS	52	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B103540001	06/14/2021	ENTEROCOCCUS	132	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B103540003	06/14/2021	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B103387002	06/09/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B103387001	06/09/2021	ENTEROCOCCUS	< 10	MPN/100ML

Beach Id: **201** [Mapit](#)

Waterbody Type: **SALTWATER**

Beach Name: **NEW CASTLE TOWN BEACH**

Beach Type: **TOWN**

Beach Town: **NEW CASTLE**

Current Advisory: **N**

Inspection Frequency: **8 PER MONTH**

Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B103387003	06/09/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B103224002	06/07/2021	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B103224001	06/07/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B103224003	06/07/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B103077002	06/02/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B103077001	06/02/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B103077003	06/02/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B102945002	05/27/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B102945001	05/27/2021	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B102945003	05/27/2021	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B005582003	08/26/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B005587002	08/26/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B005587001	08/26/2020	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B005587003	08/26/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B005489002	08/24/2020	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B005489001	08/24/2020	ENTEROCOCCUS	246	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B005489003	08/24/2020	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B005353002	08/19/2020	ENTEROCOCCUS	41	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B005353001	08/19/2020	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B005353003	08/19/2020	ENTEROCOCCUS	41	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B005249002	08/17/2020	ENTEROCOCCUS	52	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B005249001	08/17/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B005249003	08/17/2020	ENTEROCOCCUS	51	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B005130002	08/12/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B005130001	08/12/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B005130003	08/12/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B004993002	08/10/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B004999002	08/10/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B004999001	08/10/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B004999003	08/10/2020	ENTEROCOCCUS	< 10	MPN/100ML

Beach Id: **201** [Mapit](#)

Waterbody Type: **SALTWATER**

Beach Name: **NEW CASTLE TOWN BEACH**

Beach Type: **TOWN**

Beach Town: **NEW CASTLE**

Current Advisory: **N**

Inspection Frequency: **8 PER MONTH**

Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B004844003	08/05/2020	ENTEROCOCCUS	61	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B004852002	08/05/2020	ENTEROCOCCUS	61	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B004852001	08/05/2020	ENTEROCOCCUS	84	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B004852003	08/05/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B004704002	08/03/2020	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B004704001	08/03/2020	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B004704003	08/03/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B004556002	07/29/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B004556001	07/29/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B004556003	07/29/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B004482002	07/27/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B004482001	07/27/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B004482003	07/27/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B004365002	07/22/2020	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B004365001	07/22/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B004365003	07/22/2020	ENTEROCOCCUS	98	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B004268002	07/20/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B004268001	07/20/2020	ENTEROCOCCUS	51	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B004268003	07/20/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B004157002	07/15/2020	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B004157001	07/15/2020	ENTEROCOCCUS	31	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B004157003	07/15/2020	ENTEROCOCCUS	41	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B004019002	07/13/2020	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B004019001	07/13/2020	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B004019003	07/13/2020	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B003875002	07/08/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B003875001	07/08/2020	ENTEROCOCCUS	50	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B003861003	07/08/2020	ENTEROCOCCUS	41	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B003875003	07/08/2020	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B003734002	07/06/2020	ENTEROCOCCUS	52	MPN/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B003734001	07/06/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B003729003	07/06/2020	ENTEROCOCCUS	74	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B003734003	07/06/2020	ENTEROCOCCUS	135	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B003661002	07/01/2020	ENTEROCOCCUS	160	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B003661001	07/01/2020	ENTEROCOCCUS	171	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B003661003	07/01/2020	ENTEROCOCCUS	211	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B003553002	06/29/2020	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B003545003	06/29/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B003553001	06/29/2020	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B003553003	06/29/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B003436002	06/24/2020	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B003436001	06/24/2020	ENTEROCOCCUS	155	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B003431003	06/24/2020	ENTEROCOCCUS	52	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B003436003	06/24/2020	ENTEROCOCCUS	41	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B003316002	06/22/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B003316001	06/22/2020	ENTEROCOCCUS	30	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B003308002	06/22/2020	ENTEROCOCCUS	158	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B003316003	06/22/2020	ENTEROCOCCUS	216	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B003164002	06/17/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B003163003	06/17/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B003164001	06/17/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B003164003	06/17/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B003066002	06/15/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B003066001	06/15/2020	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B003066003	06/15/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B002937002	06/10/2020	ENTEROCOCCUS	51	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B002937001	06/10/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B002931003	06/10/2020	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B002937003	06/10/2020	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B002802002	06/08/2020	ENTEROCOCCUS	10	MPN/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B002802001	06/08/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B002802003	06/08/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B002665002	06/03/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B002665001	06/03/2020	ENTEROCOCCUS	86	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B002665003	06/03/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B002543002	06/01/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B002543001	06/01/2020	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B002543003	06/01/2020	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B907987002	08/27/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B907987001	08/27/2019	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B907987003	08/27/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B907730003	08/21/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B907736002	08/21/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B907736001	08/21/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B907736003	08/21/2019	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B907555002	08/19/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B907548003	08/19/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B907555001	08/19/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B907555003	08/19/2019	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B907334002	08/14/2019	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B907334001	08/14/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B907327003	08/14/2019	ENTEROCOCCUS	41	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B907334003	08/14/2019	ENTEROCOCCUS	104	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B907154002	08/12/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B907154001	08/12/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B907154003	08/12/2019	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B906907002	08/07/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B906907001	08/07/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B906907003	08/07/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B906632002	08/05/2019	ENTEROCOCCUS	< 10	MPN/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B906632001	08/05/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B906622003	08/05/2019	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B906632003	08/05/2019	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B906438002	07/31/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B906432003	07/31/2019	ENTEROCOCCUS	31	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B906438001	07/31/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B906438003	07/31/2019	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B906265002	07/29/2019	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B906265001	07/29/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B906257003	07/29/2019	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B906265003	07/29/2019	ENTEROCOCCUS	31	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B906066002	07/24/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B906066001	07/24/2019	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B906059003	07/24/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B906066003	07/24/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B905892002	07/22/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B905892001	07/22/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B905892003	07/22/2019	ENTEROCOCCUS	84	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B905686002	07/17/2019	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B905686001	07/17/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B905686003	07/17/2019	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B905507002	07/15/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B905498003	07/15/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B905507001	07/15/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B905507003	07/15/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B905283002	07/10/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B905272003	07/10/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B905283001	07/10/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B905283003	07/10/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B905055003	07/08/2019	ENTEROCOCCUS	< 10	MPN/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B905064002	07/08/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B905064001	07/08/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B905064003	07/08/2019	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B904874002	07/01/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B904874001	07/01/2019	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B904874003	07/01/2019	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B904670002	06/26/2019	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B904664003	06/26/2019	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B904670001	06/26/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B904670003	06/26/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B904494002	06/24/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B904494001	06/24/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B904494003	06/24/2019	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B904329002	06/19/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B904329001	06/19/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B904320003	06/19/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B904329003	06/19/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B904168002	06/17/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B904162003	06/17/2019	ENTEROCOCCUS	86	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B904168001	06/17/2019	ENTEROCOCCUS	63	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B904168003	06/17/2019	ENTEROCOCCUS	74	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B904011002	06/12/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B904011001	06/12/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B904011003	06/12/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B903808002	06/10/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B903808001	06/10/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B903808003	06/10/2019	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B903670002	06/05/2019	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B903665002	06/05/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B903670001	06/05/2019	ENTEROCOCCUS	< 10	MPN/100ML

Beach Id: **201** [Mapit](#)

Waterbody Type: **SALTWATER**

Beach Name: **NEW CASTLE TOWN BEACH**

Beach Type: **TOWN**

Beach Town: **NEW CASTLE**

Current Advisory: **N**

Inspection Frequency: **8 PER MONTH**

Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B903670003	06/05/2019	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRR	NEW CASTLE TB-CENTER	B903480002	06/03/2019	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRR	NEW CASTLE TB-CENTER	B903485002	06/03/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCFL	NEW CASTLE TB-LEFT	B903485001	06/03/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B903485003	06/03/2019	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRR	NEW CASTLE TB-CENTER	B903270002	05/28/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCFL	NEW CASTLE TB-LEFT	B903270001	05/28/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B903264003	05/28/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B903270003	05/28/2019	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRR	NEW CASTLE TB-CENTER	B807479002	08/23/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCFL	NEW CASTLE TB-LEFT	B807479001	08/23/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B807479003	08/23/2018	ENTEROCOCCUS	41	MPN/100ML
BCHNWCNWCRR	NEW CASTLE TB-CENTER	B807327002	08/21/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCFL	NEW CASTLE TB-LEFT	B807327001	08/21/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B807320001	08/21/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B807327003	08/21/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRR	NEW CASTLE TB-CENTER	B806994002	08/15/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCFL	NEW CASTLE TB-LEFT	B806988003	08/15/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCFL	NEW CASTLE TB-LEFT	B806994001	08/15/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B806994003	08/15/2018	ENTEROCOCCUS	41	MPN/100ML
BCHNWCNWCRR	NEW CASTLE TB-CENTER	B806789002	08/13/2018	ENTEROCOCCUS	41	MPN/100ML
BCHNWCNWCFL	NEW CASTLE TB-LEFT	B806789001	08/13/2018	ENTEROCOCCUS	31	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B806789003	08/13/2018	ENTEROCOCCUS	158	MPN/100ML
BCHNWCNWCRR	NEW CASTLE TB-CENTER	B806584002	08/08/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCFL	NEW CASTLE TB-LEFT	B806584001	08/08/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B806584003	08/08/2018	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRR	NEW CASTLE TB-CENTER	B806388002	08/06/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCFL	NEW CASTLE TB-LEFT	B806377002	08/06/2018	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCFL	NEW CASTLE TB-LEFT	B806388001	08/06/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B806388003	08/06/2018	ENTEROCOCCUS	< 10	MPN/100ML

Beach Id: **201** [Mapit](#)

Waterbody Type: **SALTWATER**

Beach Name: **NEW CASTLE TOWN BEACH**

Beach Type: **TOWN**

Beach Town: **NEW CASTLE**

Current Advisory: **N**

Inspection Frequency: **8 PER MONTH**

Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B806158002	08/01/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B806158001	08/01/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B806158003	08/01/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B805842002	07/25/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B805842001	07/25/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B805838003	07/25/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B805842003	07/25/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B805669002	07/23/2018	ENTEROCOCCUS	84	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B805663001	07/23/2018	ENTEROCOCCUS	DELETED	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B805669001	07/23/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B805669003	07/23/2018	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B805463002	07/18/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B805463001	07/18/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B805458003	07/18/2018	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B805463003	07/18/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B805282002	07/16/2018	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B805282001	07/16/2018	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B805276003	07/16/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B805282003	07/16/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B805059002	07/11/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B805054003	07/11/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B805059001	07/11/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B805059003	07/11/2018	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B804843002	07/09/2018	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B804838002	07/09/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B804843001	07/09/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B804843003	07/09/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B804594002	07/02/2018	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B804594001	07/02/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B804594003	07/02/2018	ENTEROCOCCUS	20	MPN/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B804414002	06/27/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B804414001	06/27/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B804414003	06/27/2018	ENTEROCOCCUS	72	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B804253002	06/25/2018	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B804253001	06/25/2018	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B804253003	06/25/2018	ENTEROCOCCUS	63	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B804039002	06/20/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B804039001	06/20/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B804039003	06/20/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B803895002	06/18/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B803889002	06/18/2018	ENTEROCOCCUS	31	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B803895001	06/18/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B803889004	06/18/2018	ENTEROCOCCUS	41	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B803895003	06/18/2018	ENTEROCOCCUS	41	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B803688002	06/13/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B803688001	06/13/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B803684003	06/13/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B803688003	06/13/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B803528002	06/11/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B803528001	06/11/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B803528003	06/11/2018	ENTEROCOCCUS	30	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B803368002	06/06/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B803362003	06/06/2018	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B803368001	06/06/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B803368003	06/06/2018	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B803184002	06/04/2018	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B803184001	06/04/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B803178002	06/04/2018	ENTEROCOCCUS	74	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B803184003	06/04/2018	ENTEROCOCCUS	85	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B802940021	05/29/2018	ENTEROCOCCUS	< 10	MPN/100ML

Beach Id: **201** [Mapit](#)

Waterbody Type: **SALTWATER**

Beach Name: **NEW CASTLE TOWN BEACH**

Beach Type: **TOWN**

Beach Town: **NEW CASTLE**

Current Advisory: **N**

Inspection Frequency: **8 PER MONTH**

Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B802940020	05/29/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B802940003	05/29/2018	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B802940022	05/29/2018	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B707749002	08/28/2017	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B707749001	08/28/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B707749003	08/28/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B707684002	08/25/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B707684001	08/25/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B707684003	08/25/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B707565002	08/23/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B707565001	08/23/2017	ENTEROCOCCUS	269	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B707565003	08/23/2017	ENTEROCOCCUS	108	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B707441002	08/21/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B707441001	08/21/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B707441003	08/21/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B707244002	08/16/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B707244001	08/16/2017	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B707239004	08/16/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B707244003	08/16/2017	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B707069002	08/14/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B707069001	08/14/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B706869002	08/09/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B706865003	08/09/2017	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B706869001	08/09/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B706869003	08/09/2017	ENTEROCOCCUS	51	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B706652002	08/07/2017	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B706647003	08/07/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B706652001	08/07/2017	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B706652003	08/07/2017	ENTEROCOCCUS	41	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B706489002	08/02/2017	ENTEROCOCCUS	< 10	MPN/100ML

Beach Id: **201** [Mapit](#)

Waterbody Type: **SALTWATER**

Beach Name: **NEW CASTLE TOWN BEACH**

Beach Type: **TOWN**

Beach Town: **NEW CASTLE**

Current Advisory: **N**

Inspection Frequency: **8 PER MONTH**

Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B706489001	08/02/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B706489003	08/02/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B706269002	07/31/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B706269001	07/31/2017	ENTEROCOCCUS	51	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B706269003	07/31/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B706215002	07/28/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B706215001	07/28/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B706215003	07/28/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B706062003	07/26/2017	ENTEROCOCCUS	272	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B706067002	07/26/2017	ENTEROCOCCUS	218	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B706067001	07/26/2017	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B706067003	07/26/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B705882002	07/24/2017	ENTEROCOCCUS	145	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B705882001	07/24/2017	ENTEROCOCCUS	97	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B705882003	07/24/2017	ENTEROCOCCUS	63	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B705639002	07/19/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B705634004	07/19/2017	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B705639001	07/19/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B705639003	07/19/2017	ENTEROCOCCUS	31	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B705459002	07/17/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B705459001	07/17/2017	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B705459003	07/17/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B705254002	07/12/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B705254001	07/12/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B705254003	07/12/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B705026002	07/10/2017	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B705026001	07/10/2017	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B705026003	07/10/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B704781004	07/05/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B704787002	07/05/2017	ENTEROCOCCUS	< 10	MPN/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B704787001	07/05/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B704787003	07/05/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B704522002	06/28/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B704517004	06/28/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B704522001	06/28/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B704522003	06/28/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B704384002	06/26/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B704384001	06/26/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B704384003	06/26/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B704160002	06/21/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B704160001	06/21/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B704160003	06/21/2017	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B704005002	06/19/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B704005001	06/19/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B704005003	06/19/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B703815002	06/14/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B703811003	06/14/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B703815001	06/14/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B703815003	06/14/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B703634002	06/12/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B703632002	06/12/2017	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B703634001	06/12/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B703634003	06/12/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B703479002	06/07/2017	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B703479001	06/07/2017	ENTEROCOCCUS	41	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B703474004	06/07/2017	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B703479003	06/07/2017	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B703282002	06/05/2017	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B703282001	06/05/2017	ENTEROCOCCUS	52	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B703282003	06/05/2017	ENTEROCOCCUS	10	MPN/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B703147004	06/01/2017	ENTEROCOCCUS	52	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B703147003	06/01/2017	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B703147005	06/01/2017	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B703069005	05/30/2017	ENTEROCOCCUS	122	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B703069004	05/30/2017	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B703069006	05/30/2017	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B608171015	08/29/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B608171014	08/29/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B608171016	08/29/2016	ENTEROCOCCUS	30	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B607910014	08/23/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B607910013	08/23/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B607910015	08/23/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B607734002	08/18/2016	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B607734001	08/18/2016	ENTEROCOCCUS	97	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B607734003	08/18/2016	ENTEROCOCCUS	75	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B607440015	08/15/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B607440014	08/15/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B607440002	08/15/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B607440016	08/15/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B607346002	08/11/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B607346015	08/11/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B607346014	08/11/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B607346016	08/11/2016	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B607166002	08/09/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B607166001	08/09/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B607166003	08/09/2016	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B606863002	08/03/2016	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B606863001	08/03/2016	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B606863003	08/03/2016	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B606780015	08/02/2016	ENTEROCOCCUS	< 10	MPN/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B606780014	08/02/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B606780016	08/02/2016	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B606557002	07/28/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B606557001	07/28/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B606557003	07/28/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B606353015	07/25/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B606353014	07/25/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B606353016	07/25/2016	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B606080015	07/20/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B606080014	07/20/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B606080016	07/20/2016	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B605997002	07/19/2016	ENTEROCOCCUS	52	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B605997001	07/19/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B605997003	07/19/2016	ENTEROCOCCUS	161	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B605558005	07/12/2016	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B605558004	07/12/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B605558006	07/12/2016	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B605428002	07/11/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B605428001	07/11/2016	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B605428003	07/11/2016	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B605184002	07/06/2016	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B605184001	07/06/2016	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B605184003	07/06/2016	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B605088015	07/05/2016	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B605088014	07/05/2016	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B605088016	07/05/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B604961002	06/30/2016	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B604961001	06/30/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B604961003	06/30/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B604784019	06/27/2016	ENTEROCOCCUS	< 10	MPN/100ML

Beach Id: **201** [Mapit](#)

Waterbody Type: **SALTWATER**

Beach Name: **NEW CASTLE TOWN BEACH**

Beach Type: **TOWN**

Beach Town: **NEW CASTLE**

Current Advisory: **N**

Inspection Frequency: **8 PER MONTH**

Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B604784018	06/27/2016	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B604784020	06/27/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B604564015	06/22/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B604564014	06/22/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B604564016	06/22/2016	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B604414002	06/20/2016	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B604414001	06/20/2016	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B604414003	06/20/2016	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B604298016	06/16/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B604298015	06/16/2016	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B604298017	06/16/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B604243002	06/15/2016	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B604243001	06/15/2016	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B604243003	06/15/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B603764002	06/07/2016	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B603764001	06/07/2016	ENTEROCOCCUS	52	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B603764003	06/07/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B603513002	06/01/2016	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	B603513002	06/01/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B603513001	06/01/2016	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	B603513001	06/01/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B603505004	06/01/2016	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B603505004	06/01/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B603513003	06/01/2016	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	B603513003	06/01/2016	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A507607015	09/02/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A507607014	09/02/2015	ENTEROCOCCUS	40	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A507607016	09/02/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A507241015	08/24/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A507241014	08/24/2015	ENTEROCOCCUS	< 10	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A507241016	08/24/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A506980015	08/18/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A506980014	08/18/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A506980016	08/18/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A506765002	08/13/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A506765001	08/13/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A506765003	08/13/2015	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A506530015	08/10/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A506530014	08/10/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A506530016	08/10/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A506426015	08/06/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A506426014	08/06/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A506426016	08/06/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A506260002	08/04/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A506260001	08/04/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A506260003	08/04/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A505939002	07/29/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A505939001	07/29/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A505939003	07/29/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A505877015	07/28/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A505877014	07/28/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A505877016	07/28/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A505650002	07/23/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A505650001	07/23/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A505650003	07/23/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A505406015	07/20/2015	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A505406014	07/20/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A505406016	07/20/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A505192015	07/15/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A505192014	07/15/2015	ENTEROCOCCUS	< 10	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A505192016	07/15/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A505107002	07/14/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A505107001	07/14/2015	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A505107003	07/14/2015	ENTEROCOCCUS	40	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A504739015	07/07/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A504739014	07/07/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A504739016	07/07/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A504649002	07/06/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A504649001	07/06/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A504649003	07/06/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A504444002	06/30/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A504444001	06/30/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A504444003	06/30/2015	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A504380015	06/29/2015	ENTEROCOCCUS	120	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A504380014	06/29/2015	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A504380016	06/29/2015	ENTEROCOCCUS	40	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A504251002	06/25/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A504251001	06/25/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A504251003	06/25/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A504012015	06/22/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A504012014	06/22/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A504012016	06/22/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A503849014	06/17/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A503849013	06/17/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A503849015	06/17/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A503658002	06/15/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A503658001	06/15/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A503658003	06/15/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A503588015	06/11/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A503588014	06/11/2015	ENTEROCOCCUS	< 10	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A503588016	06/11/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A503523002	06/10/2015	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A503523001	06/10/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A503523003	06/10/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A503317002	06/04/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A503317001	06/04/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A503317003	06/04/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A503076015	06/01/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A503076014	06/01/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A503076016	06/01/2015	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A502933002	05/27/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A502927003	05/27/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A502933001	05/27/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A502933003	05/27/2015	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A407074015	08/25/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A407074014	08/25/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A407074016	08/25/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A406692002	08/18/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A406692001	08/18/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A406692003	08/18/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A406567002	08/14/2014	ENTEROCOCCUS	200	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A406567001	08/14/2014	ENTEROCOCCUS	70	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A406567003	08/14/2014	ENTEROCOCCUS	160	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A406336019	08/11/2014	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A406336018	08/11/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A406336003	08/11/2014	ENTEROCOCCUS	40	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A406336020	08/11/2014	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A406232019	08/07/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A406232003	08/07/2014	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A406232018	08/07/2014	ENTEROCOCCUS	10	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A406232020	08/07/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A406042002	08/05/2014	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A406042001	08/05/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A406042003	08/05/2014	ENTEROCOCCUS	40	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A405745002	07/30/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A405745001	07/30/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A405745003	07/30/2014	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A405672019	07/29/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A405672018	07/29/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A405672003	07/29/2014	ENTEROCOCCUS	90	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A405672020	07/29/2014	ENTEROCOCCUS	150	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A405396002	07/24/2014	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A405396001	07/24/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A405396003	07/24/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A405146019	07/21/2014	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A405146018	07/21/2014	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A405146003	07/21/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A405146020	07/21/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A404986019	07/16/2014	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A404986018	07/16/2014	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A404986003	07/16/2014	ENTEROCOCCUS	50	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A404986020	07/16/2014	ENTEROCOCCUS	40	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A404888002	07/15/2014	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A404888001	07/15/2014	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A404888003	07/15/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A404556019	07/08/2014	ENTEROCOCCUS	40	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A404556018	07/08/2014	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A404556003	07/08/2014	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A404556020	07/08/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A404472002	07/07/2014	ENTEROCOCCUS	< 10	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A404472001	07/07/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCR	NEW CASTLE TB-CENTER	A404472003	07/07/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A404301002	07/01/2014	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A404301001	07/01/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCR	NEW CASTLE TB-CENTER	A404301003	07/01/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A404240019	06/30/2014	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A404240018	06/30/2014	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCR	NEW CASTLE TB-CENTER	A404240003	06/30/2014	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCR	NEW CASTLE TB-CENTER	A404240020	06/30/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A404099002	06/26/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A404099001	06/26/2014	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCR	NEW CASTLE TB-CENTER	A404099003	06/26/2014	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A403880019	06/23/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A403880003	06/23/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A403880018	06/23/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCR	NEW CASTLE TB-CENTER	A403880020	06/23/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A403808019	06/19/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A403808003	06/19/2014	ENTEROCOCCUS	40	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A403808018	06/19/2014	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCR	NEW CASTLE TB-CENTER	A403808020	06/19/2014	ENTEROCOCCUS	80	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A403600002	06/16/2014	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A403600001	06/16/2014	ENTEROCOCCUS	50	#/100ML
BCHNWCNWCR	NEW CASTLE TB-CENTER	A403600003	06/16/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A403513019	06/12/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A403513018	06/12/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCR	NEW CASTLE TB-CENTER	A403513003	06/12/2014	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCR	NEW CASTLE TB-CENTER	A403513020	06/12/2014	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A403465002	06/11/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A403465001	06/11/2014	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCR	NEW CASTLE TB-CENTER	A403465003	06/11/2014	ENTEROCOCCUS	< 10	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A403172002	06/03/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A403172001	06/03/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A403172003	06/03/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A403085019	06/02/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A403085018	06/02/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A403085003	06/02/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A403085020	06/02/2014	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A402924016	05/28/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A402924015	05/28/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A402924003	05/28/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A402924017	05/28/2014	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A307434009	08/26/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A307434008	08/26/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A307434010	08/26/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A307179010	08/20/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A307179009	08/20/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A307179011	08/20/2013	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A306999002	08/15/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A306999001	08/15/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A306996003	08/15/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A306999003	08/15/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A306749019	08/12/2013	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A306749018	08/12/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A306749003	08/12/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A306749020	08/12/2013	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A306643019	08/08/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A306643018	08/08/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A306643003	08/08/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A306643020	08/08/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A306470002	08/06/2013	ENTEROCOCCUS	10	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A306470001	08/06/2013	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A306465003	08/06/2013	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A306470003	08/06/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A306088019	07/30/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A306088018	07/30/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A306088003	07/30/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A306088020	07/30/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A306019002	07/29/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A306019001	07/29/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A306019003	07/29/2013	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A305905002	07/25/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A305905001	07/25/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A305901003	07/25/2013	ENTEROCOCCUS	90	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A305905003	07/25/2013	ENTEROCOCCUS	140	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A305687019	07/22/2013	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A305687018	07/22/2013	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A305687003	07/22/2013	ENTEROCOCCUS	40	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A305687020	07/22/2013	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A305551019	07/17/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A305551018	07/17/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A305551003	07/17/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A305551020	07/17/2013	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A305470002	07/16/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A305470001	07/16/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A305465003	07/16/2013	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A305470003	07/16/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A304935019	07/09/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A304935018	07/09/2013	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A304935003	07/09/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A304935020	07/09/2013	ENTEROCOCCUS	< 10	#/100ML

Beach Id: **201** [Mapit](#)

Waterbody Type: **SALTWATER**

Beach Name: **NEW CASTLE TOWN BEACH**

Beach Type: **TOWN**

Beach Town: **NEW CASTLE**

Current Advisory: **N**

Inspection Frequency: **8 PER MONTH**

Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A304844002	07/08/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A304844001	07/08/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A304839003	07/08/2013	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A304844003	07/08/2013	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A304699002	07/02/2013	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A304699001	07/02/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A304694003	07/02/2013	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A304699003	07/02/2013	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A304625019	07/01/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A304625018	07/01/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A304625003	07/01/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A304625020	07/01/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A304512002	06/27/2013	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A304512001	06/27/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A304507003	06/27/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A304512003	06/27/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A304289019	06/24/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A304289018	06/24/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A304289003	06/24/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A304289020	06/24/2013	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A304113019	06/19/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A304113018	06/19/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A304113003	06/19/2013	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A304113020	06/19/2013	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A303989002	06/17/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A303989001	06/17/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A303984003	06/17/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A303989003	06/17/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A303901022	06/13/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A303901021	06/13/2013	ENTEROCOCCUS	< 10	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A303901003	06/13/2013	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A303901023	06/13/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-CENTER	A303847002	06/12/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-LEFT	A303847001	06/12/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A303842003	06/12/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A303847003	06/12/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-CENTER	A303491002	06/04/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-LEFT	A303491001	06/04/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A303486003	06/04/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A303491003	06/04/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-CENTER	A303412003	06/03/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-CENTER	A303412019	06/03/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-LEFT	A303412018	06/03/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A303412020	06/03/2013	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-CENTER	A303330002	05/30/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-LEFT	A303330001	05/30/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-LEFT	A303331006	05/30/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A303330003	05/30/2013	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-CENTER	A303259016	05/29/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-LEFT	A303259015	05/29/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A303259017	05/29/2013	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-CENTER	A208133022	08/27/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-LEFT	A208133003	08/27/2012	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-LEFT	A208133021	08/27/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A208133023	08/27/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-CENTER	A207720022	08/20/2012	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-LEFT	A207720003	08/20/2012	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-LEFT	A207720021	08/20/2012	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A207720023	08/20/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-CENTER	A207608002	08/16/2012	ENTEROCOCCUS	10	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A207603003	08/16/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A207608001	08/16/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A207608003	08/16/2012	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A207314015	08/13/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A207314014	08/13/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A207314016	08/13/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A207141015	08/09/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A207141014	08/09/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A207141016	08/09/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A207004002	08/07/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A206999003	08/07/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A207004001	08/07/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A207004003	08/07/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A206819002	08/03/2012	ENTEROCOCCUS	60	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A206819001	08/03/2012	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A206819003	08/03/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A206679002	08/01/2012	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A206674003	08/01/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A206679001	08/01/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A206679003	08/01/2012	ENTEROCOCCUS	340	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A206585015	07/31/2012	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A206585014	07/31/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A206585016	07/31/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A206324002	07/26/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A206319003	07/26/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A206324001	07/26/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A206324003	07/26/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A206062015	07/23/2012	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A206062014	07/23/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A206062016	07/23/2012	ENTEROCOCCUS	< 10	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A205891015	07/18/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A205891014	07/18/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A205891016	07/18/2012	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A205800002	07/17/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A205795003	07/17/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A205800001	07/17/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A205800003	07/17/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A205458015	07/10/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A205458014	07/10/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A205458016	07/10/2012	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A205326002	07/09/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A205326001	07/09/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A205326003	07/09/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A205189002	07/05/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A205184003	07/05/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A205189001	07/05/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A205189003	07/05/2012	ENTEROCOCCUS	70	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A205072015	07/02/2012	ENTEROCOCCUS	50	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A205072014	07/02/2012	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A205072016	07/02/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A204955002	06/28/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A204950003	06/28/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A204955001	06/28/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A204955003	06/28/2012	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A204566015	06/20/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A204566014	06/20/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A204566016	06/20/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A204420002	06/18/2012	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A204415003	06/18/2012	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A204420001	06/18/2012	ENTEROCOCCUS	10	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A204420003	06/18/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A204333002	06/14/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A204333001	06/14/2012	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A204333003	06/14/2012	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A204288002	06/13/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A204283003	06/13/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A204288001	06/13/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A204288003	06/13/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A203872015	06/04/2012	ENTEROCOCCUS	70	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A203872014	06/04/2012	ENTEROCOCCUS	60	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A203872016	06/04/2012	ENTEROCOCCUS	90	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A203724015	05/30/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A203724014	05/30/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A203724016	05/30/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A203670002	05/29/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A203665003	05/29/2012	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A203670001	05/29/2012	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A203670003	05/29/2012	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A108494005	09/01/2011	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A108494004	09/01/2011	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A108494006	09/01/2011	ENTEROCOCCUS	90	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A108394002	08/30/2011	ENTEROCOCCUS	40	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A108394001	08/30/2011	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A108394003	08/30/2011	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A108196015	08/24/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A108196014	08/24/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A108196016	08/24/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A108078002	08/22/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A108074003	08/22/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A108078001	08/22/2011	ENTEROCOCCUS	< 10	#/100ML

Beach Id: **201** [Mapit](#)

Waterbody Type: **SALTWATER**

Beach Name: **NEW CASTLE TOWN BEACH**

Beach Type: **TOWN**

Beach Town: **NEW CASTLE**

Current Advisory: **N**

Inspection Frequency: **8 PER MONTH**

Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A108078003	08/22/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A107962002	08/18/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A107958003	08/18/2011	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A107962001	08/18/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A107962003	08/18/2011	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A107658015	08/15/2011	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A107658014	08/15/2011	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A107658016	08/15/2011	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A107543015	08/11/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A107543014	08/11/2011	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A107543016	08/11/2011	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A107370002	08/09/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A107365003	08/09/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A107370001	08/09/2011	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A107370003	08/09/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A107016002	08/03/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A107011003	08/03/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A107016001	08/03/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A107016003	08/03/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A106921015	08/02/2011	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A106921014	08/02/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A106921016	08/02/2011	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A106687002	07/28/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A106681003	07/28/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A106687001	07/28/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A106687003	07/28/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A106433015	07/25/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A106433014	07/25/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A106433016	07/25/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A106246015	07/20/2011	ENTEROCOCCUS	< 10	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A106246014	07/20/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A106246016	07/20/2011	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A106167002	07/19/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A106161003	07/19/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A106167001	07/19/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A106167003	07/19/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A105754015	07/12/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A105754014	07/12/2011	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A105754016	07/12/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A105687002	07/11/2011	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A105682003	07/11/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A105687001	07/11/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A105687003	07/11/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A105550002	07/07/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A105545003	07/07/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A105550001	07/07/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A105550003	07/07/2011	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A105449015	07/06/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A105449014	07/06/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A105449016	07/06/2011	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A105238002	06/30/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A105233003	06/30/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A105238001	06/30/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A105238003	06/30/2011	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A105044016	06/27/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A105044015	06/27/2011	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A105044003	06/27/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A105044017	06/27/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A104898015	06/22/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A104898014	06/22/2011	ENTEROCOCCUS	< 10	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A104898016	06/22/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A104784002	06/20/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A104779003	06/20/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A104784001	06/20/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A104784003	06/20/2011	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A104677004	06/16/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A104677003	06/16/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A104677005	06/16/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A104619002	06/15/2011	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A104619001	06/15/2011	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A104619003	06/15/2011	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A104282002	06/07/2011	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A104282001	06/07/2011	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A104277003	06/07/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A104282003	06/07/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A104159016	06/06/2011	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A104159003	06/06/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A104159015	06/06/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A104159017	06/06/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A104116002	06/03/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A104111003	06/03/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A104116001	06/03/2011	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A104116003	06/03/2011	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A104017007	06/01/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A104017006	06/01/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A104017008	06/01/2011	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A008514002	08/19/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A008514018	08/19/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A008514017	08/19/2010	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A008514019	08/19/2010	ENTEROCOCCUS	< 10	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A008194002	08/16/2010	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A008194001	08/16/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A008190003	08/16/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A008194003	08/16/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A007984019	08/11/2010	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A007984003	08/11/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A007984018	08/11/2010	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A007984020	08/11/2010	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A007861002	08/10/2010	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A007857003	08/10/2010	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A007861001	08/10/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A007861003	08/10/2010	ENTEROCOCCUS	80	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A007645002	08/05/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A007645001	08/05/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A007640003	08/05/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A007645003	08/05/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A007568002	08/04/2010	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A007568001	08/04/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A007564003	08/04/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A007568003	08/04/2010	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A007208002	07/29/2010	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A007204003	07/29/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A007208001	07/29/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A007208003	07/29/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A007017019	07/27/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A007017018	07/27/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A007017020	07/27/2010	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A006632002	07/20/2010	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A006628003	07/20/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A006632001	07/20/2010	ENTEROCOCCUS	10	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A006632003	07/20/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A006544019	07/19/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A006544018	07/19/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A006544003	07/19/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A006544020	07/19/2010	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A006472002	07/16/2010	ENTEROCOCCUS	< 9	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A006472001	07/16/2010	ENTEROCOCCUS	< 9	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A006471002	07/16/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A006346019	07/14/2010	ENTEROCOCCUS	70	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A006346018	07/14/2010	ENTEROCOCCUS	220	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A006346020	07/14/2010	ENTEROCOCCUS	70	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A006161002	07/12/2010	ENTEROCOCCUS	340	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A006161001	07/12/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A006157003	07/12/2010	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A006161003	07/12/2010	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A006090002	07/09/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A006090001	07/09/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A006090003	07/09/2010	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A005828019	07/06/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A005828018	07/06/2010	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A005828020	07/06/2010	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A005689002	07/01/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A005687003	07/01/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A005689001	07/01/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A005689003	07/01/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A005536019	06/29/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A005536018	06/29/2010	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A005536020	06/29/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A005359018	06/24/2010	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A005359002	06/24/2010	ENTEROCOCCUS	< 10	#/100ML

Beach Id: **201** [Mapit](#)

Waterbody Type: **SALTWATER**

Beach Name: **NEW CASTLE TOWN BEACH**

Beach Type: **TOWN**

Beach Town: **NEW CASTLE**

Current Advisory: **N**

Inspection Frequency: **8 PER MONTH**

Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A005359017	06/24/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A005359019	06/24/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A005169002	06/21/2010	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A005165003	06/21/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A005169001	06/21/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A005169003	06/21/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A005061002	06/17/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A005060003	06/17/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A005061001	06/17/2010	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A005061003	06/17/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A004989002	06/16/2010	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A004989001	06/16/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A004989003	06/16/2010	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A004912019	06/15/2010	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A004912018	06/15/2010	ENTEROCOCCUS	240	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A004912020	06/15/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A004686019	06/09/2010	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A004686018	06/09/2010	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A004686020	06/09/2010	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A004618002	06/08/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A004618001	06/08/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A004618003	06/08/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A004572004	06/07/2010	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A004573004	06/07/2010	ENTEROCOCCUS	9	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A004510002	06/04/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A004510001	06/04/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A004510003	06/04/2010	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A004466011	06/03/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A004466010	06/03/2010	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A004466012	06/03/2010	ENTEROCOCCUS	< 10	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A003855005	05/20/2010	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A003272005	05/06/2010	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A003273005	05/06/2010	ENTEROCOCCUS	< 9	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A910919016	09/22/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A910919015	09/22/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A910919017	09/22/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A910728016	09/16/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A910728015	09/16/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A910728017	09/16/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A910561016	09/10/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A910561015	09/10/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A910561017	09/10/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A910340011	09/03/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A910340010	09/03/2009	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A910340003	09/03/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A910340012	09/03/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A910117019	08/31/2009	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A910117003	08/31/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A910117018	08/31/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A910117020	08/31/2009	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A909744017	08/25/2009	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A909744016	08/25/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A909744018	08/25/2009	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A909664016	08/24/2009	ENTEROCOCCUS	80	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A909663004	08/24/2009	ENTEROCOCCUS	100	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A909664015	08/24/2009	ENTEROCOCCUS	40	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A909664017	08/24/2009	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A909283003	08/18/2009	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A909287002	08/18/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A909287001	08/18/2009	ENTEROCOCCUS	< 10	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A909287003	08/18/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A909160013	08/17/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A909160012	08/17/2009	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A909160014	08/17/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A909039013	08/13/2009	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A909039012	08/13/2009	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A909039014	08/13/2009	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A908960002	08/12/2009	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A908960001	08/12/2009	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A908960003	08/12/2009	ENTEROCOCCUS	40	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A908448003	08/05/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A908451002	08/05/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A908451001	08/05/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A908451003	08/05/2009	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A908289013	08/04/2009	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A908289012	08/04/2009	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A908289014	08/04/2009	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A908063002	07/30/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A908063001	07/30/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A908059003	07/30/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A908063003	07/30/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A907969013	07/29/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A907969012	07/29/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A907969014	07/29/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A907655013	07/23/2009	ENTEROCOCCUS	90	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A907655012	07/23/2009	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A907655014	07/23/2009	ENTEROCOCCUS	100	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A907447003	07/21/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A907451002	07/21/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A907451001	07/21/2009	ENTEROCOCCUS	< 10	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A907451003	07/21/2009	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A907083013	07/14/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A907083012	07/14/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A907083014	07/14/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A906999002	07/13/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A906999001	07/13/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A906999003	07/13/2009	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A906772002	07/08/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A906772001	07/08/2009	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A906772003	07/08/2009	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A906530011	07/06/2009	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A906530010	07/06/2009	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A906530012	07/06/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A906388013	07/01/2009	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A906388012	07/01/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A906388014	07/01/2009	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A906205002	06/29/2009	ENTEROCOCCUS	60	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A906205001	06/29/2009	ENTEROCOCCUS	270	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A906205003	06/29/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A906104002	06/26/2009	ENTEROCOCCUS	80	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A906104001	06/26/2009	ENTEROCOCCUS	140	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A906104003	06/26/2009	ENTEROCOCCUS	40	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A906030005	06/25/2009	ENTEROCOCCUS	170	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A906030004	06/25/2009	ENTEROCOCCUS	50	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A906030006	06/25/2009	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A905861002	06/23/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A905861001	06/23/2009	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A905861003	06/23/2009	ENTEROCOCCUS	650	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A905674002	06/18/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A905674001	06/18/2009	ENTEROCOCCUS	10	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A905674003	06/18/2009	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A905389014	06/15/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A905389013	06/15/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A905389015	06/15/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A905337002	06/12/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A905337001	06/12/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A905337003	06/12/2009	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A905212019	06/10/2009	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A905212018	06/10/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A905212020	06/10/2009	ENTEROCOCCUS	120	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A905142002	06/09/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A905142001	06/09/2009	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A905142003	06/09/2009	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A904896002	06/03/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A904896001	06/03/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A904896003	06/03/2009	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A904802013	06/02/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A904802012	06/02/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A904802004	06/02/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A904802014	06/02/2009	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A904643014	05/29/2009	ENTEROCOCCUS	80	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A904643013	05/29/2009	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A904643015	05/29/2009	ENTEROCOCCUS	40	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A904594002	05/28/2009	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A904594001	05/28/2009	ENTEROCOCCUS	140	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A904594003	05/28/2009	ENTEROCOCCUS	50	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A810629005	09/29/2008	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A810629004	09/29/2008	ENTEROCOCCUS	50	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A810629006	09/29/2008	ENTEROCOCCUS	60	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A810562003	09/25/2008	ENTEROCOCCUS	< 5	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A810562002	09/25/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A810562004	09/25/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A810354003	09/18/2008	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A810354023	09/18/2008	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A810354022	09/18/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A810354024	09/18/2008	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A810118025	09/11/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A810118024	09/11/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A810118026	09/11/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A809534019	08/28/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A809534018	08/28/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A809534020	08/28/2008	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A809416013	08/27/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A809416012	08/27/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A809416014	08/27/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A808961022	08/20/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A808961022	08/20/2008	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A808961021	08/20/2008	ENTEROCOCCUS	9	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A808961021	08/20/2008	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A808961023	08/20/2008	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A808961023	08/20/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A808767014	08/18/2008	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A808767013	08/18/2008	ENTEROCOCCUS	2240	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A808767015	08/18/2008	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A808414013	08/12/2008	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A808414012	08/12/2008	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A808414014	08/12/2008	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A808328020	08/11/2008	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A808328019	08/11/2008	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A808328021	08/11/2008	ENTEROCOCCUS	< 10	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A808181014	08/07/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A808181013	08/07/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A808181015	08/07/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A807932020	08/05/2008	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A807932019	08/05/2008	ENTEROCOCCUS	60	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A807932021	08/05/2008	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A807657020	07/31/2008	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A807657019	07/31/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A807657021	07/31/2008	ENTEROCOCCUS	80	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A807569013	07/30/2008	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A807569012	07/30/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A807569014	07/30/2008	ENTEROCOCCUS	50	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A807219011	07/23/2008	ENTEROCOCCUS	40	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A807219010	07/23/2008	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A807219012	07/23/2008	ENTEROCOCCUS	<= 100	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A807068002	07/21/2008	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A807064004	07/21/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A807068001	07/21/2008	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A807068003	07/21/2008	ENTEROCOCCUS	190	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A806806002	07/15/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A806806001	07/15/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A806806003	07/15/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A806709002	07/14/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A806709001	07/14/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A806709003	07/14/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A806590002	07/10/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A806590001	07/10/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A806590003	07/10/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A806464002	07/09/2008	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A806460004	07/09/2008	ENTEROCOCCUS	< 10	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A806464001	07/09/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A806464003	07/09/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A806213002	07/05/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A806214002	07/05/2008	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A806213001	07/05/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A806213003	07/05/2008	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A806194002	07/03/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A806194001	07/03/2008	ENTEROCOCCUS	210	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A806194003	07/03/2008	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A806043002	07/01/2008	ENTEROCOCCUS	60	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A806036003	07/01/2008	ENTEROCOCCUS	510	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A806043001	07/01/2008	ENTEROCOCCUS	460	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A806043003	07/01/2008	ENTEROCOCCUS	80	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A805795004	06/26/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A805795003	06/26/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A805795005	06/26/2008	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A805709002	06/25/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A805709001	06/25/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A805709003	06/25/2008	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A805618002	06/24/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A805611004	06/24/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A805618001	06/24/2008	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A805618003	06/24/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A805445002	06/19/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A805445001	06/19/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A805445003	06/19/2008	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A805251002	06/16/2008	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A805251001	06/16/2008	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A805251003	06/16/2008	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A805014002	06/10/2008	ENTEROCOCCUS	< 5	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A805014001	06/10/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A805014003	06/10/2008	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A804961002	06/09/2008	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A804961001	06/09/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A804961003	06/09/2008	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A804744002	06/04/2008	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A804738003	06/04/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A804744001	06/04/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A804744003	06/04/2008	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A804647002	06/03/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A804647001	06/03/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A804647003	06/03/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A804501002	05/30/2008	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A804495003	05/30/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A804501001	05/30/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A804501003	05/30/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A804461002	05/29/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A804461001	05/29/2008	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A804461003	05/29/2008	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A710455002	08/29/2007	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A710455001	08/29/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A710450009	08/29/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A710455003	08/29/2007	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A710297009	08/27/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A710301002	08/27/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A710301001	08/27/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A710301003	08/27/2007	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A710137002	08/22/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A710137001	08/22/2007	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A710133010	08/22/2007	ENTEROCOCCUS	< 5	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A710137003	08/22/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A710064002	08/21/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A710064001	08/21/2007	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A710064003	08/21/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A709853002	08/16/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A709849010	08/16/2007	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A709853001	08/16/2007	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A709853003	08/16/2007	ENTEROCOCCUS	50	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A709536002	08/13/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A709536001	08/13/2007	ENTEROCOCCUS	70	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A709536003	08/13/2007	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A709284002	08/08/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A709284001	08/08/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A709284003	08/08/2007	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A709024002	08/06/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A709020010	08/06/2007	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A709024001	08/06/2007	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A709024003	08/06/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A708860002	08/02/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A708860001	08/02/2007	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A708860003	08/02/2007	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A708586002	07/30/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A708586001	07/30/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A708586003	07/30/2007	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A708374002	07/25/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A708374001	07/25/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A708374003	07/25/2007	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A708274002	07/24/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A708274001	07/24/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A708274003	07/24/2007	ENTEROCOCCUS	10	#/100ML

Beach Id: **201** [Mapit](#)

Waterbody Type: **SALTWATER**

Beach Name: **NEW CASTLE TOWN BEACH**

Beach Type: **TOWN**

Beach Town: **NEW CASTLE**

Current Advisory: **N**

Inspection Frequency: **8 PER MONTH**

Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A708129002	07/20/2007	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A708129001	07/20/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A708129003	07/20/2007	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A708008002	07/18/2007	ENTEROCOCCUS	140	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A708008001	07/18/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A708008003	07/18/2007	ENTEROCOCCUS	50	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A707759002	07/16/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A707758004	07/16/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A707759001	07/16/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A707759003	07/16/2007	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A707707002	07/13/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A707707001	07/13/2007	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A707707003	07/13/2007	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A707531002	07/11/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A707531001	07/11/2007	ENTEROCOCCUS	170	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A707531003	07/11/2007	ENTEROCOCCUS	320	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A707275002	07/09/2007	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A707275001	07/09/2007	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A707275003	07/09/2007	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A707134002	07/05/2007	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A707134001	07/05/2007	ENTEROCOCCUS	20	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A707134003	07/05/2007	ENTEROCOCCUS	31	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A707047002	07/03/2007	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A707040005	07/03/2007	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A707047001	07/03/2007	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A707047003	07/03/2007	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A706831002	06/28/2007	ENTEROCOCCUS	10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A706831001	06/28/2007	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A706831003	06/28/2007	ENTEROCOCCUS	15	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A706537004	06/25/2007	ENTEROCOCCUS	< 10	MPN/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A706543002	06/25/2007	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A706543001	06/25/2007	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A706543003	06/25/2007	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A706344002	06/20/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A706338004	06/20/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A706344001	06/20/2007	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A706344003	06/20/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A706262002	06/19/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A706262001	06/19/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A706262003	06/19/2007	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A706086006	06/14/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A706086005	06/14/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A706086007	06/14/2007	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A706014016	06/13/2007	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A706014015	06/13/2007	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A706014017	06/13/2007	ENTEROCOCCUS	100	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A706014018	06/13/2007	ENTEROCOCCUS	140	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A705738022	06/07/2007	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A705738021	06/07/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A705738023	06/07/2007	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A705471017	06/04/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A705471019	06/04/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A705471016	06/04/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A705471018	06/04/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A705280016	05/30/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A705280015	05/30/2007	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A705280017	05/30/2007	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A608612002	08/30/2006	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A608612001	08/30/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A608612003	08/30/2006	ENTEROCOCCUS	10	#/100ML

Beach Id: **201** [Mapit](#)

Waterbody Type: **SALTWATER**

Beach Name: **NEW CASTLE TOWN BEACH**

Beach Type: **TOWN**

Beach Town: **NEW CASTLE**

Current Advisory: **N**

Inspection Frequency: **8 PER MONTH**

Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A608419002	08/28/2006	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A608419001	08/28/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A608419003	08/28/2006	ENTEROCOCCUS	170	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A608208002	08/23/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A608208001	08/23/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A608208003	08/23/2006	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A608099002	08/22/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A608099001	08/22/2006	ENTEROCOCCUS	40	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A608099003	08/22/2006	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A607837002	08/17/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A607837001	08/17/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A607837003	08/17/2006	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A607503002	08/14/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A607503001	08/14/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A607503003	08/14/2006	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A607209002	08/09/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A607209001	08/09/2006	ENTEROCOCCUS	100	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A607209003	08/09/2006	ENTEROCOCCUS	100	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A606930002	08/07/2006	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A606928001	08/07/2006	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A606930001	08/07/2006	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A606930003	08/07/2006	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A606664002	08/02/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A606664001	08/02/2006	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A606664003	08/02/2006	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A606523004	08/01/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A606526002	08/01/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A606526001	08/01/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A606526003	08/01/2006	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A606331002	07/28/2006	ENTEROCOCCUS	10	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A606331001	07/28/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A606331003	07/28/2006	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A606245002	07/27/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A606245001	07/27/2006	ENTEROCOCCUS	290	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A606245003	07/27/2006	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A606126002	07/26/2006	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A606124002	07/26/2006	ENTEROCOCCUS	100	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A606126001	07/26/2006	ENTEROCOCCUS	90	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A606126003	07/26/2006	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A606024002	07/25/2006	ENTEROCOCCUS	50	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A606024001	07/25/2006	ENTEROCOCCUS	70	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A606024003	07/25/2006	ENTEROCOCCUS	70	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A605547002	07/18/2006	ENTEROCOCCUS	40	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A605547001	07/18/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A605547003	07/18/2006	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A605396002	07/17/2006	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A605396001	07/17/2006	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A605396003	07/17/2006	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A605049002	07/12/2006	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A605049001	07/12/2006	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A605043003	07/12/2006	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A605049003	07/12/2006	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A604822002	07/10/2006	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A604822001	07/10/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A604822003	07/10/2006	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A604616002	07/06/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A604616001	07/06/2006	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A604616003	07/06/2006	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A604270002	06/29/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A604270001	06/29/2006	ENTEROCOCCUS	< 10	#/100ML

Beach Id: **201** [Mapit](#)

Waterbody Type: **SALTWATER**

Beach Name: **NEW CASTLE TOWN BEACH**

Beach Type: **TOWN**

Beach Town: **NEW CASTLE**

Current Advisory: **N**

Inspection Frequency: **8 PER MONTH**

Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A604270003	06/29/2006	ENTEROCOCCUS	80	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A603976002	06/26/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A603970003	06/26/2006	ENTEROCOCCUS	50	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A603976001	06/26/2006	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A603976003	06/26/2006	ENTEROCOCCUS	90	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A603858002	06/22/2006	ENTEROCOCCUS	50	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A603858001	06/22/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A603858003	06/22/2006	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A603664002	06/20/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A603664001	06/20/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A603664003	06/20/2006	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A603470002	06/15/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A603470001	06/15/2006	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A603470003	06/15/2006	ENTEROCOCCUS	50	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A603396002	06/14/2006	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A603396001	06/14/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A603396003	06/14/2006	ENTEROCOCCUS	40	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A603116003	06/08/2006	ENTEROCOCCUS	90	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A603116002	06/08/2006	ENTEROCOCCUS	50	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A603116004	06/08/2006	ENTEROCOCCUS	90	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A602820016	06/05/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A602820015	06/05/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A602820017	06/05/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A602693005	06/01/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A602693004	06/01/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A602693006	06/01/2006	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A602097008	05/22/2006	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A602097009	05/22/2006	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A602097007	05/22/2006	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A96798-2	08/29/2005	ENTEROCOCCUS	60	#/100ML

Beach Id: **201** [Mapit](#)

Waterbody Type: **SALTWATER**

Beach Name: **NEW CASTLE TOWN BEACH**

Beach Type: **TOWN**

Beach Town: **NEW CASTLE**

Current Advisory: **N**

Inspection Frequency: **8 PER MONTH**

Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A96798-1	08/29/2005	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A96798-3	08/29/2005	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A96442-2	08/23/2005	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A96442-1	08/23/2005	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A96442-3	08/23/2005	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A96013-2	08/17/2005	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A96013-1	08/17/2005	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A96013-3	08/17/2005	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A95355-2	08/08/2005	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A95355-1	08/08/2005	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A95355-3	08/08/2005	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A94895-2	08/02/2005	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A94895-1	08/02/2005	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A94895-3	08/02/2005	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A94521-2	07/27/2005	ENTEROCOCCUS	40	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A94521-1	07/27/2005	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A94521-3	07/27/2005	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A93730-2	07/18/2005	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A93730-1	07/18/2005	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A93730-3	07/18/2005	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A93357-2	07/12/2005	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A93357-1	07/12/2005	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A93357-3	07/12/2005	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A93073-2	07/07/2005	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A93073-1	07/07/2005	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A93073-3	07/07/2005	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A92363-2	06/27/2005	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A92363-1	06/27/2005	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A92363-3	06/27/2005	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A92155-2	06/22/2005	ENTEROCOCCUS	70	#/100ML

Beach Id: **201** [Mapit](#)

Waterbody Type: **SALTWATER**

Beach Name: **NEW CASTLE TOWN BEACH**

Beach Type: **TOWN**

Beach Town: **NEW CASTLE**

Current Advisory: **N**

Inspection Frequency: **8 PER MONTH**

Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A92155-1	06/22/2005	ENTEROCOCCUS	80	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A92155-3	06/22/2005	ENTEROCOCCUS	120	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A91784-2	06/15/2005	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A91780-10	06/15/2005	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A91784-1	06/15/2005	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A91784-3	06/15/2005	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A91149-2	06/06/2005	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A91149-1	06/06/2005	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A91149-3	06/06/2005	ENTEROCOCCUS	< 10	MPN/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A91027-2	06/02/2005	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A91027-1	06/02/2005	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A91027-3	06/02/2005	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A80613-2	09/02/2004	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A80613-1	09/02/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A80613-3	09/02/2004	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A80475-2	08/31/2004	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A80475-1	08/31/2004	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A80475-3	08/31/2004	ENTEROCOCCUS	240	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A80080-2	08/24/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A80080-1	08/24/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A80080-3	08/24/2004	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A79553-2	08/16/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A79553-1	08/16/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A79559-2	08/16/2004	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A79553-3	08/16/2004	ENTEROCOCCUS	50	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A79257-2	08/11/2004	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A79257-1	08/11/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A79257-3	08/11/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A78486-2	08/02/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A78486-1	08/02/2004	ENTEROCOCCUS	< 5	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A78486-3	08/02/2004	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A78196-2	07/28/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A78196-1	07/28/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A78196-3	07/28/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A77814-2	07/22/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A77814-1	07/22/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A77814-3	07/22/2004	ENTEROCOCCUS	40	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A77626-2	07/20/2004	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A77626-1	07/20/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A77632-5	07/20/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A77626-3	07/20/2004	ENTEROCOCCUS	140	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A77020-2	07/12/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A77019-4	07/12/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A77020-1	07/12/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A77020-3	07/12/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A76885-2	07/08/2004	ENTEROCOCCUS	40	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A76885-1	07/08/2004	ENTEROCOCCUS	40	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A76885-3	07/08/2004	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A76642-2	07/06/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A76636-3	07/06/2004	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A76642-1	07/06/2004	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A76642-3	07/06/2004	ENTEROCOCCUS	120	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A76572-2	07/02/2004	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A76572-1	07/02/2004	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A76572-3	07/02/2004	ENTEROCOCCUS	120	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A76392-2	06/30/2004	ENTEROCOCCUS	160	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A76392-1	06/30/2004	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A76392-3	06/30/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A75932-2	06/22/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A75923-5	06/22/2004	ENTEROCOCCUS	< 10	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A75932-1	06/22/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCR	NEW CASTLE TB-RIGHT	A75932-3	06/22/2004	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A75653-20	06/16/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A75653-19	06/16/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCR	NEW CASTLE TB-RIGHT	A75653-21	06/16/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A75168-22	06/08/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A75168-20	06/08/2004	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A75168-21	06/08/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCR	NEW CASTLE TB-RIGHT	A75168-23	06/08/2004	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A74837-2	06/02/2004	ENTEROCOCCUS	60	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A74837-1	06/02/2004	ENTEROCOCCUS	70	#/100ML
BCHNWCNWCR	NEW CASTLE TB-RIGHT	A74837-3	06/02/2004	ENTEROCOCCUS	130	#/100ML
BCHNWCNWCR	NEW CASTLE TB-RIGHT	A74837-5	06/02/2004	ENTEROCOCCUS	70	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A72490-2	04/15/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A72490-1	04/15/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCR	NEW CASTLE TB-RIGHT	A72490-3	04/15/2004	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A63340-2	08/26/2003	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A63345-2	08/26/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A63345-1	08/26/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCR	NEW CASTLE TB-RIGHT	A63345-3	08/26/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A62839-2	08/19/2003	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A62839-1	08/19/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCR	NEW CASTLE TB-RIGHT	A62839-3	08/19/2003	ENTEROCOCCUS	40	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A62361-5	08/12/2003	ENTEROCOCCUS	70	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A62365-2	08/12/2003	ENTEROCOCCUS	120	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A62365-1	08/12/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCR	NEW CASTLE TB-RIGHT	A62365-3	08/12/2003	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A61818-2	08/05/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A61818-1	08/05/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCR	NEW CASTLE TB-RIGHT	A61818-3	08/05/2003	ENTEROCOCCUS	< 5	#/100ML

Beach Id: **201** [Mapit](#)

Waterbody Type: **SALTWATER**

Beach Name: **NEW CASTLE TOWN BEACH**

Beach Type: **TOWN**

Beach Town: **NEW CASTLE**

Current Advisory: **N**

Inspection Frequency: **8 PER MONTH**

Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A61322-2	07/29/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A61322-1	07/29/2003	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A61322-3	07/29/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A61066-15	07/24/2003	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A61066-14	07/24/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A61066-16	07/24/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A60738-2	07/21/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A60738-1	07/21/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A60738-3	07/21/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A60593-3	07/17/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A60593-2	07/17/2003	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A60593-4	07/17/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A60380-3	07/15/2003	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A60381-2	07/15/2003	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A60381-1	07/15/2003	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A60381-3	07/15/2003	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A59881-2	07/08/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A59881-1	07/08/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A59881-3	07/08/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A59499-2	07/01/2003	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A59499-1	07/01/2003	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A59498-3	07/01/2003	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A59499-3	07/01/2003	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A58917-2	06/23/2003	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A58917-1	06/23/2003	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A58917-3	06/23/2003	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A58854-2	06/20/2003	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A58854-1	06/20/2003	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A58854-3	06/20/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A58648-2	06/17/2003	ENTEROCOCCUS	100	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A58648-1	06/17/2003	ENTEROCOCCUS	220	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A58649-4	06/17/2003	ENTEROCOCCUS	250	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A58648-3	06/17/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A58243-2	06/10/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A58243-1	06/10/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A58243-3	06/10/2003	ENTEROCOCCUS	< 5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A57815-2	06/03/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A57822-3	06/03/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A57815-1	06/03/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A57815-3	06/03/2003	ENTEROCOCCUS	< 10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A47095-16	09/04/2002	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A47095-15	09/04/2002	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A47095-17	09/04/2002	ENTEROCOCCUS	60	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A46585-18	08/26/2002	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A46585-17	08/26/2002	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A46585-19	08/26/2002	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A46098-2	08/19/2002	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A46098-1	08/19/2002	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A46098-3	08/19/2002	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A45628-3	08/13/2002	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A45628-1	08/13/2002	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A45628-2	08/13/2002	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A45085-2	08/06/2002	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A45085-1	08/06/2002	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A45085-3	08/06/2002	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A44462-2	07/29/2002	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A44462-1	07/29/2002	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A44462-3	07/29/2002	ENTEROCOCCUS	80	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A43997-2	07/22/2002	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A43997-1	07/22/2002	ENTEROCOCCUS	10	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A43997-3	07/22/2002	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A43761-2	07/17/2002	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A43761-1	07/17/2002	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A43761-3	07/17/2002	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A43321-2	07/10/2002	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A43321-1	07/10/2002	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A43321-3	07/10/2002	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A42968-2	07/03/2002	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A42968-1	07/03/2002	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A42968-3	07/03/2002	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A42754-2	07/01/2002	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A42754-1	07/01/2002	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A42754-3	07/01/2002	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A42363-2	06/25/2002	ENTEROCOCCUS	30	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A42363-1	06/25/2002	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A42363-3	06/25/2002	ENTEROCOCCUS	50	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A41795-2	06/13/2002	ENTEROCOCCUS	> 200	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A41795-1	06/13/2002	ENTEROCOCCUS	70	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A41795-3	06/13/2002	ENTEROCOCCUS	50	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A41133-2	06/03/2002	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A41133-1	06/03/2002	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A41133-3	06/03/2002	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A29643-1	08/29/2001	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A29643-2	08/29/2001	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A29314-1	08/23/2001	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A29314-2	08/23/2001	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A28889-1	08/16/2001	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A28889-2	08/16/2001	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A28308-1	08/08/2001	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A28308-2	08/08/2001	ENTEROCOCCUS	10	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A27594-1	07/31/2001	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A27594-2	07/31/2001	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A27352-1	07/26/2001	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A27352-2	07/26/2001	ENTEROCOCCUS	9	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A26892-1	07/19/2001	ENTEROCOCCUS	112	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A26892-2	07/19/2001	ENTEROCOCCUS	25	#/100ML
BCHNWCNWCCR	NEW CASTLE TB-CENTER	A26447-1	07/12/2001	ENTEROCOCCUS	4	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A25844-1	07/05/2001	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A25844-2	07/05/2001	ENTEROCOCCUS	3	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A12621-2	08/30/2000	ENTEROCOCCUS	1	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A12621-1	08/30/2000	ENTEROCOCCUS	6	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A12063-2	08/22/2000	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A12063-1	08/22/2000	ENTEROCOCCUS	7	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A11641-2	08/15/2000	ENTEROCOCCUS	2	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A11641-1	08/15/2000	ENTEROCOCCUS	14	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A11051-2	08/08/2000	ENTEROCOCCUS	1	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A11051-1	08/08/2000	ENTEROCOCCUS	14	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A10603-2	08/02/2000	ENTEROCOCCUS	16	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A10603-1	08/02/2000	ENTEROCOCCUS	3	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A10062-2	07/26/2000	ENTEROCOCCUS	2	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A10062-1	07/26/2000	ENTEROCOCCUS	6	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A9603-1	07/19/2000	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A9603-2	07/19/2000	ENTEROCOCCUS	6	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A9126-1	07/12/2000	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A9126-2	07/12/2000	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	A8487-1	07/05/2000	ENTEROCOCCUS	5	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	A8487-2	07/05/2000	ENTEROCOCCUS	3	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	L86736-1	08/25/1999	ENTEROCOCCUS	3	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L86736-2	08/25/1999	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	L86308-1	08/18/1999	ENTEROCOCCUS	17	#/100ML

Beach Id: 201

[Mapit](#)

Waterbody Type: SALTWATER

Beach Name: NEW CASTLE TOWN BEACH

Beach Type: TOWN

Beach Town: NEW CASTLE

Current Advisory: N

Inspection Frequency: 8 PER MONTH

Bathroom Facilities: BATHROOM - SEPTIC SYSTEM

Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L86308-2	08/18/1999	ENTEROCOCCUS	1	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	L85836-1	08/11/1999	ENTEROCOCCUS	6	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L85836-2	08/11/1999	ENTEROCOCCUS	22	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	L85241-1	08/04/1999	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L85241-2	08/04/1999	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	L84215-1	07/21/1999	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L84215-2	07/21/1999	ENTEROCOCCUS	2	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	L83123-1	07/07/1999	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L83123-2	07/07/1999	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	L69095-1	09/02/1998	ENTEROCOCCUS	2	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L69095-2	09/02/1998	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	L68036-1	08/18/1998	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L68036-2	08/18/1998	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	L67528-1	08/11/1998	ENTEROCOCCUS	40	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L67528-2	08/11/1998	ENTEROCOCCUS	10	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	L66997-1	08/04/1998	ENTEROCOCCUS	2	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L66997-2	08/04/1998	ENTEROCOCCUS	41	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	L66504-1	07/28/1998	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L66504-2	07/28/1998	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	L65970-1	07/21/1998	ENTEROCOCCUS	1	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L65970-2	07/21/1998	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	L64984-1	07/07/1998	ENTEROCOCCUS	2	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L64984-2	07/07/1998	ENTEROCOCCUS	2	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	L64187-1	06/24/1998	ENTEROCOCCUS	20	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L64187-2	06/24/1998	ENTEROCOCCUS	40	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	L50810-1	08/26/1997	ENTEROCOCCUS	3	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L50810-2	08/26/1997	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	L50408-1	08/20/1997	ESCHERICHIA COLI	1	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L50408-2	08/20/1997	ESCHERICHIA COLI	1	#/100ML
BCHNWCNWCLF	NEW CASTLE TB-LEFT	L49934-1	08/13/1997	ENTEROCOCCUS	0	#/100ML

Beach Id: **201** [Mapit](#)

Waterbody Type: **SALTWATER**

Beach Name: **NEW CASTLE TOWN BEACH**

Beach Type: **TOWN**

Beach Town: **NEW CASTLE**

Current Advisory: **N**

Inspection Frequency: **8 PER MONTH**

Bathroom Facilities: **BATHROOM - SEPTIC SYSTEM**

Samples (1952)						
Station ID	Station Name	Activity Id	Sample Date	Parameter	Result	Units
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L49934-2	08/13/1997	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCFLF	NEW CASTLE TB-LEFT	L49392-1	08/06/1997	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L49392-2	08/06/1997	ENTEROCOCCUS	1	#/100ML
BCHNWCNWCFLF	NEW CASTLE TB-LEFT	L48784-1	07/29/1997	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L48784-2	07/29/1997	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCFLF	NEW CASTLE TB-LEFT	L48607-1	07/25/1997	ENTEROCOCCUS	2	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L48607-2	07/25/1997	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCFLF	NEW CASTLE TB-LEFT	L48021-1	07/16/1997	ENTEROCOCCUS	1	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L48021-2	07/16/1997	ENTEROCOCCUS	2	#/100ML
BCHNWCNWCFLF	NEW CASTLE TB-LEFT	L47140-1	07/07/1997	ENTEROCOCCUS	1	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L47140-2	07/07/1997	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCFLF	NEW CASTLE TB-LEFT	L32678-1	08/29/1996	ENTEROCOCCUS	4	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L32678-2	08/29/1996	ENTEROCOCCUS	8	#/100ML
BCHNWCNWCFLF	NEW CASTLE TB-LEFT	L32214-1	08/22/1996	ENTEROCOCCUS	1	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L32214-2	08/22/1996	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCFLF	NEW CASTLE TB-LEFT	L31688-1	08/15/1996	ENTEROCOCCUS	4	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L31688-2	08/15/1996	ENTEROCOCCUS	1	#/100ML
BCHNWCNWCFLF	NEW CASTLE TB-LEFT	L30676-1	08/05/1996	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L30676-2	08/05/1996	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCRR	NEW CASTLE TB-CENTER	L10783-2	07/05/1995	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCFLF	NEW CASTLE TB-LEFT	L10783-1	07/05/1995	ENTEROCOCCUS	11	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	L10783-3	07/05/1995	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCRR	NEW CASTLE TB-CENTER	274482	07/05/1994	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCFLF	NEW CASTLE TB-LEFT	274483	07/05/1994	ENTEROCOCCUS	0	#/100ML
BCHNWCNWCRT	NEW CASTLE TB-RIGHT	274481	07/05/1994	ENTEROCOCCUS	0	#/100ML