

**DES Waste Management Division
29 Hazen Drive; PO Box 95
Concord, NH 03302-0095**


**Type I-A Permit Modification Application
Phase IIIA Expansion Type I-A Permit Modification
Response to the NHDES August 11, 2020 Meeting &
July 30, 2020 Letter
Mt. Carberry Secure Landfill
Bean Brook Road
Success, NH**

NHDES Site #: 198706016

Prepared For:
Androscoggin Valley Regional Refuse Disposal District
Berlin, NH 03570
Phone Number (603) 752-3342
RP Contact Name: Sharon Gauthier
RP Contact Email: sgauthier@avrrdd.org

Prepared By:
CMA Engineers, Inc.
35 Bow Street
Portsmouth, NH 03801
Phone Number: (603) 431-6196
Contact Name: Paul Schmidt, P.E.
Contact Email: pschmidt@cmaengineers.com

Date of Report: October 7, 2020



Androscoggin Valley

Regional Refuse Disposal District

October 7, 2020

Ms. Jaime Colby, P.E.
NHDES - Waste Management Division
29 Hazen Drive, P.O. Box 95
Concord, New Hampshire 03302-0095

**RE: Androscoggin Valley Regional Refuse Disposal District
Phase IIIA Expansion Type I-A Permit Modification
Response to the NHDES August 11, 2020 Meeting & July 30, 2020 Letter
NHDES Permit No. DES-SW-88-029**

Dear Ms. Colby:

Please find the attached letter, prepared by CMA Engineers, in response to your comments dated July 30, 2020 and the follow up meeting on August 11, 2020 regarding the Phase IIIA Expansion Type-I A Permit Modification.

Please do not hesitate to call if you have any questions.

Very truly yours,

Sharon Gauthier
Executive Director

SJB

Enclosures:

CMA NHDES Response Letter

cc: Paul Schmidt, P.E. CMA Engineers
NHDES OneStop (Electronic Upload)
Jennifer Fish, Coos County



October 8, 2020

Ms. Jaime Colby, P.E.
NHDES - Waste Management Division
29 Hazen Drive, P.O. Box 95
Concord, New Hampshire 03302

**RE: Androscoggin Valley Regional Refuse Disposal District
Mt. Carberry Secure Landfill – Phase IIIA Expansion Type I-A Permit Modification
Response to the NHDES August 11, 2020 Meeting & July 30, 2020 Letter
NHDES Permit No. DES-SW-88-029
CMA File # 777**

Dear Ms. Colby:

On behalf of the Androscoggin Valley Regional Refuse Solid Waste District (“AVRRDD” or “the District”), CMA Engineers, Inc. has prepared this letter to provide additional information requested by the New Hampshire Department of Environmental Services (NHDES) in support of AVRRDD’s application for the Phase IIIA Expansion Type I-A Permit Modification. The additional information provided herein is based on NHDES’ letter dated July 30, 2020 and the subsequent video call on August 11, 2020.

Responses are provided to like numbered comments below:

- 1. Section III, Description of Proposed Modification, identifies the capacity of Phase IIIA as 4,912,000 cubic yards; however, elsewhere in the application, Phase IIIA is identified as having a proposed capacity of 4,992,000 cubic yards. Please identify the proposed capacity.*

The Phase IIIA capacity within the Type IA permit application was incorrectly listed in certain locations as noted. The correct proposed capacity for Phase IIIA is 4,992,000 CY.

- 2. In various places in the application, the acreage of Phase IIIA is referred to as 22.9 acres or 24.1 acres. Please identify the area of Phase IIIA, and the area of each stage.*

The Phase IIIA footprint within the Type IA permit application was incorrectly listed in certain locations as noted. The correct proposed footprint for Phase IIIA is 24.12 acres. The intermediate stages footprints are as follows: Stage 13 – 12.14 acres, Stage 14 – 6.68 acres, and Stage 15 – 5.30 acres.

3. *Section VI, Impact Evaluation, specifically item 2, does not identify why the assertion is true. Please provide the required evaluation.*

Section 2 of the impact evaluation is as follows *“The effect the modification will have on the environment, public health, and public safety”*

The Mount Carberry Secure Landfill was permitted in 1989 and was originally designed and permitted as a double lined system to provide for proper disposal of pulp and paper mill wastes which had previously been managed in unlined landfills. The operation of the landfill was expanded to include management of other solid wastes from the District and other communities. The landfill at the time represented a significant improvement to potential impacts to environment, public health and public safety. Throughout the life of the landfill, the facility has been permitted, designed and operated to meet and exceed current standards for proper management of solid waste. The Phase IIIA expansion is proposed to continue to provide for the proper management of solid waste and the associated benefits to the environment, public health and safety.

Phase IIIA as proposed, is being sited, permitted, designed and constructed in accordance with NHDES Solid Waste Rules and other state and federal regulations. These requirements, and the project as proposed, are designed to minimize potential impacts on the environment, public health and public safety throughout the entire life of the facility. The waiver application included with the Type IA application provides documentation where NHDES Solid Waste regulations are not directly met and addresses how the design is consistent with the intent of those specific rules and the potential effect of the waiver on the environment, public health, or safety.

The project as proposed and as detailed within the Type IA application includes monitoring and design factors to prevent adverse impacts to the environment or public health and safety. Monitoring efforts provide for continuous inspection of the facility's impacts to maintain compliance. These design and monitoring factors include additional groundwater monitoring wells, bedrock monitoring wells, liner leak detection monitoring (within the secondary leak detection system), head on liner monitoring, management of landfill gas in accordance with air emissions standards, management of stormwater runoff including treatment ponds, and additional design operational requirements for management of waste.

4. *Section VII, Public Benefit Demonstration, the application asserts that the proposal meets the District's goals, but does not identify those goals. Please identify the District's goals, and how the proposal meets those goals.*

The District was established in 1990 with the continuing purpose of *“The District shall be established and shall exist for the purpose of developing and operating a facility or contracting with other disposal facilities for the disposal, handling and/or recycling of solid waste of the member municipalities. Any such facility may be located within one or more member municipalities. The District shall be entitled to establish a recycling facility and any facilities as may be permitted to be established by this agreement or by law.”* In line with the original purpose of the formation of the District, the District currently operates a recycling and transfer station (the AVRDD MRF) and the Mount Carberry Secure Landfill to provide recycling and solid waste and asbestos disposal for the member communities and other local communities and businesses. Phase IIIA provides future disposal for these member municipalities to continue to meet the original purpose of the District.

5. *Design Drawings:*

- a. *Drawing No. PSP-8, Proposed Top of Waste Grading Plan, includes multiple different sets of contours; however, the legend and contours do not appear to match regarding currently permitted and proposed grades. Please check and clarify as needed.*

a) The legend and contours did not match on PSP-8. Attached is a revised PSP-8.

6. *Landfill stability calculations:*

- a. *There are no notes, legend or north arrow on Figure 2A. Please check and add as appropriate.*
- b. *The cap deformation calculation (Volume 2, PDF page 501) states that 52.5 cm or less than one inch of deformation will occur. These two numbers are not equal. Please review and correct as appropriate.*

- a) A revised Figure 2A is attached which includes a legend and north arrow. In addition, Figure 3A was found to be missing a legend and north arrow and a revised Figure 3A is also attached. A revised cover sheet for the Phase IIIA design plans is also attached and is revised to include the permit number.
- b) The cap deformation calculation (Volume 2, PDF page 501) had a typo referring to a deformation of 52.5 cm or less than one inch. The correct number is a deformation of 2.5 cm.

7. *Waiver application:*

- a. *Relative to Env-Sw 804.03(e), please add “why” the criteria are met for Env-Sw 202.04(a)(1)b and Env-Sw 202.04(a)(2)c.*
- b. *Relative to Env-Sw 805.05(j), please add a brief discussion with supporting information/data to substantiate the assertion that the “boot penetrations have not indicated any signs of leakage or failure.”*

- c. *Relative to Env-Sw 805.07(b)(1), please add “why” the criteria are met for Env-Sw 202.04(a)(1)a. NHDES notes that not filling over Stages 1 and 2 would negate the need for a waiver to this rule.*
- a) Env-Sw 804.03(e) is as follows in the NHDES certified rules *“The footprint of a landfill shall not be located within 200 feet upgradient and 100 feet downgradient of a wetland within the jurisdiction of RSA 482-A, excluding any drainage appurtenances related to the site, that is not allowed to be filled under the authority of RSA 482-A.”*
- Env-Sw 202.04(a)(1)b – *“Not result in an impact on abutting properties that is more significant than that which would result from complying with the rule;”* The wetland within the offset area’s closest abutter is undeveloped property that includes the Appalachian Trail Corridor, at about 3,500 ft away. The nearest abutting residence is approximately 4,000 ft from the wetland area. The nearest abutter to the entire landfill footprint is 3,000 ft and includes a residence. Additional information is provided in the Type IA Application that there will be no significant impact to the wetland and as such, there will not be any impact to abutting properties. The abutting properties are distant enough from the wetland area that any minor differences in the layout of the landfill in this area as a result of the waiver would not have any impact on those abutters.
 - Env-Sw 202.04(a)(2)c – *“Strict compliance with the rule will provide no benefit to the public and will cause an operational or economic hardship to the applicant.”* Strict compliance with the rule would require altering the anchor trench design of Phase IIIA to be set back with a jog in the anchor trench where it ties into the adjacent Phase I, Stage 7. The proposed layout does not directly impact the public. As detailed in the application, potential impacts to the existing wetlands are mitigated through stormwater design, litter fence and groundwater monitoring. As such, there are no benefits to the public with strict compliance. The jog in the anchor trench that would result based on strict compliance with the setback, has several drawbacks that result in operational and economic hardship. The capacity would be reduced. The jog would increase construction costs. The filling and maintenance of the slope would be negatively affected to allow for a jog in the slope to meet the anchor trench including increased risk of erosion. The construction of the irregular shape would also negatively affect the design and construction of the eventual capping system, which has operational and economic impacts.
- b) Env-Sw 805.05(j) is as follows in the NHDES certified rules *“Liner systems shall not be penetrated by any appurtenances including pipes in low areas or in any*

location where leachate might collect.” Information and data to substantiate the claim that the boot penetrations have not indicated any signs of leakage or failure is as follows.

- See attached VOC groundwater data in close proximity to the anchor trench that indicate there is no contamination by the liner penetration boots from the landfill. These are specific wells in close proximity to the four liner penetration boot locations which include downgradient wells CMW-103RR, CMW-202, CMW-205, a side gradient well T-12, and a surface water sampling location CSW-1. All VOC data since each well was brought online is included as attached Table 1.
 - Leak detection measurements from the secondary leak detection collection system are taken every day during the work week from the three leak detection manholes along the southern anchor trench. These measurements have been within the required leak detection parameters and do not indicate any issues with the primary liner boot penetrations. See attached leak detection data for 2019 and 2020 to date as Table 2. Data prior to 2019 is similar and can be found in each quarterly landfill report submitted to the NHDES Solid Waste Division.
- c) Env-Sw 805.07(b)(1) is as follows in the NHDES certified rules *“Convey liquids to an observation point for detection, based on a maximum time of concentration equal to 24-hours under saturated hydraulic conditions;”* and did not address “why” for Env-Sw 202.04(a)(1)a.
- 202.04(a)(1)a – *“Not result in an adverse effect to the environment or natural resources of the state, public health or to public safety;”*
Overfilling Stage 1 & 2 optimizes the Phase IIIA design without adversely affecting the environment or natural resources of the state, public health or public safety. The item being addressed is relative to the ability to monitor the leak detection in the underlying Stage 1 & 2. The base liner system under Stage 1 & 2 met the regulations at the time it was constructed and there have not been any indications of any leaks or damage to the liner system as evidenced by the leak detection data presented herein. Phase IIIA is about 160 vertical feet above the base liner system for Stage 1&2 and will have no impact on the function of the existing Stage 1&2 leak detection system. As such, there will be no adverse effect to the environment or natural resources of the state, public health or to public safety.
8. Groundwater Separation Demonstration – *After review with NHDES, the Type IA approval will be based on the preliminary design. The groundwater separation demonstration will be over a duration of no less than one year and prior to a Type II*

approval of the construction of Phase IIIA Stage 13. Final design of Phase IIIA may vary due to the results of this demonstration.


AVRRDD is in agreement that a demonstration of groundwater levels after the initial landfill site work is completed will be necessary prior to approval of the construction of Phase IIIA Stage 13. The final design of the base grades of Phase IIIA will be modified as necessary to meet the separation requirements, which will be subject to NHDES review and approval of the final design as part of a Type II permit modification.

9. Attached are the certified mail receipts from the abutter notifications. The abutter notification to Norman Poirier was not accepted by the recipient and was returned. A second abutter notification was sent to Mr. Poirier via USPS and was unclaimed. This tracking information is included with the return receipts, attached to this letter.

Thank you for your attention to these matters. Please do not hesitate to call if you have any questions.

Very truly yours,

CMA ENGINEERS, INC.




Paul D. Schmidt, P.E.
Project Manager

SJE/ams

Enclosures:

- PSP-8 Sheet Replacement
- Figure 2A Sheet Replacement
- Figure 3A Sheet Replacement
- Phase IIIA Design Plans Cover Sheet Replacement
- Table 1 – Groundwater VOC data
- Table 2 – Secondary Leak Detection Data
- Abutter Return Receipts

cc: Sharon Gauthier, AVRRDD
NHDES OneStop (Electronic Upload)
Jennifer Fish, Coos County




Legend:


-----	Existing Oct 4, 2019, 2' Contour
-----1700-----	Existing Oct 4, 2019, 10' Contour
-----	Existing Edge of Gravel Road
-----	Existing Edge of Plastic Cover
~~~~~	Existing Edge of Tree Line
-----	Delineated Edge of Easement
=====	Existing Culvert
-- at -- at -- at -- at --	Existing Anchor Trench
⊗ MW- 7	Existing Monitoring Well
Ⓟ P-104 A&B	Existing Piezometer
-----	Stage 12 Top of Waste 2' Contour
-----1330-----	Stage 12 Top of Waste 10' Contour
=====1330=====	Proposed Top of Waste 10' Contour
-----	Proposed Top of Sand 2' Contour
-----1330-----	Proposed Top of Sand 10' Contour
== AT == AT == AT == AT ==	Proposed Anchor Trench
-----	Proposed Limit of Waste
-----P-----P-----P-----P-----	Proposed Primary Leachate Pipe
-----■-----■-----■-----■-----	Proposed Secondary Leachate Pipe
-----PD-----PD-----PD-----	Proposed Drainage Pipe
-----PS-----PS-----PS-----	Proposed Leachate Sewer
-----X-----X-----X-----	Proposed Litter Fence
=====	Proposed Stage Boundary
=====	Proposed Cell Boundary

- ## **Notes:**
1. Existing topography is a field survey of the entire landfill footprint performed by York Land Services, LLC, of Berlin, NH, during the week of October 4, 2019. Horizontal datum is based on NH State Plane NAD83 coordinate system and the Vertical Datum is based on NAVD88.
  2. Wetlands south of the existing landfill delineated by Beaver Tracks LLC. in January 2017. Wetlands delineation performed by Stantec Consulting Services of Topsham Maine in October, 2018 based on US Army Corp of Engineers Wetlands Delineation Manual, as supplemented and as reported in a letter report by Stantec dated March 20, 2020.
  3. Proposed grades shown within the anchor trench represent top of waste grades. Proposed grades shown outside the anchor trench represent final grades.
  4. Contractor shall be responsible for managing stormwater within the limit of work during construction of the project.
  5. Contractor shall support cleanout lines with select sand at changes in grade. No fittings are to be used.
  6. See section and details for limits of select stone and geosynthetic materials around and beneath leachate collection piping and sump

drawing no. <b>PSP-8</b>						
Androscoggin Valley Regional Refuse Disposal District		designed by: PDS				
Mt. Carberry Landfill Phase IIIA Permitting		project no.: 777	drawn by: PDS/SJE			
Proposed Top of Waste Grading Plan		file name: 777-PSP.dwg	approved by: PDS			
		scale:				
		Scale: 1" = 120'				
<b>CMA ENGINEERS</b> CIVIL/ENVIRONMENTAL/STRUCTURAL Portsmouth, NH • Manchester, NH • Portland, ME 603/431-6196    603/627-0708    201/541-4223 c m a e n g i n e e r s . c o m						
				2	Revised for NHDES Incomplete Application Letter Dated 7/30/2020	PDS
				1	For NHDES Review/Permit Application	PDS
				no.	revision	by
					date	



designed by: POSS/IE		date: April 2020		drawn by: SUE		approved by: PDS		drawing no. Figure 2A	
project no: 777		file name:		scale: 1" = 120'		no.		revision	
CMA ENGINEERS		Civil/ENVIRONMENTAL/STRUCTURAL		Portsmouth, NH • Manchester, NH • Portland, ME 603/431-6196 • 603/627-0708 • 207/541-4223		1		Revised for NHDES Incomplete Application Letter Dated 7/30/2020	
								date	
								by	
								PDS	
								10/1/2020	
								c m a e n g i n e e r s . c o m	



designed by: POSS/IE		date: April 2020		drawn by: SUE		approved by: PDS	
project no: 777		file name:		scale: 1" = 120'		drawing no. Figure 3A	
Androscoggin Valley Regional Refuse Disposal District		Mt. Carberry Secure Landfill Phase IIIA		Hydrogeology Analysis Cross Section Alignments		sheet: 1 of 4	
CMA ENGINEERS		Civil/ENVIRONMENTAL/STRUCTURAL		Portland, ME 603/431-6196 • 603/627-9708 • 207/541-4223		revised for NHDES Incomplete Application Letter Dated 7/30/2020	
no.		1		revision		date	
by		8/20/2020		PDS		date	

Androscoggin Valley Regional  
Refuse Disposal District  
Mt. Carberry Landfill  
Phase IIIA Permitting  
Issued For NHDES Type I-A Permitting Review  
April 2020

Sheet Index


CIVIL DRAWINGS

C1	COVER SHEET
ECP1	EXISTING OVERALL SITE PLAN
ECP2	EXISTING CONDITIONS & DEMOLITION PLAN
PSP1	PROPOSED SECONDARY LINER
PSP2	SECONDARY LINER SEPARATION FROM GROUNDWATER
PSP3	PROPOSED TOP OF PRIMARY SAND
PSP4	STAGE 13 TEMPORARY MAINTENANCE ROAD & UNDERDRAIN & CUT-OFF SWALE
PSP5	PROPOSED SECONDARY AND PRIMARY SUMP, RISERS, AND CLEANOUTS
PSP6	RISER BUILDING ELECTRICAL TIE-IN & GRAVITY SEWER TIE-IN
PSP7	PROPOSED STORMWATER PLAN TREATMENT PONDS AND STRUCTURES
PSP8	PROPOSED TOP OF WASTE GRADING PLAN
XS1	CROSS SECTIONS A, B, & C
D1	LANDFILL LINER SYSTEM DETAILS


D2	LANDFILL SYSTEM DETAILS
D3	PRIMARY AND SECONDARY SUMP DETAILS
D4	LANDFILL SITE IMPROVEMENTS DETAILS
D5	EROSION CONTROL DETAILS
D6	RISER BUILDING DETAILS
D7	RISER BUILDING STRUCTURAL DETAILS
D8	RISER BUILDING DETAILS
D9	STORMWATER DETAILS
D10	STORMWATER DETAILS

ELECTRICAL DRAWINGS

E1	PUMP STATION ELECTRICAL PLAN
E2	PUMP STATION ELECTRICAL DETAILS



Locus Plan



PRELIMINARY DESIGN FOR NHDES PERMIT APPLICATION  
NOT FOR CONSTRUCTION


Prepared For:  
Androscoggin Valley Regional Refuse Disposal District  
3 Twelfth Street  
Berlin, New Hampshire 03570

DES-SW-88-029

Prepared By:

CMA  
ENGINEERS

CIVIL/ENVIRONMENTAL/STRUCTURAL  
Portsmouth, NH • Manchester, NH • Portland, ME  
603/431-6196 • 603/627-0708 • 207/541-4223  
cmaengineers.com



Project Location  
Not to Scale

Summary of Groundwater Monitoring Data  
Volatile Organic Compounds  
Androscoggin Valley Regional Refuse Disposal District-Mount Carberry Landfill - Berlin, NH  
(All Results are reported in µg/L unless noted)

Sample ID	Date	1,1-Dichloro- ethene	1,1-Dichloro- ethane	1,1,2-Trichloro- ethane	1,1,1-Trichloro- ethane	1,1,1,2-Tetrachloro- ethane	Chloro- methane	Vinyl chloride	Hexachloro- butadiene	1,1,2,2-Tetrachloro- ethane	Tetra- hydrofuran	Acetone	4-Methyl-2- Pentanone	2-Hexanone	Methyl-Ethyl- Ketone (MEK)
Other Names		Dichloroethylene									(THF)		(MIBK)		(2-Butanone)
NH AGQS (ug/l):		7	81	5	200	70	30	2	0.5	2	600	6000	2000		4000
CMW-103RR	11/03/04	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	10/31/05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/07/06	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/07/07	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/12/08	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/04/09	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/16/10	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/03/11	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	11/14/12	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	11/07/13	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	11/06/14	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	11/20/15	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	11/21/16	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	11/29/17	<1	<1	<1	<1	<1	<2	<2	<0.5	<1	<10	<10	<10	<10	<10
	11/19/18	<1	<1	<1	<1	<1	<2	<2	<0.5	<1	<10	<10	<10	<10	<10
	11/12/19	<1	<1	<1	<1	<1	<2	<2	<0.5	<1	<10	<10	<10	<10	<10
CMW-202	07/26/96	BDL	BDL	BDL	BDL	BDL	BDL	BDL		BDL		BDL	BDL	BDL	BDL
	08/07/97	BDL	BDL	BDL	BDL	BDL	BDL	BDL		BDL		BDL	BDL	BDL	BDL
	08/04/98	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/03/99	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/07/00	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	12/18/01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/19/02	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/04/03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/03/04	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/01/05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/07/06	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/07/07	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/12/08	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/04/09	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/16/10	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/03/11	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	11/14/12	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	11/07/13	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	11/06/14	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	11/20/15	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	11/21/16	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	11/29/17	<1	<1	<1	<1	<1	<2	<2	<0.5	<1	<10	<10	<10	<10	<10
	11/19/18	<1	<1	<1	<1	<1	<2	<2	<0.5	<1	<10	<10	<10	<10	<10
	11/12/19	<1	<1	<1	<1	<1	<2	<2	<0.5	<1	<10	<10	<10	<10	<10
CMW-205	07/26/96	BDL	BDL	BDL	BDL	BDL	BDL	BDL		BDL		BDL	BDL	BDL	BDL
	08/06/97	BDL	BDL	BDL	BDL	BDL	BDL	BDL		BDL		BDL	BDL	BDL	BDL
	08/04/98	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/03/99	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/08/00	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	12/19/01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/20/02	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/04/03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/02/04	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	10/31/05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/06/06	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/08/07	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/12/08	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/04/09	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/16/10	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/03/11	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	11/14/12	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	11/07/13	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	11/06/14	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	11/20/15	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10

**Summary of Groundwater Monitoring Data**  
**Volatile Organic Compounds**  
**Androscoggin Valley Regional Refuse Disposal District-Mount Carberry Landfill - Berlin, NH**  
 (All Results are reported in µg/L unless noted)

Sample ID	Date	1,1-Dichloro-ethene	1,1-Dichloro-ethane	1,1,2-Trichloro-ethane	1,1,1-Trichloro-ethane	1,1,1,2-Tetrachloro-ethane	Chloro-methane	Vinyl chloride	Hexachloro-butadiene	1,1,2,2-Tetrachloro-ethane	Tetra-hydrofuran	Acetone	4-Methyl-2-Pentanone	2-Hexanone	Methyl-Ethyl-Ketone (MEK)
Other Names		Dichloroethylene									(THF)		(MIBK)		(2-Butanone)
NH AGQS (ug/l):		7	81	5	200	70	30	2	0.5	2	600	6000	2000		4000
T-12	11/21/16	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	11/29/17	<1	<1	<1	<1	<1	<2	<2	<0.5	<1	<10	<10	<10	<10	<10
	11/19/18	<1	<1	<1	<1	<1	<2	<2	<0.5	<1	<10	<10	<10	<10	<10
	11/12/19	<1	<1	<1	<1	<1	<2	<2	<0.5	<1	<10	<10	<10	<10	<10
	05/28/14	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	12/16/14	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	02/23/15	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	06/01/15	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	08/17/15	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	11/20/15	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	02/08/16	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	05/24/16	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	08/24/16	<5	<5	<2	<5	<5	<10	<10	<0.5	<2	<10	<10	<10	<10	<10
	02/14/17	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	05/15/17	<1	<2	<2	<2	<2	<2	<2	<0.5	<1	<10	<10	<10	<10	<10
	08/15/17	<1	<1	<1	<1	<1	<2	<2	<0.5	<1	<10	<10	<10	<10	<10
	11/29/17	<1	<1	<1	<1	<1	<2	<2	<0.5	<1	<10	<10	<10	<10	<10
	02/21/18	<1	<1	<1	<1	<1	<2	<2	<0.5	<1	<10	<10	<10	<10	<10
Surface Water Sampling Locations															
CSW-1	07/25/96	BDL	BDL	BDL	BDL	BDL	BDL	BDL		BDL		BDL	BDL	BDL	BDL
	08/06/97	BDL	BDL	BDL	BDL	BDL	BDL	BDL		BDL		BDL	BDL	BDL	BDL
	08/04/98	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/02/99	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/08/00	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	12/19/01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/20/02	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/05/03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/02/04	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/01/05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/07/06	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/07/07	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/13/08	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/05/09	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/16/10	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/03/11	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	11/14/12	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	11/07/13	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	11/06/14	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	11/20/15	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	11/22/16	<1	<2	<2	<2	<2	<2	<2	<0.5	<2	<10	<10	<10	<10	<10
	11/29/17	<1	<1	<1	<1	<1	<2	<2	<0.5	<1	<10	<10	<10	<10	<10
	11/19/18	<1	<1	<1	<1	<1	<2	<2	<0.5	<1	<10	<10	<10	<10	<10
	11/12/19	<1	<1	<1	<1	<1	<2	<2	<0.5	<1	<10	<10	<10	<10	<10

**Notes:**

- NH AGQS - NH Ambient Groundwater Quality Standard (Env-Or 600)
- NS = No Standard
- DU = Data Unavailable
- ND = Not Detected
- < = less than
- Shaded Area Indicates that the AGQS was Exceeded.
- All Concentrations Given in Micrograms per Liter (µg/L) Unless Otherwise Noted.
- Detection Limits for Certain Compounds May Vary Over Test Dates, Non-Detection May Not Indicate Compliance.
- Omission of Dates Indicates No Data Taken.
- Prior to 06/03 there was no AGQS Limit for Diethyl Ether
- AGQS regulatory limit revised 9/22/05 for MIBK, MEK, Acetone, n-propylbenzene, Diethyl Ether, n-butylbenzene, p-isopropyltoluene, tert-butyl alcohol
- * * * Indicates that LPD-1 was sampled mistakenly instead of CUD-3. LPD-1 was added to the monitoring program in 2013.

**Summary of Groundwater Monitoring Data**  
**Volatile Organic Compounds**  
**Androscoggin Valley Regional Refuse Disposal District-Mount Carberry Landfill - Berlin, NH**  
(All Results are reported in µg/L, unless noted)

[illegible]

**Summary of Groundwater Monitoring Data**  
**Volatile Organic Compounds**  
**Androscoggin Valley Regional Refuse Disposal District-Mount Carberry Landfill - Berlin, NH**  
 (All Results are reported in µg/L unless noted)

Sample ID	Date	1,1-Dichloro- propene	1,2,3-Trichloro- benzene	1,2,3-Trichloro- propane	1,2,4-Trichloro- benzene	1,2,4-Trimethyl- benzene	1,2-Dibromo-3- Chloropropane	1,2-Dibromo- ethane (EDB)	1,2-Dichloro- benzene	1,2-Dichloro- ethane	1,2-Dichloro- propane	1,3,5-Trimethyl- benzene	1,3-Dichloro- benzene	1,3-Dichloro- propane	1,4-Dichloro- benzene	1,3,5-Trichloro- benzene
NH AGQS (µg/l):				0.5	70	330	0.2	60	600	5	5	330	600		75	40
T-12	05/28/14	<2	<1	<2	<1	<1	<2	<2	<1	<2	<2	<1	<1	<2	<1	<1
	12/16/14	<2	<1	<2	<1	<1	<2	<2	<1	<2	<2	<1	<1	<2	<1	<1
	02/23/15	<2	<1	<2	<1	<1	<2	<2	<1	<2	<2	<1	<1	<2	<1	<1
	06/01/15	<2	<1	<2	<1	<1	<2	<2	<1	<2	<2	<1	<1	<2	<1	<1
	08/17/15	<2	<1	<2	<1	<1	<2	<2	<1	<2	<2	<1	<1	<2	<1	<1
	11/20/15	<2	<1	<2	<1	<1	<2	<2	<1	<2	<2	<1	<1	<2	<1	<1
	02/08/16	<2	<1	<2	<1	<1	<2	<2	<1	<2	<2	<1	<1	<2	<1	<1
	05/24/16	<2	<1	<2	<1	<1	<2	<2	<1	<2	<2	<1	<1	<2	<1	<1
	08/24/16	<2	<5	<2	<5	<1	<10	<2	<1	<2	<2	<1	<1	<2	<1	<1
	02/14/17	<2	<1	<2	<1	<1	<2	<2	<1	<2	<2	<1	<1	<2	<1	<1
	05/15/17	<2	<1	<2	<1	<1	<2	<2	<1	<2	<2	<1	<1	<2	<1	<1
	08/16/17	<1	<1	<0.5	<1	<1	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1
	11/29/17	<1	<1	<0.5	<1	<1	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1
	02/21/18	<1	<1	<0.5	<1	<1	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1
Surface Water Sampling Locations																
CSW-1	07/25/96			BDL			BDL	BDL	BDL	BDL			BDL		BDL	
	08/06/97			BDL			BDL	BDL	BDL	BDL			BDL		BDL	
	08/04/98	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/02/99	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/08/00	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	12/19/01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/20/02	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/05/03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/02/04	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/01/05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/07/06	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/07/07	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/13/08	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/05/09	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/16/10	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/03/11	<2	<1	<2	<1	<1	<2	<2	<1	<2	<2	<1	<1	<2	<1	<1
	11/14/12	<2	<1	<2	<1	<1	<2	<2	<1	<2	<2	<1	<1	<2	<1	<1
	11/07/13	<2	<1	<2	<1	<1	<2	<2	<1	<2	<2	<1	<1	<2	<1	<1
	11/06/14	<2	<1	<2	<1	<1	<2	<2	<1	<2	<2	<1	<1	<2	<1	<1
	11/20/15	<2	<1	<2	<1	<1	<2	<2	<1	<2	<2	<1	<1	<2	<1	<1
	11/22/16	<2	<1	<2	<1	<1	<2	<2	<1	<2	<2	<1	<1	<2	<1	<1
	11/29/17	<1	<1	<0.5	<1	<1	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1
	11/19/18	<1	<1	<0.5	<1	<1	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1
	11/12/19	<1	<1	<0.5	<1	<1	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1

**Notes:**

- NH AGQS - NH Ambient Groundwater Quality Standard (Env-Or 600)
- NS = No Standard
- DU = Data Unavailable
- ND = Not Detected
- < - less than
- Shaded Area Indicates that the AGQS was Exceeded.
- All Concentrations Given in Micrograms per Liter (µg/L) Unless Otherwise Noted.
- Detection Limits for Certain Compounds May Vary Over Test Dates, Non-Detection May Not Indicate Compliance.
- Omission of Dates Indicates No Data Taken.
- Prior to 06/03 there was no AGQS Limit for Diethyl Ether
- AGQS regulatory limit revised 9/22/05 for MIBK, MEK, Acetone, n-propylbenzene, Diethyl Ether, n-butylbenzene, p-isopropyltoluene, tert-butyl alcohol
- ** Indicates that LPD-1 was sampled mistakenly instead of CUD-3. LPD-1 was added to the monitoring program in 2013.

(All Results are reported in  $\mu\text{g/L}$  unless noted)

Sample ID	Date	2,2-Dichloro- propane	o-Chloro- toluene	2-Methoxy-2- Methylbutane	p-Chloro- toluene	4-Isopropyl- toluene	Benzene	Bromo- benzene	Bromochloro- methane	Bromodichloro- methane	Bromoform	Bromo- methane	Carbon disulfide	Carbon Tetrachloride	Chloro- benzene	1,4-Dioxane
Other Names			2-chlorotoluene	tert amyl methyl ether (TAME)	4 chlorotoluene	p isopropyltoluene										
NH AGQS (ug/l):			100	140	100	260	5	60	60	0.6	4	10	70	5		0.32
CMW-103RR	11/07/13	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	11/06/14	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	11/20/15	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	11/21/16	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	11/29/17	<1	<1	<5	<1	<1	<1	<1	<1	<0.5	<2	<2	<2	<1	<1	<0.25
	11/19/18	<1	<1	<5	<1	<1	<1	<1	<1	<0.5	<2	<2	<2	<1	<1	<0.2
	11/12/19	<1	<1	<5	<1	<1	<1	<1	<1	<0.5	<2	<2	<2	<1	<1	<0.2
CMW-202	07/26/96						BDL			BDL	BDL	BDL	BDL	BDL	BDL	
	08/07/97						BDL			BDL	BDL	BDL	BDL	BDL	BDL	
	08/04/98	BDL	BDL		BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
	11/03/99	BDL	BDL		BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
	11/07/00	BDL	BDL		BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
	12/18/01	BDL	BDL		BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
	11/19/02	BDL	BDL		BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
	11/04/03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
	11/03/04	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
	11/01/05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
	11/07/06	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
	11/07/07	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
	11/12/08	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
	11/04/09	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	<0.12
	11/16/10	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	<0.23
	11/03/11	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	11/14/12	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	05/30/13															<0.25
	11/07/13	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	11/06/14	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	11/20/15	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<

**Summary of Groundwater Monitoring Data**  
**Volatile Organic Compounds**  
**Androscoffin Valley Regional Refuse Disposal District-Mount Carberry Landfill - Berlin, NH**  
 (All Results are reported in µg/L unless noted)

Sample ID	Date	2,2-Dichloro- propane	o-Chloro- toluene	2-Methoxy-2- Methylbutane	p-Chloro- toluene	4-Isopropyl- toluene	Benzene	Bromo- benzene	Bromochloro- methane	Bromodichloro- methane	Bromoform	Bromo- methane	Carbon disulfide	Carbon Tetrachloride	Chloro- benzene	1,4-Dioxane
Other Names			2-chlorotoluene	tert amyl methyl ether (TAME)	4 chlorotoluene	p isopropyltoluene										
NH AGQS (ug/l):			<b>100</b>	<b>140</b>	<b>100</b>	<b>260</b>	<b>5</b>	<b>60</b>	<b>60</b>	<b>0.6</b>	<b>4</b>	<b>10</b>	<b>70</b>	<b>5</b>		<b>0.32</b>
	11/16/10	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	<0.23
	11/03/11	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	11/14/12	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	05/28/14	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	12/16/14	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	02/23/15	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	06/01/15	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	08/17/15	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	11/20/15	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	02/08/16			<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	05/24/16	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	08/24/16	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	02/14/17	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	05/15/17	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	08/16/17	<1	<1	<5	<1	<1	<1	<1	<1	<0.5	<2	<2	<2	<1	<1	<0.25
	11/29/17	<1	<1	<5	<1	<1	<1	<1	<1	<0.5	<2	<2	<2	<1	<1	<0.25
	02/21/18	<1	<1	<5	<1	<1	<1	<1	<1	<0.5	<2	<2	<2	<1	<1	<0.25
<b>Surface Water Sampling Locations</b>																
CSW-1	07/25/96						BDL			BDL	BDL	BDL	BDL	BDL	BDL	
	08/06/97						BDL			BDL	BDL	BDL	BDL	BDL	BDL	
	08/04/98	BDL	BDL		BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
	11/02/99	BDL	BDL		BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
	11/08/00	BDL	BDL		BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
	12/19/01	BDL	BDL		BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
	11/20/02	BDL	BDL		BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
	11/05/03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
	11/02/04	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
	11/01/05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
	11/07/06	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
	11/07/07	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
	11/13/08	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
	11/05/09	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	<0.12
	11/16/10	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	<0.23
	11/03/11	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	11/14/12	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	11/07/13	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	11/06/14	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	11/20/15	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	11/22/16	<2	<2	<5	<2	<1	<1	<2	<2	<0.5	<2	<2	<5	<2	<2	<0.25
	11/29/17	<1	<1	<5	<1	<1	<1	<1	<1	<0.5	<2	<2	<2	<1	<1	<0.25
	11/19/18	<1	<1	<5	<1	<1	<1	<1	<1	<0.5	<2	<2	<2	<1	<1	<0.2
	11/12/19	<1	<1	<5	<1	<1	<1	<1	<1	<0.5	<2	<2	<2	<1	<1	<0.2

3. DU = Data Unavailable
4. ND = Not Detected
5. <= less than
6. Shaded Area Indicates that the AGQS was Exceeded.
7. All Concentrations Given in Micrograms per Liter (µg/L) Unless Otherwise Noted.
8. Detection Limits for Certain Compounds May Vary Over Test Dates, Non-Detection May Not Indicate Compliance.
9. Omission of Dates Indicates No Data Taken.
10. Prior to 06/03 there was no AGQS Limit for Diethyl Ether
11. All VOC's were analyzed using 8260B except 1,4-dioxane which was analyzed using 8260B SIM  
AGQS regulatory limit revised 9/22/05 for MIBK, MEK, Acetone, n-propylbenzene, Diethyl Ether, n-butylbenzene, p-isopropyltoluene, tert-butyl alcohol
12. * * * Indicates that LPD-1 was sampled mistakenly instead of CUD-3. LPD-1 was added to the monitoring program in 2013.
13. AGQS for 1,4 dioxane was lowered to 0.32 ppb and was in affect on September 1, 2018.

**Summary of Groundwater Monitoring Data**  
**Volatile Organic Compounds**  
**Androscoegin Valley Regional Refuse Disposal District-Mount Carberry Landfill - Berlin, NH**  
 (All Results are reported in µg/L, unless noted)

Sample ID	Date	Chloro-ethane	Chloro-Form	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene	Dibromo-chloromethane	Dibromo-methane	Dichlorodi-fluoromethane	Diethyl ether	Diisopropyl ether	Ethyl-t-butyl-ether	Ethyl-benzene	IsoPropyl-benzene	m,p-Xylene	Methylene chloride
Other Names										Isopropyl ether (DIPE)	ETBE				
NH AGQS (ug/l):		70	70	60	1000	1400	120	40	700	800	10,000 (Total)				
CMW-103RR	11/03/04	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	10/31/05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/07/06	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/07/07	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/12/08	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/04/09	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/16/10	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/03/11	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	11/14/12	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	11/07/13	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	11/06/14	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	11/20/15	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	11/29/17	<5	<1	<1	<0.5	<1	<1	<5	<5	<5	<5	<1	<1	<1	<5
	11/19/18	<5	<1	<1	<0.5	<1	<1	<5	<5	<5	<5	<1	<1	<1	<5
	11/12/19	<5	<1	<1	<0.5	<1	<1	<5	<5	<5	<5	<1	<1	<1	<5
CMW-202	07/26/96	BDL	BDL			BDL		BDL				BDL			BDL
	08/07/97	BDL	BDL	BDL		BDL		BDL				BDL			BDL
	08/04/98	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL			BDL	BDL		BDL
	11/03/99	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL			BDL	BDL		BDL
	11/07/00	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL			BDL	BDL		BDL
	12/18/01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL			BDL	BDL		BDL
	11/19/02	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL			BDL	BDL	BDL	BDL
	11/04/03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/03/04	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/01/05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/07/06	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/07/07	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/12/08	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/04/09	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/16/10	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/03/11	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	11/14/12	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	11/07/13	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	11/06/14	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	11/20/15	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	11/21/16	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	11/29/17	<5	<1	<1	<0.5	<1	<1	<5	<5	<5	<5	<1	<1	<1	<5
	11/19/18	<5	<1	<1	<0.5	<1	<1	<5	<5	<5	<5	<1	<1	<1	<5
	11/12/19	<5	<1	<1	<0.5	<1	<1	<5	<5	<5	<5	<1	<1	<1	<5
CMW-205	07/26/96	BDL	BDL			BDL		BDL				BDL			BDL
	08/07/97	BDL	BDL	BDL		BDL		BDL				BDL			BDL
	08/05/98	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL			BDL	BDL		BDL
	11/03/99	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL			BDL	BDL		BDL
	11/07/00	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL			BDL	BDL		BDL
	12/18/01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL			BDL	BDL		BDL
	11/19/02	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL			BDL	BDL	BDL	BDL
	11/04/03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/04/04	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	10/31/05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/07/06	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/08/07	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/12/08	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/04/09	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/16/10	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/03/11	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	11/14/12	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	11/07/13	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	11/06/14	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	11/20/15	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	11/21/16	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	11/29/17	<5	<1	<1	<0.5	<1	<1	<5	<5	<5	<5	<1	<1	<1	<5
	11/19/18	<5	<1	<1	<0.5	<1	<1	<5	<5	<5	<5	<1	<1	<1	<5
	11/12/19	<5	<1	<1	<0.5	<1	<1	<5	<5	<5	<5	<1	<1	<1	<5
T-12	05/28/14	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5

**Summary of Groundwater Monitoring Data**  
**Volatile Organic Compounds**  
**Androscoggin Valley Regional Refuse Disposal District-Mount Carberry Landfill - Berlin, NH**  
 (All Results are reported in µg/L unless noted)

Sample ID	Date	Chloro-ethane	Chloro-Form	cis-1,2-Dichloro-ethene	cis-1,3-Dichloro-propene	Dibromo-chloromethane	Dibromo-methane	Dichlorodi-fluoromethane	Diethyl ether	Diisopropyl ether	Ethyl-t-butyl-ether	Ethyl-benzene	IsoPropyl-benzene	m,p-Xylene	Methylene chloride
Other Names										Isopropyl ether (DIPE)	ETBE				
NH AGQS (ug/l):			70	70		60		1000	1400	120	40	700	800	10,000 (Total)	
	12/30/14	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	02/23/15	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	06/01/15	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	08/17/15	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	11/20/15	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	05/24/16	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	08/24/16	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	02/14/17	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	05/15/17	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	08/15/17	<5	<1	<1	<0.5	<1	<1	<5	<5	<5	<5	<1	<1	<1	<5
	11/29/17	<5	<1	<1	<0.5	<1	<1	<5	<5	<5	<5	<1	<1	<1	<5
	02/21/18	<5	<1	<1	<0.5	<1	<1	<5	<5	<5	<5	<1	<1	<1	<5
Surface Water Sampling Locations															
CSW-1	07/25/96	BDL	BDL			BDL		BDL				BDL			BDL
	08/06/97	BDL	BDL	BDL		BDL		BDL				BDL			BDL
	08/04/98	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL			BDL	BDL		BDL
	11/02/99	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL			BDL	BDL		BDL
	11/08/00	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL			BDL	BDL		BDL
	12/19/01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL			BDL	BDL		BDL
	11/20/02	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL			BDL	BDL	BDL	BDL
	11/05/03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/02/04	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/01/05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/07/06	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/07/07	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/13/08	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/05/09	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/16/10	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
	11/03/11	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	11/14/12	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	11/07/13	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	11/06/14	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	11/20/15	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	11/22/16	<5	<2	<2	<2	<2	<2	<5	<5	<5	<5	<1	<1	<1	<5
	11/29/17	<5	<1	<1	<0.5	<1	<1	<5	<5	<5	<5	<1	<1	<1	<5
	11/19/18	<5	<1	<1	<0.5	<1	<1	<5	<5	<5	<5	<1	<1	<1	<5
	11/12/19	<5	<1	<1	<0.5	<1	<1	<5	<5	<5	<5	<1	<1	<1	<5

**Notes:**

- NH AGQS - NH Ambient Groundwater Quality Standard (Env-Or 600)
  - NS = No Standard
  - DU = Data Unavailable
  - ND = Not Detected
  - < = less than
  - Shaded Area Indicates that the AGQS was Exceeded.
  - All Concentrations Given in Micrograms per Liter (µg/L) Unless Otherwise Noted.
  - Detection Limits for Certain Compounds May Vary Over Test Dates, Non-Detection May Not Indicate Compliance.
  - Omission of Dates Indicates No Data Taken.
  - Prior to 06/03 there was no AGQS Limit for Diethyl Ether
- AGQS regulatory limit revised 9/22/05 for MIBK, MEK, Acetone, n-propylbenzene, Diethyl Ether, n-butylbenzene, p-isopropyltoluene, tert-butyl alcohol
- *** Indicates that LPD-1 was sampled mistakenly instead of CUD-3. LPD-1 was added to the monitoring program in 2013.

**Summary of Groundwater Monitoring Data**  
**Volatile Organic Compounds**  
**Androscoggin Valley Regional Refuse Disposal District-Mount Carberry Landfill - Berlin, NH**  
 (All Results are reported in µg/L unless noted)

Sample ID	Date	n-Butyl- benzene	n-Propyl- benzene	Naphthalene	o-Xylene	sec-Butyl- benzene	Styrene	Methyl-t-butyl ether (MTBE)	tert- Butylbenzene	Tetra- chloroethene	Toluene	trans-1,2- Dichloroethene	trans-1,3- Dichloropropene	Trichloro- ethene	Trichloro- fluoromethane	tert-butyl alcohol (TBA)	Total Number of VOCs Detected
NH AGQS (µg/l):		260	260	20	10,000 (Total)	260	100	13	260	5	1000	100		5	2000	40	
CMW-103RR	11/03/04	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	10/31/05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/07/06	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/07/07	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/12/08	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/04/09	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/16/10	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/03/11	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	11/14/12	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	11/07/13	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	11/06/14	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	11/20/15	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	11/21/16	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	11/29/17	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<5	<30	0
	11/19/18	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<5	<30	0
	11/12/19	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<5	<30	0
CMW-202	07/26/96						BDL			BDL	BDL	BDL		BDL	BDL		0
	08/07/97						BDL			BDL	BDL	BDL		BDL	BDL		0
	08/04/98	BDL	BDL	BDL		BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL		0
	11/03/99	BDL	BDL	BDL		BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL		0
	11/07/00	BDL	BDL	BDL		BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL		0
	12/18/01	BDL	BDL	BDL		BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL		0
	11/19/02	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL		0
	11/04/03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/03/04	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/01/05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/07/06	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/07/07	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/12/08	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/04/09	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/16/10	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/03/11	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	11/14/12	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	11/07/13	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	11/06/14	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	11/20/15	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	11/21/16	<1	<1	<5	<1	<1	<1	<1	<1	<2	<1	<2	<2	<2	<5	<30	0
	11/29/17	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<5	<30	0
	11/19/18	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<5	<30	0
	11/12/19	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<5	<30	0
CMW-205	07/26/96						BDL			BDL	BDL	BDL		BDL	BDL		0
	08/07/97						BDL			BDL	BDL	BDL		BDL	BDL		0
	08/05/98	BDL	BDL	BDL		BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL		0
	11/03/99	BDL	BDL	BDL		BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL		0
	11/07/00	BDL	BDL	BDL		BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL		0
	12/18/01	BDL	BDL	BDL		BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL		0
	11/19/02	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL		0
	11/04/03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/04/04	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	10/31/05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/07/06	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/08/07	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/12/08	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/04/09	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/16/10	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/03/11	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	11/14/12	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	11/07/13	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	11/06/14	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	11/20/15	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	11/21/16	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	11/29/17	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<5	<30	0
	11/19/18	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<5	<30	0

**Summary of Groundwater Monitoring Data**  
**Volatile Organic Compounds**  
**Androscoggin Valley Regional Refuse Disposal District-Mount Carberry Landfill - Berlin, NH**  
 (All Results are reported in µg/L unless noted)

Sample ID	Date	n-Butyl- benzene	n-Propyl- benzene	Naphthalene	o-Xylene	sec-Butyl- benzene	Styrene	Methyl-t-butyl ether (MTBE)	tert- Butylbenzene	Tetra- chloroethene	Toluene	trans-1,2- Dichloroethene	trans-1,3- Dichloropropene	Trichloro- ethene	Trichloro- fluoromethane	Tert-butyl alcohol (TBA)	Total Number of VOCs Detected
<b>NH AGQS (µg/l):</b>		<b>260</b>	<b>260</b>	<b>20</b>	<b>10,000 (Total)</b>	<b>260</b>	<b>100</b>	<b>13</b>	<b>260</b>	<b>5</b>	<b>1000</b>	<b>100</b>		<b>5</b>	<b>2000</b>	<b>40</b>	
	11/12/19	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<5	<30	0
<b>T-12</b>	05/28/14	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	12/30/14	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	02/23/15	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	06/01/15	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	08/17/15	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	11/20/15	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	05/25/16	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	08/24/16	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	02/14/17	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	05/15/17	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	08/15/17	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<5	<30	0
	11/29/17	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<5	<30	0
	02/21/18	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<5	<30	0
<b>Surface Water Sampling Locations</b>																	
<b>CSW-1</b>	07/25/96						BDL			BDL	BDL	BDL		BDL	BDL		0
	08/06/97						BDL			BDL	BDL	BDL		BDL	BDL		0
	08/04/98	BDL	BDL	BDL		BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL		0
	11/02/99	BDL	BDL	BDL		BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL		0
	11/08/00	BDL	BDL	BDL		BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL		0
	12/19/01	BDL	BDL			BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL		0
	11/20/02	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL		0
	11/05/03	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/02/04	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/01/05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/07/06	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/07/07	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/13/08	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/05/09	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/16/10	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0
	11/03/11	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	11/14/12	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	11/07/13	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	11/06/14	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	11/20/15	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	11/22/16	<1	<1	<5	<1	<1	<1	<5	<1	<2	<1	<2	<2	<2	<5	<30	0
	11/29/17	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<5	<30	0
	11/19/18	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<5	<30	0
	11/12/19	<1	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<1	<5	<30	0

**Notes:**

- NH AGQS - NH Ambient Groundwater Quality Standard (Env-Or 600)
- NS = No Standard
- DU = Data Unavailable
- ND = Not Detected
- < = less than
- Shaded Area Indicates that the AGQS was Exceeded.
- All Concentrations Given in Micrograms per Liter (mg/L) Unless Otherwise Noted.
- Detection Limits for Certain Compounds may Vary Over Test Dates, Non-Detection May Not Indicate Compliance.
- Omission of Dates Indicates No Data Taken.
- Prior to 06/03 there was no AGQS Limit for Diethyl Ether
- AGQS regulatory limit revised 9/22/05 for MIBK, MEK, Acetone, n-propylbenzene, Diethyl Ether, n-butylbenzene, p-isopropyltoluene, tert-butyl alcohol
- *** Indicates that LPD-1 was sampled mistakenly instead of CUD-3. LPD-1 was added to the monitoring program in 2013.

MT. CARBERRY LANDFILL  
 PHASE I - EAST  
 LEAK DETECTION MONITORING  
 NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 19.1 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
1/1/2019				1.6		
1/2/2019	0	0	0.0	1.5		
1/3/2019	20	80	1.6	1.5		
1/4/2019	35	140	2.8	1.6		
1/5/2019	20	80	1.6	1.6		
1/6/2019				1.5		
1/7/2019				1.5		
1/8/2019	30	120	2.4	1.5		
1/9/2019	20	80	1.6	1.5		
1/10/2019	5	20	0.4	1.5		
1/11/2019	0	0	0.0	1.4		
1/12/2019				1.5		
1/13/2019				1.5		
1/14/2019	25	100	2.0	1.5		
1/15/2019				1.5		
1/16/2019				1.5		
1/17/2019				1.5		
1/18/2019	40	160	3.2	1.7		
1/19/2019				1.6		
1/20/2019				1.7		
1/21/2019	5	20	0.4	1.6		
1/22/2019	0	0	0.0	1.5		
1/23/2019	15	60	1.2	1.4		
1/24/2019	80	320	6.4	1.7		
1/25/2019	15	60	1.2	1.7		
1/26/2019				1.8		
1/27/2019				1.6		
1/28/2019	15	60	1.2	1.6		
1/29/2019	20	80	1.6	1.6		
1/30/2019	45	180	3.6	1.7		
1/31/2019	40	160	3.2	1.8		
2/1/2019	0	0	0.0	1.8		
2/2/2019				1.8		
2/3/2019				1.8		
2/4/2019	25	100	2.0	1.8		
2/5/2019	60	240	4.8	1.9		
2/6/2019	15	60	1.2	1.9		
2/7/2019	30	120	2.4	1.9		
2/8/2019	40	160	3.2	2.0		
2/9/2019				2.1		
2/10/2019				2.2		
2/11/2019	25	100	2.0	2.2		
2/12/2019	20	80	1.6	2.2		
2/13/2019	30	120	2.4	2.2		
2/14/2019	5	20	0.4	2.1		
2/15/2019	15	60	1.2	2.0		
2/16/2019				2.0		
2/17/2019				2.0		
2/18/2019	15	60	1.2	2.0		
2/19/2019	0	0	0.0	1.9		
2/20/2019	10	40	0.8	1.9		
2/21/2019	35	140	2.8	2.0		
2/22/2019	0	0	0.0	2.0		
2/23/2019				1.7		
2/24/2019				1.8		
2/25/2019	5	20	0.4	1.7		
2/26/2019	0	0	0.0	1.6		
2/27/2019	5	20	0.4	1.6		
2/28/2019	25	100	2.0	1.6		
3/1/2019	15	60	1.2	1.5		
3/2/2019				1.4		
3/3/2019				1.5		
3/4/2019	65	260	5.2	1.7		
3/5/2019	20	80	1.6	1.7		
3/6/2019	30	120	2.4	1.7		
3/7/2019	25	100	2.0	1.6		
3/8/2019	20	80	1.6	1.6		
3/9/2019				1.5		
3/10/2019				1.5		
3/11/2019	5	20	0.4	1.4		
3/12/2019	5	20	0.4	1.4		
3/13/2019	5	20	0.4	1.3		
3/14/2019	20	80	1.6	1.3		
3/15/2019	30	120	2.4	1.3		
3/16/2019				1.3		
3/17/2019				1.3		

MT. CARBERRY LANDFILL  
 PHASE I - EAST  
 LEAK DETECTION MONITORING  
 NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 19.1 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
3/18/2019	20	80	1.6	1.3		
3/19/2019	20	80	1.6	1.4		
3/20/2019	25	100	2.0	1.4		
3/21/2019	40	160	3.2	1.5		
3/22/2019	70	280	5.6	1.8		
3/23/2019				1.7		
3/24/2019				1.8		
3/25/2019	20	80	1.6	1.8		
3/26/2019	15	60	1.2	1.8		
3/27/2019	25	100	2.0	1.8		
3/28/2019	30	120	2.4	1.9		
3/29/2019	35	140	2.8	2.0		
3/30/2019				2.0		
3/31/2019				2.1		
4/1/2019	20	80	1.6	2.1		
4/2/2019	20	80	1.6	2.0		
4/3/2019	70	280	5.6	2.1		
4/4/2019	15	60	1.2	2.0		
4/5/2019	20	80	1.6	2.0		
4/6/2019				2.0		
4/7/2019				2.0		
4/8/2019	40	160	3.2	2.1		
4/9/2019	25	100	2.0	2.1		
4/10/2019	20	80	1.6	2.1		
4/11/2019	15	60	1.2	2.2		
4/12/2019	15	60	1.2	2.2		
4/13/2019				2.2		
4/14/2019				2.2		
4/15/2019	75	300	6.0	2.4		
4/16/2019	45	180	3.6	2.5		
4/17/2019	35	140	2.8	2.5		
4/18/2019	15	60	1.2	2.5		
4/19/2019	45	180	3.6	2.6		
4/20/2019				2.5		
4/21/2019				2.4		
4/22/2019	40	160	3.2	2.4		
4/23/2019	40	160	3.2	2.5		
4/24/2019	50	200	4.0	2.6		
4/25/2019	35	140	2.8	2.6		
4/26/2019	45	180	3.6	2.7		
4/27/2019				2.7		
4/28/2019				2.7		
4/29/2019	15	60	1.2	2.7		
4/30/2019	20	80	1.6	2.6		
5/1/2019	20	80	1.6	2.6		
5/2/2019	25	100	2.0	2.6		
5/3/2019	35	140	2.8	2.5		
5/4/2019				2.6		
5/5/2019				2.6		
5/6/2019	20	80	1.6	2.6		
5/7/2019	25	100	2.0	2.5		
5/8/2019	25	100	2.0	2.5		
5/9/2019	40	160	3.2	2.5		
5/10/2019	146	584	11.6	3.0		
5/11/2019				3.1		
5/12/2019				3.2		
5/13/2019	35	140	2.8	3.2		
5/14/2019	30	120	2.4	3.1		
5/15/2019	45	180	3.6	3.0		
5/16/2019	20	80	1.6	2.9		
5/17/2019	60	240	4.8	3.0		
5/18/2019				3.1		
5/19/2019				3.1		
5/20/2019	45	180	3.6	3.1		
5/21/2019	60	240	4.8	3.2		
5/22/2019	5	20	0.4	3.0		
5/23/2019	25	100	2.0	3.0		
5/24/2019	20	80	1.6	2.9		
5/25/2019				2.9		
5/26/2019				2.9		
5/27/2019				2.9		
5/28/2019	25	100	2.0	2.8		
5/29/2019	25	100	2.0	2.8		
5/30/2019	35	140	2.8	2.9		
5/31/2019	25	100	2.0	2.9		

MT. CARBERRY LANDFILL  
 PHASE I - EAST  
 LEAK DETECTION MONITORING  
 NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 19.1 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
6/1/2019				3.0		
6/2/2019				3.0		
6/3/2019	No sample.	Flare down.		3.0		
6/4/2019	No sample.	Flare down.		3.0		
6/5/2019	No sample.	Flare down.		3.1		
6/6/2019	No sample.	Flare down.		3.1		
6/7/2019	No sample.	Flare down.		3.2		
6/8/2019				3.2		
6/9/2019				2.6		
6/10/2019	No sample.	Flare down.		2.6		
6/11/2019	No sample.	Flare down.		2.6		
6/12/2019	No sample.	Flare down.		2.6		
6/13/2019	No sample.	Flare down.		2.6		
6/14/2019	No sample.	Flare down.		2.5		
6/15/2019				2.6		
6/16/2019				2.3		
6/17/2019	10	40	0.8	2.2		
6/18/2019	15	60	1.2	2.1		
6/19/2019	20	80	1.6	1.9		
6/20/2019	20	80	1.6	1.6		
6/21/2019	20	80	1.6	1.7		
6/22/2019				1.7		
6/23/2019				1.7		
6/24/2019	15	60	1.2	1.7		
6/25/2019	25	100	2.0	1.7		
6/26/2019	20	80	1.6	1.7		
6/27/2019	20	80	1.6	1.7		
6/28/2019	20	80	1.6	1.6		
6/29/2019				1.5		
6/30/2019				1.5		
7/1/2019	15	60	1.2	1.4		
7/2/2019	20	80	1.6	1.5		
7/3/2019	20	80	1.6	1.5		
7/4/2019				1.5		
7/5/2019	25	100	2.0	1.5		
7/6/2019				1.5		
7/7/2019				1.5		
7/8/2019	15	60	1.2	1.5		
7/9/2019	15	60	1.2	1.5		
7/10/2019	20	80	1.6	1.5		
7/11/2019	30	120	2.4	1.5		
7/12/2019	65	260	5.2	1.7		
7/13/2019				1.7		
7/14/2019				1.7		
7/15/2019	15	60	1.2	1.7		
7/16/2019	20	80	1.6	1.7		
7/17/2019	25	100	2.0	1.7		
7/18/2019	15	60	1.2	1.7		
7/19/2019	30	120	2.4	1.8		
7/20/2019				1.8		
7/21/2019				1.8		
7/22/2019	25	100	2.0	1.8		
7/23/2019	15	60	1.2	1.8		
7/24/2019	20	80	1.6	1.8		
7/25/2019	20	80	1.6	1.8		
7/26/2019	10	40	0.8	1.7		
7/27/2019				1.8		
7/28/2019				1.8		
7/29/2019	15	60	1.2	1.7		
7/30/2019	20	80	1.6	1.7		
7/31/2019	20	80	1.6	1.7		
8/1/2019	20	80	1.6	1.7		
8/2/2019	20	80	1.6	1.7		
8/3/2019				1.7		
8/4/2019				1.7		
8/5/2019	15	60	1.2	1.7		
8/6/2019	15	60	1.2	1.7		
8/7/2019	20	80	1.6	1.7		
8/8/2019	35	140	2.8	1.8		
8/9/2019	30	120	2.4	1.8		
8/10/2019				1.8		
8/11/2019				1.6		
8/12/2019	20	80	1.6	1.6		
8/13/2019	15	60	1.2	1.6		
8/14/2019	25	100	2.0	1.6		
8/15/2019	20	80	1.6	1.6		

MT. CARBERRY LANDFILL  
 PHASE I - EAST  
 LEAK DETECTION MONITORING  
 NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 19.1 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
8/16/2019	30	120	2.4	1.6		
8/17/2019				1.7		
8/18/2019				1.6		
8/19/2019	25	100	2.0	1.7		
8/20/2019	25	100	2.0	1.7		
8/21/2019	45	180	3.6	1.7		
8/22/2019	30	120	2.4	1.8		
8/23/2019	15	60	1.2	1.8		
8/24/2019				1.8		
8/25/2019				1.8		
8/26/2019	15	60	1.2	1.8		
8/27/2019	10	40	0.8	1.8		
8/28/2019	45	180	3.6	1.9		
8/29/2019	25	100	2.0	1.9		
8/30/2019	15	60	1.2	1.9		
8/31/2019				1.9		
9/1/2019				1.9		
9/2/2019				1.9		
9/3/2019	25	100	2.0	1.9		
9/4/2019	20	80	1.6	1.9		
9/5/2019	35	140	2.8	2.0		
9/6/2019	20	80	1.6	2.0		
9/7/2019				2.0		
9/8/2019				1.9		
9/9/2019	15	60	1.2	1.9		
9/10/2019	15	60	1.2	1.9		
9/11/2019	50	200	4.0	2.0		
9/12/2019	20	80	1.6	2.0		
9/13/2019	15	60	1.2	2.0		
9/14/2019				2.0		
9/15/2019				1.9		
9/16/2019	15	60	1.2	1.9		
9/17/2019	15	60	1.2	1.9		
9/18/2019	20	80	1.6	1.9		
9/19/2019	25	100	2.0	1.9		
9/20/2019	30	120	2.4	1.8		
9/21/2019				1.8		
9/22/2019				1.8		
9/23/2019	55	220	4.4	1.9		
9/24/2019	25	100	2.0	1.9		
9/25/2019	30	120	2.4	2.0		
9/26/2019	20	80	1.6	2.0		
9/27/2019	35	140	2.8	2.0		
9/28/2019				2.0		
9/29/2019				2.0		
9/30/2019	20	80	1.6	2.0		
10/1/2019	50	200	4.0	2.1		
10/2/2019	30	120	2.4	2.1		
10/3/2019	15	60	1.2	2.1		
10/4/2019	30	120	2.4	2.1		
10/5/2019				2.1		
10/6/2019				2.1		
10/7/2019	30	120	2.4	2.1		
10/8/2019	15	60	1.2	2.1		
10/9/2019	15	60	1.2	2.1		
10/10/2019	20	80	1.6	2.1		
10/11/2019	30	120	2.4	2.0		
10/12/2019				2.0		
10/13/2019				2.1		
10/14/2019	35	140	2.8	2.1		
10/15/2019	10	40	0.8	2.1		
10/16/2019	10	40	0.8	2.0		
10/17/2019	160	640	12.7	2.6		
10/18/2019	0	0	0.0	2.5		
10/19/2019				2.5		
10/20/2019				2.5		
10/21/2019	25	100	2.0	2.5		
10/22/2019	20	80	1.6	2.5		
10/23/2019	30	120	2.4	2.4		
10/24/2019	15	60	1.2	2.3		
10/25/2019	15	60	1.2	2.3		
10/26/2019				2.3		
10/27/2019				2.3		
10/28/2019	15	60	1.2	2.2		
10/29/2019	15	60	1.2	2.2		
10/30/2019		0	0.0	2.1		

MT. CARBERRY LANDFILL  
 PHASE I - EAST  
 LEAK DETECTION MONITORING  
 NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 19.1 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
10/31/2019	20	80	1.6	2.0		
11/1/2019	30	120	2.4	2.0		
11/2/2019				2.0		
11/3/2019				2.0		
11/4/2019	15	60	1.2	2.0		
11/5/2019	20	80	1.6	2.0		
11/6/2019	15	60	1.2	1.9		
11/7/2019	40	160	3.2	2.0		
11/8/2019	35	140	2.8	2.1		
11/9/2019				2.1		
11/10/2019				2.1		
11/11/2019	25	100	2.0	2.1		
11/12/2019	35	140	2.8	2.1		
11/13/2019	5	20	0.4	2.0		
11/14/2019	30	120	2.4	2.1		
11/15/2019	40	160	3.2	2.2		
11/16/2019				1.7		
11/17/2019				1.8		
11/18/2019	25	100	2.0	1.8		
11/19/2019	35	140	2.8	1.8		
11/20/2019	25	100	2.0	1.8		
11/21/2019	20	80	1.6	1.8		
11/22/2019	30	120	2.4	1.8		
11/23/2019				1.9		
11/24/2019				1.9		
11/25/2019	20	80	1.6	1.9		
11/26/2019	25	100	2.0	1.9		
11/27/2019	40	160	3.2	2.0		
11/28/2019				2.0		
11/29/2019	25	100	2.0	2.1		
11/30/2019				2.1		
12/1/2019				2.1		
12/2/2019	30	120	2.4	2.1		
12/3/2019	25	100	2.0	2.1		
12/4/2019	10	40	0.8	2.1		
12/5/2019	5	20	0.4	2.0		
12/6/2019				2.1		
12/7/2019				2.0		
12/8/2019				2.0		
12/9/2019	45	180	3.6	2.1		
12/10/2019	40	160	3.2	2.1		
12/11/2019	5	20	0.4	2.1		
12/12/2019	0	0	0.0	1.9		
12/13/2019	35	140	2.8	2.0		
12/14/2019				2.0		
12/15/2019				1.9		
12/16/2019	15	60	1.2	1.9		
12/17/2019	30	120	2.4	1.9		
12/18/2019	30	120	2.4	2.0		
12/19/2019	0	0	0.0	1.8		
12/20/2019	5	20	0.4	1.7		
12/21/2019				1.7		
12/22/2019				1.7		
12/23/2019	28	112	2.2	1.7		
12/24/2019	15	60	1.2	1.7		
12/25/2019				1.7		
12/26/2019	5	20	0.4	1.6		
12/27/2019	45	180	3.6	1.6		
12/28/2019				1.6		
12/29/2019				1.6		
12/30/2019	30	120	2.4	1.7		
12/31/2019	60	240	4.8	1.8		
1/1/2020				1.8		
1/2/2020	15	60	1.2	1.8		
1/3/2020	10	40	0.8	1.8		
1/4/2020				1.8		
1/5/2020				1.8		
1/6/2020	30	120	2.4	1.9		
1/7/2020	25	100	2.0	1.9		
1/8/2020	30	120	2.4	1.8		
1/9/2020	25	100	2.0	1.7		
1/10/2020	5	20	0.4	1.7		
1/11/2020				1.8		
1/12/2020				1.8		
1/13/2020	15	60	1.2	1.8		
1/14/2020	40	160	3.2	1.8		

MT. CARBERRY LANDFILL  
 PHASE I - EAST  
 LEAK DETECTION MONITORING  
 NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 19.1 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
1/15/2020	25	100	2.0	1.9		
1/16/2020	40	160	3.2	1.9		
1/17/2020	0	0	0.0	1.8		
1/18/2020				1.9		
1/19/2020				2.0		
1/20/2020	0	0	0.0	1.9		
1/21/2020	15	60	1.2	1.8		
1/22/2020	20	80	1.6	1.8		
1/23/2020	30	120	2.4	1.9		
1/24/2020	25	100	2.0	1.9		
1/25/2020				1.9		
1/26/2020				1.8		
1/27/2020	30	120	2.4	1.9		
1/28/2020	20	80	1.6	1.9		
1/29/2020	20	80	1.6	1.8		
1/30/2020	5	20	0.4	1.6		
1/31/2020	20	80	1.6	1.6		
2/1/2020				1.6		
2/2/2020				1.7		
2/3/2020	12	48	1.0	1.6		
2/4/2020	12	48	1.0	1.6		
2/5/2020	5	20	0.4	1.5		
2/6/2020	50	200	4.0	1.6		
2/7/2020	82	328	6.5	1.8		
2/8/2020				1.8		
2/9/2020				1.9		
2/10/2020	34	136	2.7	1.9		
2/11/2020	22	88	1.8	1.9		
2/12/2020	15	60	1.2	1.9		
2/13/2020	48	192	3.8	1.9		
2/14/2020	25	100	2.0	1.9		
2/15/2020				1.9		
2/16/2020				2.0		
2/17/2020	6	24	0.5	1.9		
2/18/2020	0	0	0.0	1.8		
2/19/2020	16	64	1.3	1.9		
2/20/2020	15	60	1.2	1.9		
2/21/2020	5	20	0.4	1.8		
2/22/2020				1.8		
2/23/2020				1.8		
2/24/2020	48	192	3.8	1.9		
2/25/2020	60	240	4.8	2.0		
2/26/2020	18	72	1.4	1.9		
2/27/2020	22	88	1.8	2.0		
2/28/2020	8	32	0.6	1.9		
2/29/2020				2.0		
3/1/2020				2.0		
3/2/2020	42	168	3.3	2.1		
3/3/2020	32	128	2.5	2.1		
3/4/2020	50	200	4.0	2.2		
3/5/2020	40	160	3.2	2.3		
3/6/2020	30	120	2.4	2.4		
3/7/2020				2.3		
3/8/2020				2.1		
3/9/2020	36	144	2.9	2.2		
3/10/2020	42	168	3.3	2.2		
3/11/2020	8	32	0.6	2.1		
3/12/2020	25	100	2.0	2.1		
3/13/2020	20	80	1.6	2.2		
3/14/2020				2.1		
3/15/2020				2.1		
3/16/2020	15	60	1.2	2.0		
3/17/2020	52	208	4.1	2.1		
3/18/2020	6	24	0.5	2.1		
3/19/2020	10	40	0.8	2.2		
3/20/2020	80	320	6.4	2.4		
3/21/2020				2.5		
3/22/2020				2.6		
3/23/2020	20	80	1.6	2.5		
3/24/2020	27	108	2.2	2.5		
3/25/2020	50	200	4.0	2.5		
3/26/2020	30	120	2.4	2.4		
3/27/2020	10	40	0.8	2.4		
3/28/2020				2.4		
3/29/2020				2.5		
3/30/2020	15	60	1.2	2.4		

MT. CARBERRY LANDFILL  
 PHASE I - EAST  
 LEAK DETECTION MONITORING  
 NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 19.1 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
3/31/2020	22	88	1.8	2.4		
4/1/2020	25	100	2.0	2.3		
4/2/2020	40	160	3.2	2.4		
4/3/2020	20	80	1.6	2.3		
4/4/2020				2.2		
4/5/2020				2.2		
4/6/2020	24	96	1.9	2.2		
4/7/2020	32	128	2.5	2.2		
4/8/2020	32	128	2.5	2.2		
4/9/2020	40	160	3.2	2.2		
4/10/2020	22	88	1.8	2.2		
4/11/2020				2.2		
4/12/2020				2.3		
4/13/2020	34	136	2.7	2.3		
4/14/2020	3	12	0.2	2.2		
4/15/2020	24	96	1.9	2.2		
4/16/2020	20	80	1.6	2.1		
4/17/2020	24	96	1.9	2.2		
4/18/2020				2.3		
4/19/2020				2.0		
4/20/2020	12	48	1.0	2.0		
4/21/2020	42	168	3.3	2.1		
4/22/2020	28	112	2.2	2.1		
4/23/2020	10	40	0.8	2.0		
4/24/2020	20	80	1.6	1.9		
4/25/2020				1.9		
4/26/2020				1.9		
4/27/2020	20	80	1.6	1.9		
4/28/2020	22	88	1.8	1.9		
4/29/2020	16	64	1.3	1.9		
4/30/2020	32	128	2.5	2.0		
5/1/2020	76	304	6.1	2.1		
5/2/2020				2.1		
5/3/2020				2.1		
5/4/2020	18	72	1.4	2.1		
5/5/2020	32	128	2.5	2.1		
5/6/2020	26	104	2.1	2.1		
5/7/2020	30	120	2.4	2.1		
5/8/2020	28	112	2.2	2.1		
5/9/2020				2.0		
5/10/2020				2.1		
5/11/2020	25	100	2.0	2.1		
5/12/2020	20	80	1.6	2.0		
5/13/2020	15	60	1.2	2.0		
5/14/2020	30	120	2.4	2.1		
5/15/2020	50	200	4.0	2.2		
5/16/2020				2.2		
5/17/2020				2.2		
5/18/2020	30	120	2.4	2.2		
5/19/2020	16	64	1.3	2.2		
5/20/2020	40	160	3.2	2.3		
5/21/2020	20	80	1.6	2.2		
5/22/2020	34	136	2.7	2.2		
5/23/2020				2.3		
5/24/2020				2.3		
5/25/2020				2.3		
5/26/2020	20	80	1.6	2.3		
5/27/2020	30	120	2.4	2.3		
5/28/2020	24	96	1.9	2.3		
5/29/2020	59	236	4.7	2.5		
5/30/2020		0	0.0	2.4		
5/31/2020		0	0.0	2.1		
6/1/2020	18	72	1.4	2.0		
6/2/2020	34	136	2.7	2.1		
6/3/2020	32	128	2.5	2.1		
6/4/2020	25	100	2.0	2.1		
6/5/2020	10	40	0.8	2.0		
6/6/2020				2.0		
6/7/2020				2.0		
6/8/2020	20	80	1.6	2.0		
6/9/2020	32	128	2.5	2.0		
6/10/2020	10	40	0.8	2.0		
6/11/2020	35	140	2.8	2.0		
6/12/2020	34	136	2.7	2.1		
6/13/2020				2.1		
6/14/2020				2.0		

MT. CARBERRY LANDFILL  
 PHASE I - EAST  
 LEAK DETECTION MONITORING  
 NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 19.1 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
6/15/2020	36	144	2.9	2.0		
6/16/2020	72	288	5.7	2.2		
6/17/2020	44	176	3.5	2.2		
6/18/2020	20	80	1.6	2.2		
6/19/2020	5	20	0.4	2.1		
6/20/2020				2.2		
6/21/2020				2.1		
6/22/2020	30	120	2.4	2.1		
6/23/2020	25	100	2.0	2.1		
6/24/2020	26	104	2.1	2.1		
6/25/2020	26	104	2.1	2.1		
6/26/2020	40	160	3.2	2.2		
6/27/2020				2.2		
6/28/2020				2.1		
6/29/2020	32	128	2.5	2.2		
6/30/2020	36	144	2.9	2.3		
7/1/2020	34	136	2.7	2.4		
7/2/2020	30	120	2.4	2.4		
7/3/2020	25	100	2.0	2.3		
7/4/2020				2.4		
7/5/2020				2.4		
7/6/2020	20	80	1.6	2.4		
7/7/2020	30	120	2.4	2.4		
7/8/2020	25	100	2.0	2.4		
7/9/2020	15	60	1.2	2.4		
7/10/2020	15	60	1.2	2.4		
7/11/2020				2.4		
7/12/2020				2.3		
7/13/2020	15	60	1.2	2.3		
7/14/2020	14	56	1.1	2.2		
7/15/2020	20	80	1.6	2.2		
7/16/2020	25	100	2.0	2.0		
7/17/2020	35	140	2.8	2.0		
7/18/2020				2.0		
7/19/2020				2.1		
7/20/2020	44	176	3.5	2.1		
7/21/2020	20	80	1.6	2.1		
7/22/2020	20	80	1.6	2.1		
7/23/2020	15	60	1.2	2.0		
7/24/2020	20	80	1.6	2.0		
7/25/2020				2.0		
7/26/2020				2.0		
7/27/2020	25	100	2.0	2.0		
7/28/2020	20	80	1.6	1.9		
7/29/2020	15	60	1.2	1.9		
7/30/2020	30	120	2.4	1.9		
7/31/2020	22	88	1.8	1.8		
8/1/2020				1.8		
8/2/2020				1.8		
8/3/2020	20	80	1.6	1.8		
8/4/2020	15	60	1.2	1.7		
8/5/2020	20	80	1.6	1.7		
8/6/2020	10	40	0.8	1.7		
8/7/2020	18	72	1.4	1.6		
8/8/2020				1.7		
8/9/2020				1.7		
8/10/2020	50	200	4.0	1.8		
8/11/2020	45	180	3.6	1.9		
8/12/2020	25	100	2.0	1.9		
8/13/2020	20	80	1.6	1.9		
8/14/2020	15	60	1.2	1.9		
8/15/2020				1.9		
8/16/2020				1.9		
8/17/2020	15	60	1.2	1.8		
8/18/2020	25	100	2.0	1.8		
8/19/2020	20	80	1.6	1.8		
8/20/2020	20	80	1.6	1.8		
8/21/2020	20	80	1.6	1.8		
8/22/2020				1.8		
8/23/2020				1.8		
8/24/2020	20	80	1.6	1.8		
8/25/2020	15	60	1.2	1.8		
8/26/2020	15	60	1.2	1.7		
8/27/2020	10	40	0.8	1.7		
8/28/2020	10	40	0.8	1.7		
8/29/2020				1.6		

MT. CARBERRY LANDFILL  
 PHASE I - EAST  
 LEAK DETECTION MONITORING  
 NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 19.1 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
8/30/2020				1.6		
8/31/2020	10	40	0.8	1.6		
9/1/2020	28	112	2.2	1.6		
9/2/2020	25	100	2.0	1.6		
9/3/2020	20	80	1.6	1.7		
9/4/2020	25	100	2.0	1.7		
9/5/2020				1.7		
9/6/2020				1.7		
9/7/2020				1.7		
9/8/2020	25	100	2.0	1.7		
9/9/2020	25	100	2.0	1.6		
9/10/2020	25	100	2.0	1.6		
9/11/2020	25	100	2.0	1.6		
9/12/2020				1.6		
9/13/2020				1.6		
9/14/2020	20	80	1.6	1.6		
9/15/2020	25	100	2.0	1.6		
9/16/2020	35	140	2.8	1.7		
9/17/2020	35	140	2.8	1.7		
9/18/2020	40	160	3.2	1.8		
9/19/2020				1.8		
9/20/2020				1.8		
9/21/2020	25	100	2.0	1.8		
9/22/2020	50	200	4.0	1.9		
9/23/2020	30	120	2.4	2.0		
9/24/2020	20	80	1.6	2.0		
9/25/2020	15	60	1.2	2.0		
9/26/2020				2.0		
9/27/2020				2.1		
9/28/2020	30	120	2.4	2.1		
9/29/2020	25	100	2.0	2.1		
9/30/2020	30	120	2.4	2.2		

MT. CARBERRY LANDFILL  
 PHASE I - WEST  
 LEAK DETECTION MONITORING  
 NOTE: IF **S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 18.7 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
1/1/2019				2.2		
1/2/2019	0	0	0.0	1.8		
1/3/2019	45	180	3.7	1.9		
1/4/2019	25	100	2.0	2.0		
1/5/2019	25	100	2.0	1.9		
1/6/2019				1.9		
1/7/2019				1.9		
1/8/2019	15	60	1.2	1.9		
1/9/2019	5	20	0.4	1.8		
1/10/2019	10	40	0.8	1.8		
1/11/2019	5	20	0.4	1.7		
1/12/2019				1.8		
1/13/2019				1.8		
1/14/2019	10	40	0.8	1.8		
1/15/2019				1.8		
1/16/2019				1.6		
1/17/2019				1.7		
1/18/2019	30	120	2.4	1.8		
1/19/2019				1.7		
1/20/2019				1.6		
1/21/2019	5	20	0.4	1.5		
1/22/2019	0	0	0.0	1.4		
1/23/2019	30	120	2.4	1.5		
1/24/2019	2900	11600	236.0	14.5		
1/25/2019	100	400	8.1	14.9		
1/26/2019				15.7		
1/27/2019				16.4		
1/28/2019	20	80	1.6	15.5		
1/29/2019	35	140	2.8	14.8		
1/30/2019	35	140	2.8	14.9		
1/31/2019	15	60	1.2	14.2		
2/1/2019	15	60	1.2	14.2		
2/2/2019				14.8		
2/3/2019				15.6		
2/4/2019	15	60	1.2	15.5		
2/5/2019	90	360	7.3	15.1		
2/6/2019	75	300	6.1	14.6		
2/7/2019	30	120	2.4	14.7		
2/8/2019	30	120	2.4	14.8		
2/9/2019				15.6		
2/10/2019				16.4		
2/11/2019	20	80	1.6	15.6		
2/12/2019	20	80	1.6	14.9		
2/13/2019	20	80	1.6	14.9		
2/14/2019	5	20	0.4	14.2		
2/15/2019	45	180	3.7	13.7		
2/16/2019				13.7		
2/17/2019				14.3		
2/18/2019	30	120	2.4	13.7		
2/19/2019	0	0	0.0	13.1		
2/20/2019	5	20	0.4	13.1		
2/21/2019	25	100	2.0	13.2		
2/22/2019	0	0	0.0	13.1		
2/23/2019				2.4		
2/24/2019				2.2		
2/25/2019	0	0	0.0	2.1		
2/26/2019	0	0	0.0	2.0		
2/27/2019	0	0	0.0	1.9		
2/28/2019	15	60	1.2	1.8		
3/1/2019	15	60	1.2	1.7		
3/2/2019				1.8		
3/3/2019				1.8		
3/4/2019	15	60	1.2	1.8		
3/5/2019	45	180	3.7	1.8		
3/6/2019	15	60	1.2	1.8		
3/7/2019	15	60	1.2	1.6		
3/8/2019	15	60	1.2	1.4		
3/9/2019				1.3		
3/10/2019				1.2		
3/11/2019	10	40	0.8	1.2		
3/12/2019	5	20	0.4	1.2		
3/13/2019	15	60	1.2	1.2		
3/14/2019	15	60	1.2	1.1		
3/15/2019	15	60	1.2	1.1		
3/16/2019				1.2		
3/17/2019				1.0		

MT. CARBERRY LANDFILL  
 PHASE I - WEST  
 LEAK DETECTION MONITORING  
 NOTE: IF **S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 18.7 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
3/18/2019	10	40	0.8	1.0		
3/19/2019	15	60	1.2	1.0		
3/20/2019	20	80	1.6	1.0		
3/21/2019	30	120	2.4	1.1		
3/22/2019	85	340	6.9	1.4		
3/23/2019				1.4		
3/24/2019				1.4		
3/25/2019	15	60	1.2	1.4		
3/26/2019	5	20	0.4	1.4		
3/27/2019	20	80	1.6	1.5		
3/28/2019	25	100	2.0	1.6		
3/29/2019	30	120	2.4	1.7		
3/30/2019				1.7		
3/31/2019				1.7		
4/1/2019	15	60	1.2	1.7		
4/2/2019	15	60	1.2	1.7		
4/3/2019	85	340	6.9	1.9		
4/4/2019	40	160	3.3	1.9		
4/5/2019	30	120	2.4	2.0		
4/6/2019				2.0		
4/7/2019				2.0		
4/8/2019	45	180	3.7	2.1		
4/9/2019	20	80	1.6	2.1		
4/10/2019	30	120	2.4	2.2		
4/11/2019	15	60	1.2	2.2		
4/12/2019	15	60	1.2	2.2		
4/13/2019				2.2		
4/14/2019				2.3		
4/15/2019	535	2140	43.5	4.3		
4/16/2019	15	60	1.2	4.1		
4/17/2019	15	60	1.2	4.1		
4/18/2019	30	120	2.4	4.2		
4/19/2019	40	160	3.3	4.3		
4/20/2019				4.4		
4/21/2019				4.2		
4/22/2019	40	160	3.3	4.2		
4/23/2019	265	1060	21.6	5.0		
4/24/2019	50	200	4.1	5.1		
4/25/2019	60	240	4.9	5.3		
4/26/2019	175	700	14.2	5.9		
4/27/2019				6.1		
4/28/2019				6.2		
4/29/2019	80	320	6.5	6.3		
4/30/2019	70	280	5.7	6.2		
5/1/2019	25	100	2.0	6.3		
5/2/2019	60	240	4.9	6.4		
5/3/2019	50	200	4.1	6.3		
5/4/2019				6.5		
5/5/2019				6.7		
5/6/2019	25	100	2.0	6.4		
5/7/2019	25	100	2.0	6.2		
5/8/2019	15	60	1.2	6.1		
5/9/2019	35	140	2.8	6.2		
5/10/2019	35	140	2.8	6.2		
5/11/2019				6.4		
5/12/2019				6.7		
5/13/2019	85	340	6.9	6.7		
5/14/2019	150	600	12.2	7.0		
5/15/2019	75	300	6.1	5.3		
5/16/2019	35	140	2.8	5.3		
5/17/2019	60	240	4.9	5.5		
5/18/2019				5.6		
5/19/2019				5.8		
5/20/2019	75	300	6.1	5.8		
5/21/2019	65	260	5.3	5.8		
5/22/2019	0	0	0.0	5.6		
5/23/2019	10	40	0.8	4.7		
5/24/2019	35	140	2.8	4.6		
5/25/2019				4.6		
5/26/2019				4.1		
5/27/2019				4.1		
5/28/2019	25	100	2.0	4.0		
5/29/2019	35	140	2.8	3.8		
5/30/2019	50	200	4.1	3.8		
5/31/2019	15	60	1.2	3.7		

MT. CARBERRY LANDFILL  
 PHASE I - WEST  
 LEAK DETECTION MONITORING  
 NOTE: IF *'S APPEAR, CALL AVRROD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 18.7 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
6/1/2019				3.7		
6/2/2019				3.6		
6/3/2019	No sample.	Flare down.		3.6		
6/4/2019	No sample.	Flare down.		3.6		
6/5/2019	No sample.	Flare down.		3.7		
6/6/2019	No sample.	Flare down.		3.8		
6/7/2019	No sample.	Flare down.		4.0		
6/8/2019				4.1		
6/9/2019				4.2		
6/10/2019	No sample.	Flare down.		4.2		
6/11/2019	No sample.	Flare down.		4.2		
6/12/2019	No sample.	Flare down.		3.9		
6/13/2019	No sample.	Flare down.		3.3		
6/14/2019	No sample.	Flare down.		3.0		
6/15/2019				3.0		
6/16/2019				2.8		
6/17/2019	25	100	2.0	2.7		
6/18/2019	25	100	2.0	2.7		
6/19/2019	25	100	2.0	2.3		
6/20/2019	35	140	2.8	2.1		
6/21/2019	20	80	1.6	2.2		
6/22/2019				2.4		
6/23/2019				2.3		
6/24/2019	25	100	2.0	2.3		
6/25/2019	25	100	2.0	2.3		
6/26/2019	25	100	2.0	2.2		
6/27/2019	20	80	1.6	2.2		
6/28/2019	25	100	2.0	2.1		
6/29/2019				2.0		
6/30/2019				2.0		
7/1/2019	20	80	1.6	2.0		
7/2/2019	30	120	2.4	2.0		
7/3/2019	30	120	2.4	2.1		
7/4/2019				2.1		
7/5/2019	20	80	1.6	2.0		
7/6/2019				2.0		
7/7/2019				2.0		
7/8/2019	20	80	1.6	2.0		
7/9/2019	25	100	2.0	2.0		
7/10/2019	20	80	1.6	2.0		
7/11/2019	30	120	2.4	2.0		
7/12/2019	30	120	2.4	2.0		
7/13/2019				2.0		
7/14/2019				2.0		
7/15/2019	15	60	1.2	2.0		
7/16/2019	20	80	1.6	2.0		
7/17/2019	25	100	2.0	2.0		
7/18/2019	15	60	1.2	1.9		
7/19/2019	45	180	3.7	2.0		
7/20/2019				2.0		
7/21/2019				2.0		
7/22/2019	35	140	2.8	2.0		
7/23/2019	25	100	2.0	2.0		
7/24/2019	25	100	2.0	2.0		
7/25/2019	25	100	2.0	2.0		
7/26/2019	5	20	0.4	2.0		
7/27/2019				2.0		
7/28/2019				2.0		
7/29/2019	30	120	2.4	2.0		
7/30/2019	5	20	0.4	1.9		
7/31/2019	15	60	1.2	1.9		
8/1/2019	20	80	1.6	1.9		
8/2/2019	10	40	0.8	1.8		
8/3/2019				1.8		
8/4/2019				1.8		
8/5/2019	10	40	0.8	1.7		
8/6/2019	20	80	1.6	1.7		
8/7/2019	15	60	1.2	1.7		
8/8/2019	45	180	3.7	1.8		
8/9/2019	25	100	2.0	1.8		
8/10/2019				1.8		
8/11/2019				1.7		
8/12/2019	25	100	2.0	1.8		
8/13/2019	20	80	1.6	1.8		
8/14/2019	25	100	2.0	1.8		
8/15/2019	10	40	0.8	1.8		

MT. CARBERRY LANDFILL  
 PHASE I - WEST  
 LEAK DETECTION MONITORING  
 NOTE: IF **S APPEAR, CALL AVRROD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 18.7 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
8/16/2019	25	100	2.0	1.8		
8/17/2019				1.8		
8/18/2019				1.7		
8/19/2019	20	80	1.6	1.7		
8/20/2019	25	100	2.0	1.7		
8/21/2019	35	140	2.8	1.7		
8/22/2019	35	140	2.8	1.7		
8/23/2019	15	60	1.2	1.7		
8/24/2019				1.7		
8/25/2019				1.7		
8/26/2019	10	40	0.8	1.7		
8/27/2019	10	40	0.8	1.7		
8/28/2019	40	160	3.3	1.7		
8/29/2019	30	120	2.4	1.8		
8/30/2019	15	60	1.2	1.8		
8/31/2019				1.8		
9/1/2019				1.9		
9/2/2019				1.9		
9/3/2019	30	120	2.4	1.9		
9/4/2019	20	80	1.6	1.9		
9/5/2019	10	40	0.8	1.9		
9/6/2019	5	20	0.4	1.8		
9/7/2019		0	0.0	1.7		
9/8/2019		0	0.0	1.6		
9/9/2019	5	20	0.4	1.5		
9/10/2019	0	0	0.0	1.5		
9/11/2019	45	180	3.7	1.5		
9/12/2019	15	60	1.2	1.5		
9/13/2019	5	20	0.4	1.4		
9/14/2019				1.5		
9/15/2019				1.4		
9/16/2019	10	40	0.8	1.4		
9/17/2019	10	40	0.8	1.4		
9/18/2019	5	20	0.4	1.3		
9/19/2019	15	60	1.2	1.3		
9/20/2019	20	80	1.6	1.2		
9/21/2019				1.2		
9/22/2019				1.2		
9/23/2019	35	140	2.8	1.2		
9/24/2019	30	120	2.4	1.3		
9/25/2019	30	120	2.4	1.4		
9/26/2019	15	60	1.2	1.4		
9/27/2019	25	100	2.0	1.3		
9/28/2019				1.3		
9/29/2019				1.3		
9/30/2019	15	60	1.2	1.3		
10/1/2019	15	60	1.2	1.3		
10/2/2019	15	60	1.2	1.3		
10/3/2019	0	0	0.0	1.2		
10/4/2019	25	100	2.0	1.2		
10/5/2019				1.2		
10/6/2019				1.2		
10/7/2019	25	100	2.0	1.3		
10/8/2019	15	60	1.2	1.4		
10/9/2019	5	20	0.4	1.4		
10/10/2019	15	60	1.2	1.4		
10/11/2019	15	60	1.2	1.3		
10/12/2019				1.3		
10/13/2019				1.4		
10/14/2019	30	120	2.4	1.4		
10/15/2019	15	60	1.2	1.4		
10/16/2019	15	60	1.2	1.4		
10/17/2019	210	840	17.1	2.2		
10/18/2019	0	0	0.0	2.2		
10/19/2019				2.2		
10/20/2019				2.2		
10/21/2019	5	20	0.4	2.2		
10/22/2019	5	20	0.4	2.1		
10/23/2019	30	120	2.4	2.1		
10/24/2019	10	40	0.8	2.0		
10/25/2019	0	0	0.0	1.9		
10/26/2019				1.9		
10/27/2019				1.9		
10/28/2019	5	20	0.4	1.8		
10/29/2019	5	20	0.4	1.8		
10/30/2019	10	40	0.8	1.7		

MT. CARBERRY LANDFILL  
 PHASE I - WEST  
 LEAK DETECTION MONITORING  
 NOTE: IF **S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 18.7 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
10/31/2019	20	80	1.6	1.8		
11/1/2019	30	120	2.4	1.8		
11/2/2019				1.9		
11/3/2019				1.9		
11/4/2019	5	20	0.4	1.8		
11/5/2019	10	40	0.8	1.8		
11/6/2019	10	40	0.8	1.7		
11/7/2019	30	120	2.4	1.8		
11/8/2019	25	100	2.0	1.8		
11/9/2019				1.9		
11/10/2019				1.9		
11/11/2019	30	120	2.4	1.9		
11/12/2019	30	120	2.4	2.0		
11/13/2019	0	0	0.0	1.8		
11/14/2019	30	120	2.4	1.9		
11/15/2019	30	120	2.4	2.0		
11/16/2019				1.2		
11/17/2019				1.3		
11/18/2019	25	100	2.0	1.3		
11/19/2019	30	120	2.4	1.4		
11/20/2019	10	40	0.8	1.4		
11/21/2019	25	100	2.0	1.5		
11/22/2019	30	120	2.4	1.5		
11/23/2019				1.5		
11/24/2019				1.6		
11/25/2019	30	120	2.4	1.6		
11/26/2019	25	100	2.0	1.6		
11/27/2019	25	100	2.0	1.7		
11/28/2019				1.8		
11/29/2019	20	80	1.6	1.8		
11/30/2019				1.8		
12/1/2019				1.8		
12/2/2019	30	120	2.4	1.8		
12/3/2019	20	80	1.6	1.8		
12/4/2019	5	20	0.4	1.8		
12/5/2019	0	0	0.0	1.8		
12/6/2019				1.8		
12/7/2019				1.8		
12/8/2019				1.8		
12/9/2019	15	60	1.2	1.8		
12/10/2019	30	120	2.4	1.8		
12/11/2019	0	0	0.0	1.7		
12/12/2019	0	0	0.0	1.5		
12/13/2019	20	80	1.6	1.6		
12/14/2019				1.6		
12/15/2019				1.5		
12/16/2019	15	60	1.2	1.5		
12/17/2019	45	180	3.7	1.6		
12/18/2019	40	160	3.3	1.7		
12/19/2019	0	0	0.0	1.6		
12/20/2019	0	0	0.0	1.5		
12/21/2019				1.5		
12/22/2019				1.4		
12/23/2019	28	112	2.3	1.5		
12/24/2019	0	0	0.0	1.4		
12/25/2019				1.4		
12/26/2019	10	40	0.8	1.3		
12/27/2019	40	160	3.3	1.4		
12/28/2019				1.4		
12/29/2019				1.3		
12/30/2019	20	80	1.6	1.4		
12/31/2019	70	280	5.7	1.6		
1/1/2020				1.5		
1/2/2020	10	40	0.8	1.5		
1/3/2020	20	80	1.6	1.6		
1/4/2020				1.6		
1/5/2020				1.6		
1/6/2020	20	80	1.6	1.6		
1/7/2020	0	0	0.0	1.6		
1/8/2020	15	60	1.2	1.6		
1/9/2020	5	20	0.4	1.5		
1/10/2020	40	160	3.3	1.6		
1/11/2020				1.7		
1/12/2020				1.7		
1/13/2020	25	100	2.0	1.7		
1/14/2020	50	200	4.1	1.8		

MT. CARBERRY LANDFILL  
 PHASE I - WEST  
 LEAK DETECTION MONITORING  
 NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 18.7 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
1/15/2020	15	60	1.2	1.8		
1/16/2020	30	120	2.4	1.8		
1/17/2020	0	0	0.0	1.6		
1/18/2020				1.7		
1/19/2020				1.8		
1/20/2020	0	0	0.0	1.7		
1/21/2020	20	80	1.6	1.7		
1/22/2020	10	40	0.8	1.6		
1/23/2020	20	80	1.6	1.7		
1/24/2020	20	80	1.6	1.7		
1/25/2020				1.7		
1/26/2020				1.7		
1/27/2020	40	160	3.3	1.7		
1/28/2020	10	40	0.8	1.7		
1/29/2020	15	60	1.2	1.7		
1/30/2020	0	0	0.0	1.4		
1/31/2020	20	80	1.6	1.4		
2/1/2020				1.5		
2/2/2020				1.4		
2/3/2020	8	32	0.7	1.4		
2/4/2020	5	20	0.4	1.4		
2/5/2020	0	0	0.0	1.3		
2/6/2020	40	160	3.3	1.4		
2/7/2020	95	380	7.7	1.7		
2/8/2020				1.8		
2/9/2020				1.7		
2/10/2020	30	120	2.4	1.8		
2/11/2020	15	60	1.2	1.7		
2/12/2020	15	60	1.2	1.7		
2/13/2020	40	160	3.3	1.7		
2/14/2020	5	20	0.4	1.6		
2/15/2020				1.6		
2/16/2020				1.7		
2/17/2020	0	0	0.0	1.6		
2/18/2020	0	0	0.0	1.5		
2/19/2020	8	32	0.7	1.5		
2/20/2020	15	60	1.2	1.5		
2/21/2020	0	0	0.0	1.5		
2/22/2020				1.5		
2/23/2020				1.5		
2/24/2020	28	112	2.3	1.5		
2/25/2020	30	120	2.4	1.5		
2/26/2020	10	40	0.8	1.4		
2/27/2020	8	32	0.7	1.4		
2/28/2020	10	40	0.8	1.4		
2/29/2020				1.5		
3/1/2020				1.5		
3/2/2020	32	128	2.6	1.5		
3/3/2020	30	120	2.4	1.6		
3/4/2020	35	140	2.8	1.7		
3/5/2020	30	120	2.4	1.8		
3/6/2020	15	60	1.2	1.8		
3/7/2020				1.7		
3/8/2020				1.4		
3/9/2020	20	80	1.6	1.5		
3/10/2020	26	104	2.1	1.5		
3/11/2020	6	24	0.5	1.4		
3/12/2020	5	20	0.4	1.4		
3/13/2020	10	40	0.8	1.3		
3/14/2020				1.3		
3/15/2020				1.3		
3/16/2020	10	40	0.8	1.3		
3/17/2020	34	136	2.8	1.3		
3/18/2020	4	16	0.3	1.4		
3/19/2020	24	96	2.0	1.4		
3/20/2020	48	192	3.9	1.6		
3/21/2020				1.6		
3/22/2020				1.7		
3/23/2020	10	40	0.8	1.6		
3/24/2020	18	72	1.5	1.6		
3/25/2020	20	80	1.6	1.6		
3/26/2020	22	88	1.8	1.6		
3/27/2020	15	60	1.2	1.6		
3/28/2020				1.6		
3/29/2020				1.7		
3/30/2020	20	80	1.6	1.7		

MT. CARBERRY LANDFILL  
 PHASE I - WEST  
 LEAK DETECTION MONITORING  
 NOTE: IF *'S APPEAR, CALL AVRRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 18.7 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
3/31/2020	12	48	1.0	1.6		
4/1/2020	5	20	0.4	1.5		
4/2/2020	26	104	2.1	1.5		
4/3/2020	16	64	1.3	1.5		
4/4/2020				1.4		
4/5/2020				1.4		
4/6/2020	24	96	2.0	1.5		
4/7/2020	28	112	2.3	1.5		
4/8/2020	48	192	3.9	1.6		
4/9/2020	35	140	2.8	1.6		
4/10/2020	28	112	2.3	1.7		
4/11/2020				1.8		
4/12/2020				1.8		
4/13/2020	48	192	3.9	1.9		
4/14/2020	15	60	1.2	1.9		
4/15/2020	30	120	2.4	2.0		
4/16/2020	16	64	1.3	1.9		
4/17/2020	24	96	2.0	2.0		
4/18/2020				2.0		
4/19/2020				1.9		
4/20/2020	8	32	0.7	1.8		
4/21/2020	40	160	3.3	1.9		
4/22/2020	26	104	2.1	1.9		
4/23/2020	3	12	0.2	1.9		
4/24/2020	10	40	0.8	1.8		
4/25/2020				1.8		
4/26/2020				1.9		
4/27/2020	18	72	1.5	1.9		
4/28/2020	66	264	5.4	2.0		
4/29/2020	54	216	4.4	2.1		
4/30/2020	28	112	2.3	2.2		
5/1/2020	344	1376	28.0	3.5		
5/2/2020				3.5		
5/3/2020				3.6		
5/4/2020	28	112	2.3	3.6		
5/5/2020	30	120	2.4	3.5		
5/6/2020	16	64	1.3	3.5		
5/7/2020	15	60	1.2	3.4		
5/8/2020	20	80	1.6	3.3		
5/9/2020				3.4		
5/10/2020				3.4		
5/11/2020	20	80	1.6	3.3		
5/12/2020	22	88	1.8	3.3		
5/13/2020	10	40	0.8	3.1		
5/14/2020	20	80	1.6	3.1		
5/15/2020	32	128	2.6	3.1		
5/16/2020				3.2		
5/17/2020				3.3		
5/18/2020	16	64	1.3	3.2		
5/19/2020	6	24	0.5	3.1		
5/20/2020	32	128	2.6	3.2		
5/21/2020	15	60	1.2	3.1		
5/22/2020	28	112	2.3	3.1		
5/23/2020				3.2		
5/24/2020				3.3		
5/25/2020				3.3		
5/26/2020	15	60	1.2	3.2		
5/27/2020	28	112	2.3	3.3		
5/28/2020	31	124	2.5	3.1		
5/29/2020	64	256	5.2	3.2		
5/30/2020				3.2		
5/31/2020				1.9		
6/1/2020	10	40	0.8	1.9		
6/2/2020	28	112	2.3	1.9		
6/3/2020	56	224	4.6	2.0		
6/4/2020	30	120	2.4	2.0		
6/5/2020	10	40	0.8	2.0		
6/6/2020				2.0		
6/7/2020				2.0		
6/8/2020	15	60	1.2	2.0		
6/9/2020	15	60	1.2	1.9		
6/10/2020	5	20	0.4	1.9		
6/11/2020	31	124	2.5	1.9		
6/12/2020	36	144	2.9	2.0		
6/13/2020				2.0		
6/14/2020				2.0		

MT. CARBERRY LANDFILL  
 PHASE I - WEST  
 LEAK DETECTION MONITORING  
 NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 18.7 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
6/15/2020	24	96	2.0	2.0		
6/16/2020	46	184	3.7	2.1		
6/17/2020	44	176	3.6	2.2		
6/18/2020	15	60	1.2	2.2		
6/19/2020	10	40	0.8	2.2		
6/20/2020				2.2		
6/21/2020				2.2		
6/22/2020	30	120	2.4	2.2		
6/23/2020	15	60	1.2	2.2		
6/24/2020	20	80	1.6	2.1		
6/25/2020	20	80	1.6	2.2		
6/26/2020	26	104	2.1	2.1		
6/27/2020				2.1		
6/28/2020				2.0		
6/29/2020	120	480	9.8	2.3		
6/30/2020	42	168	3.4	2.4		
7/1/2020	104	416	8.5	2.7		
7/2/2020	35	140	2.8	2.8		
7/3/2020	40	160	3.3	2.7		
7/4/2020				2.7		
7/5/2020				2.8		
7/6/2020	35	140	2.8	2.8		
7/7/2020	62	248	5.0	2.9		
7/8/2020	42	168	3.4	3.0		
7/9/2020	25	100	2.0	3.1		
7/10/2020	25	100	2.0	3.1		
7/11/2020				3.2		
7/12/2020				3.2		
7/13/2020	25	100	2.0	3.1		
7/14/2020	21	84	1.7	3.1		
7/15/2020	10	40	0.8	3.0		
7/16/2020	20	80	1.6	2.9		
7/17/2020	40	160	3.3	2.9		
7/18/2020				3.0		
7/19/2020				3.1		
7/20/2020	84	336	6.8	3.3		
7/21/2020	34	136	2.8	3.2		
7/22/2020	20	80	1.6	3.2		
7/23/2020	20	80	1.6	3.2		
7/24/2020	25	100	2.0	3.2		
7/25/2020				3.3		
7/26/2020				3.4		
7/27/2020	10	40	0.8	3.3		
7/28/2020	5	20	0.4	3.1		
7/29/2020	15	60	1.2	2.7		
7/30/2020	5	20	0.4	2.6		
7/31/2020	40	160	3.3	2.4		
8/1/2020				2.3		
8/2/2020				2.3		
8/3/2020	15	60	1.2	2.2		
8/4/2020	15	60	1.2	2.2		
8/5/2020	15	60	1.2	2.1		
8/6/2020	5	20	0.4	1.9		
8/7/2020	25	100	2.0	1.8		
8/8/2020				1.8		
8/9/2020				1.8		
8/10/2020	70	280	5.7	2.0		
8/11/2020	35	140	2.8	2.0		
8/12/2020	20	80	1.6	2.0		
8/13/2020	15	60	1.2	2.0		
8/14/2020	20	80	1.6	2.0		
8/15/2020				2.1		
8/16/2020				2.0		
8/17/2020	15	60	1.2	2.0		
8/18/2020	20	80	1.6	2.0		
8/19/2020	25	100	2.0	1.7		
8/20/2020	20	80	1.6	1.7		
8/21/2020	15	60	1.2	1.7		
8/22/2020				1.7		
8/23/2020				1.6		
8/24/2020	25	100	2.0	1.7		
8/25/2020	20	80	1.6	1.7		
8/26/2020	15	60	1.2	1.7		
8/27/2020	15	60	1.2	1.7		
8/28/2020	20	80	1.6	1.7		
8/29/2020				1.8		

MT. CARBERRY LANDFILL  
 PHASE I - WEST  
 LEAK DETECTION MONITORING  
 NOTE: IF **S APPEAR, CALL AVRROD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 18.7 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
8/30/2020				1.7		
8/31/2020	15	60	1.2	1.7		
9/1/2020	16	64	1.3	1.7		
9/2/2020	15	60	1.2	1.7		
9/3/2020	20	80	1.6	1.7		
9/4/2020	20	80	1.6	1.7		
9/5/2020				1.8		
9/6/2020				1.8		
9/7/2020				1.8		
9/8/2020	15	60	1.2	1.7		
9/9/2020	20	80	1.6	1.6		
9/10/2020	25	100	2.0	1.5		
9/11/2020	20	80	1.6	1.5		
9/12/2020				1.5		
9/13/2020				1.5		
9/14/2020	15	60	1.2	1.5		
9/15/2020	20	80	1.6	1.5		
9/16/2020	20	80	1.6	1.5		
9/17/2020	35	140	2.8	1.6		
9/18/2020	40	160	3.3	1.7		
9/19/2020				1.7		
9/20/2020				1.7		
9/21/2020	35	140	2.8	1.7		
9/22/2020	65	260	5.3	1.9		
9/23/2020	25	100	2.0	1.9		
9/24/2020	20	80	1.6	1.9		
9/25/2020	10	40	0.8	1.9		
9/26/2020				1.9		
9/27/2020				1.9		
9/28/2020	30	120	2.4	2.0		
9/29/2020	36	144	2.9	2.0		
9/30/2020	45	180	3.7	2.1		

MT. CARBERRY LANDFILL  
 PHASE II - WEST (A)  
 LEAK DETECTION MONITORING  
 NOTE: IF *'S APPEAR, CALL AVRROD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 14.7 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
1/1/2019				2.5		
1/2/2019	0	0	0.0	2.4		
1/3/2019	15	60	1.6	2.5		
1/4/2019	20	80	2.1	2.5		
1/5/2019	5	20	0.5	1.3		
1/6/2019				1.3		
1/7/2019				1.3		
1/8/2019	25	100	2.6	1.3		
1/9/2019	15	60	1.6	1.3		
1/10/2019	10	40	1.0	1.3		
1/11/2019	25	100	2.6	1.4		
1/12/2019				1.4		
1/13/2019				1.4		
1/14/2019	5	20	0.5	1.4		
1/15/2019				1.4		
1/16/2019				1.4		
1/17/2019				1.5		
1/18/2019	15	60	1.6	1.5		
1/19/2019				1.5		
1/20/2019				1.4		
1/21/2019	15	60	1.6	1.5		
1/22/2019	0	0	0.0	1.4		
1/23/2019	5	20	0.5	1.2		
1/24/2019	0	0	0.0	1.2		
1/25/2019	20	80	2.1	1.2		
1/26/2019				1.2		
1/27/2019				1.1		
1/28/2019	15	60	1.6	1.2		
1/29/2019	45	180	4.7	1.4		
1/30/2019	0	0	0.0	1.4		
1/31/2019	25	100	2.6	1.4		
2/1/2019	0	0	0.0	1.4		
2/2/2019				1.4		
2/3/2019				1.4		
2/4/2019	15	60	1.6	1.4		
2/5/2019	75	300	7.8	1.8		
2/6/2019	15	60	1.6	1.8		
2/7/2019	15	60	1.6	1.7		
2/8/2019	15	60	1.6	1.7		
2/9/2019				1.8		
2/10/2019				1.7		
2/11/2019	15	60	1.6	1.7		
2/12/2019	5	20	0.5	1.6		
2/13/2019	10	40	1.0	1.7		
2/14/2019	15	60	1.6	1.7		
2/15/2019	20	80	2.1	1.7		
2/16/2019				1.7		
2/17/2019				1.7		
2/18/2019	15	60	1.6	1.7		
2/19/2019	15	60	1.6	1.7		
2/20/2019	5	20	0.5	1.6		
2/21/2019	15	60	1.6	1.7		
2/22/2019	5	20	0.5	1.7		
2/23/2019				1.8		
2/24/2019				1.8		
2/25/2019	5	20	0.5	1.7		
2/26/2019	0	0	0.0	1.6		
2/27/2019	0	0	0.0	1.6		
2/28/2019	25	100	2.6	1.5		
3/1/2019	15	60	1.6	1.5		
3/2/2019				1.5		
3/3/2019				1.6		
3/4/2019	15	60	1.6	1.6		
3/5/2019	15	60	1.6	1.6		
3/6/2019	15	60	1.6	1.6		
3/7/2019	15	60	1.6	1.3		
3/8/2019	15	60	1.6	1.3		
3/9/2019				1.3		
3/10/2019				1.2		
3/11/2019	15	60	1.6	1.3		
3/12/2019	15	60	1.6	1.3		
3/13/2019	20	80	2.1	1.3		
3/14/2019	5	20	0.5	1.3		
3/15/2019	5	20	0.5	1.3		
3/16/2019				1.3		
3/17/2019				1.2		

MT. CARBERRY LANDFILL  
 PHASE II - WEST (A)  
 LEAK DETECTION MONITORING  
 NOTE: IF *'S APPEAR, CALL AVRROD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 14.7 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
3/18/2019	15	60	1.6	1.2		
3/19/2019	15	60	1.6	1.2		
3/20/2019	20	80	2.1	1.3		
3/21/2019	15	60	1.6	1.3		
3/22/2019	30	120	3.1	1.4		
3/23/2019				1.4		
3/24/2019				1.4		
3/25/2019	15	60	1.6	1.4		
3/26/2019	20	80	2.1	1.5		
3/27/2019	20	80	2.1	1.5		
3/28/2019	15	60	1.6	1.6		
3/29/2019	20	80	2.1	1.7		
3/30/2019				1.7		
3/31/2019				1.7		
4/1/2019	15	60	1.6	1.7		
4/2/2019	15	60	1.6	1.6		
4/3/2019	15	60	1.6	1.6		
4/4/2019	15	60	1.6	1.6		
4/5/2019	15	60	1.6	1.6		
4/6/2019				1.7		
4/7/2019				1.7		
4/8/2019	20	80	2.1	1.7		
4/9/2019	15	60	1.6	1.7		
4/10/2019	15	60	1.6	1.7		
4/11/2019	15	60	1.6	1.7		
4/12/2019	15	60	1.6	1.6		
4/13/2019				1.7		
4/14/2019				1.8		
4/15/2019	15	60	1.6	1.7		
4/16/2019	15	60	1.6	1.7		
4/17/2019	5	20	0.5	1.7		
4/18/2019	5	20	0.5	1.6		
4/19/2019	15	60	1.6	1.6		
4/20/2019				1.6		
4/21/2019				1.6		
4/22/2019	15	60	1.6	1.6		
4/23/2019	15	60	1.6	1.6		
4/24/2019	15	60	1.6	1.6		
4/25/2019	20	80	2.1	1.6		
4/26/2019	15	60	1.6	1.5		
4/27/2019				1.5		
4/28/2019				1.5		
4/29/2019	15	60	1.6	1.5		
4/30/2019	15	60	1.6	1.5		
5/1/2019	5	20	0.5	1.5		
5/2/2019	15	60	1.6	1.5		
5/3/2019	15	60	1.6	1.5		
5/4/2019				1.5		
5/5/2019				1.4		
5/6/2019	15	60	1.6	1.5		
5/7/2019	15	60	1.6	1.5		
5/8/2019	15	60	1.6	1.4		
5/9/2019	15	60	1.6	1.4		
5/10/2019	10	40	1.0	1.4		
5/11/2019				1.4		
5/12/2019				1.4		
5/13/2019	20	80	2.1	1.4		
5/14/2019	15	60	1.6	1.4		
5/15/2019	20	80	2.1	1.5		
5/16/2019	15	60	1.6	1.5		
5/17/2019	15	60	1.6	1.5		
5/18/2019				1.6		
5/19/2019				1.6		
5/20/2019	15	60	1.6	1.6		
5/21/2019	35	140	3.6	1.6		
5/22/2019	5	20	0.5	1.6		
5/23/2019	35	140	3.6	1.7		
5/24/2019	15	60	1.6	1.7		
5/25/2019				1.7		
5/26/2019				1.7		
5/27/2019				1.7		
5/28/2019	15	60	1.6	1.7		
5/29/2019	15	60	1.6	1.7		
5/30/2019	15	60	1.6	1.7		
5/31/2019	15	60	1.6	1.7		

MT. CARBERRY LANDFILL  
 PHASE II - WEST (A)  
 LEAK DETECTION MONITORING  
 NOTE: IF *'S APPEAR, CALL AVRROD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 14.7 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
6/1/2019						
6/2/2019						
6/3/2019	No sample.	Flare down.				
6/4/2019	No sample.	Flare down.				
6/5/2019	No sample.	Flare down.				
6/6/2019	No sample.	Flare down.				
6/7/2019	No sample.	Flare down.				
6/8/2019						
6/9/2019						
6/10/2019	No sample.	Flare down.				
6/11/2019	No sample.	Flare down.				
6/12/2019	No sample.	Flare down.				
6/13/2019	No sample.	Flare down.				
6/14/2019	No sample.	Flare down.				
6/15/2019						
6/16/2019						
6/17/2019	25	100	2.6	2.0		
6/18/2019	15	60	1.6	1.9		
6/19/2019	15	60	1.6	1.9		
6/20/2019	15	60	1.6	1.7		
6/21/2019	15	60	1.6	1.8		
6/22/2019				1.7		
6/23/2019				1.7		
6/24/2019	15	60	1.6	1.7		
6/25/2019	15	60	1.6	1.6		
6/26/2019	15	60	1.6	1.6		
6/27/2019	15	60	1.6	1.6		
6/28/2019	15	60	1.6	1.6		
6/29/2019				1.6		
6/30/2019				1.7		
7/1/2019	15	60	1.6	1.6		
7/2/2019	15	60	1.6	1.6		
7/3/2019	15	60	1.6	1.6		
7/4/2019				1.6		
7/5/2019	10	40	1.0	1.6		
7/6/2019				1.6		
7/7/2019				1.6		
7/8/2019	15	60	1.6	1.6		
7/9/2019	15	60	1.6	1.6		
7/10/2019	15	60	1.6	1.6		
7/11/2019	15	60	1.6	1.6		
7/12/2019	15	60	1.6	1.6		
7/13/2019				1.6		
7/14/2019				1.6		
7/15/2019	15	60	1.6	1.6		
7/16/2019	5	20	0.5	1.5		
7/17/2019	10	40	1.0	1.5		
7/18/2019	15	60	1.6	1.5		
7/19/2019	15	60	1.6	1.5		
7/20/2019				1.4		
7/21/2019				1.4		
7/22/2019	15	60	1.6	1.4		
7/23/2019	15	60	1.6	1.5		
7/24/2019	5	20	0.5	1.4		
7/25/2019	15	60	1.6	1.4		
7/26/2019	20	80	2.1	1.4		
7/27/2019				1.4		
7/28/2019				1.4		
7/29/2019	15	60	1.6	1.4		
7/30/2019	20	80	2.1	1.5		
7/31/2019	15	60	1.6	1.5		
8/1/2019	15	60	1.6	1.5		
8/2/2019	10	40	1.0	1.4		
8/3/2019				1.4		
8/4/2019				1.4		
8/5/2019	15	60	1.6	1.5		
8/6/2019	25	100	2.6	1.5		
8/7/2019	20	80	2.1	1.5		
8/8/2019	5	20	0.5	1.5		
8/9/2019	10	40	1.0	1.5		
8/10/2019				1.5		
8/11/2019				1.4		
8/12/2019	30	120	3.1	1.5		
8/13/2019	20	80	2.1	1.6		
8/14/2019	20	80	2.1	1.6		
8/15/2019	35	140	3.6	1.7		

MT. CARBERRY LANDFILL  
 PHASE II - WEST (A)  
 LEAK DETECTION MONITORING  
 NOTE: IF **S APPEAR, CALL AVRROD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 14.7 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
8/16/2019	30	120	3.1	1.8		
8/17/2019				1.8		
8/18/2019				1.8		
8/19/2019	15	60	1.6	1.8		
8/20/2019	15	60	1.6	1.8		
8/21/2019	20	80	2.1	1.8		
8/22/2019	20	80	2.1	1.9		
8/23/2019	Construction, no sample			1.9		
8/24/2019				1.9		
8/25/2019				1.9		
8/26/2019	Construction, no sample			1.9		
8/27/2019	Construction, no sample			1.9		
8/28/2019	Construction, no sample			2.0		
8/29/2019	35	140	3.6	2.0		
8/30/2019	Construction, no sample			2.1		
8/31/2019				2.1		
9/1/2019				2.2		
9/2/2019				2.2		
9/3/2019	20	80	2.1	2.2		
9/4/2019	20	80	2.1	2.2		
9/5/2019	40	160	4.1	2.3		
9/6/2019	15	60	1.6	2.3		
9/7/2019				2.4		
9/8/2019				2.5		
9/9/2019	10	40	1.0	2.4		
9/10/2019	5	20	0.5	2.3		
9/11/2019	20	80	2.1	2.2		
9/12/2019	15	60	1.6	2.2		
9/13/2019	5	20	0.5	2.1		
9/14/2019				2.0		
9/15/2019				1.9		
9/16/2019	20	80	2.1	1.9		
9/17/2019	20	80	2.1	1.9		
9/18/2019	15	60	1.6	1.9		
9/19/2019	10	40	1.0	1.9		
9/20/2019	15	60	1.6	1.8		
9/21/2019				1.8		
9/22/2019				1.8		
9/23/2019	30	120	3.1	1.9		
9/24/2019	15	60	1.6	1.9		
9/25/2019	20	80	2.1	1.9		
9/26/2019	5	20	0.5	1.8		
9/27/2019	15	60	1.6	1.8		
9/28/2019				1.7		
9/29/2019				1.7		
9/30/2019	15	60	1.6	1.7		
10/1/2019	15	60	1.6	1.7		
10/2/2019	15	60	1.6	1.7		
10/3/2019	10	40	1.0	1.6		
10/4/2019	15	60	1.6	1.6		
10/5/2019				1.5		
10/6/2019				1.5		
10/7/2019	20	80	2.1	1.5		
10/8/2019	15	60	1.6	1.5		
10/9/2019	15	60	1.6	1.6		
10/10/2019	25	100	2.6	1.6		
10/11/2019	25	100	2.6	1.7		
10/12/2019				1.7		
10/13/2019				1.7		
10/14/2019	15	60	1.6	1.7		
10/15/2019	20	80	2.1	1.7		
10/16/2019	20	80	2.1	1.7		
10/17/2019	25	100	2.6	1.8		
10/18/2019	5	20	0.5	1.7		
10/19/2019				1.7		
10/20/2019				1.8		
10/21/2019	5	20	0.5	1.7		
10/22/2019	10	40	1.0	1.7		
10/23/2019	20	80	2.1	1.6		
10/24/2019	10	40	1.0	1.6		
10/25/2019	15	60	1.6	1.6		
10/26/2019				1.6		
10/27/2019				1.6		
10/28/2019	20	80	2.1	1.7		
10/29/2019	15	60	1.6	1.6		
10/30/2019	25	100	2.6	1.7		

MT. CARBERRY LANDFILL  
 PHASE II - WEST (A)  
 LEAK DETECTION MONITORING  
 NOTE: IF **S APPEAR, CALL AVRROD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 14.7 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
10/31/2019	40	160	4.1	1.8		
11/1/2019	5	20	0.5	1.8		
11/2/2019				1.8		
11/3/2019				1.8		
11/4/2019	15	60	1.6	1.8		
11/5/2019	15	60	1.6	1.8		
11/6/2019	10	40	1.0	1.7		
11/7/2019	15	60	1.6	1.7		
11/8/2019	20	80	2.1	1.8		
11/9/2019				1.7		
11/10/2019				1.7		
11/11/2019	15	60	1.6	1.7		
11/12/2019	10	40	1.0	1.6		
11/13/2019	15	60	1.6	1.6		
11/14/2019	20	80	2.1	1.6		
11/15/2019	30	120	3.1	1.7		
11/16/2019				1.7		
11/17/2019				1.7		
11/18/2019	20	80	2.1	1.7		
11/19/2019	30	120	3.1	1.8		
11/20/2019	20	80	2.1	1.9		
11/21/2019	15	60	1.6	1.9		
11/22/2019	20	80	2.1	1.9		
11/23/2019				1.9		
11/24/2019				1.9		
11/25/2019	15	60	1.6	1.9		
11/26/2019	20	80	2.1	1.9		
11/27/2019	35	140	3.6	2.0		
11/28/2019				2.0		
11/29/2019	20	80	2.1	2.0		
11/30/2019				1.9		
12/1/2019				2.0		
12/2/2019	5	20	0.5	1.9		
12/3/2019	15	60	1.6	1.9		
12/4/2019	20	80	2.1	1.9		
12/5/2019	5	20	0.5	1.8		
12/6/2019				1.9		
12/7/2019				1.9		
12/8/2019				1.9		
12/9/2019	0	0	0.0	1.8		
12/10/2019	10	40	1.0	1.8		
12/11/2019	10	40	1.0	1.7		
12/12/2019	10	40	1.0	1.7		
12/13/2019	20	80	2.1	1.8		
12/14/2019				1.7		
12/15/2019				1.7		
12/16/2019	20	80	2.1	1.7		
12/17/2019	30	120	3.1	1.8		
12/18/2019	10	40	1.0	1.7		
12/19/2019	0	0	0.0	1.6		
12/20/2019	2	8	0.2	1.5		
12/21/2019				1.5		
12/22/2019				1.4		
12/23/2019	10	40	1.0	1.4		
12/24/2019	10	40	1.0	1.4		
12/25/2019				1.4		
12/26/2019	9	36	0.9	1.3		
12/27/2019	15	60	1.6	1.2		
12/28/2019				1.2		
12/29/2019				1.2		
12/30/2019	65	260	6.7	1.4		
12/31/2019	5	20	0.5	1.4		
1/1/2020				1.4		
1/2/2020	25	100	2.6	1.5		
1/3/2020	5	20	0.5	1.4		
1/4/2020				1.5		
1/5/2020				1.5		
1/6/2020	25	100	2.6	1.5		
1/7/2020	10	40	1.0	1.5		
1/8/2020	20	80	2.1	1.6		
1/9/2020	15	60	1.6	1.6		
1/10/2020	20	80	2.1	1.7		
1/11/2020				1.7		
1/12/2020				1.7		
1/13/2020	10	40	1.0	1.7		
1/14/2020	25	100	2.6	1.7		

MT. CARBERRY LANDFILL  
 PHASE II - WEST (A)  
 LEAK DETECTION MONITORING  
 NOTE: IF **S APPEAR, CALL AVRROD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 14.7 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
1/15/2020	10	40	1.0	1.7		
1/16/2020	20	80	2.1	1.6		
1/17/2020	0	0	0.0	1.6		
1/18/2020				1.6		
1/19/2020				1.7		
1/20/2020	0	0	0.0	1.6		
1/21/2020	10	40	1.0	1.6		
1/22/2020	0	0	0.0	1.5		
1/23/2020	15	60	1.6	1.6		
1/24/2020	10	40	1.0	1.5		
1/25/2020				1.6		
1/26/2020				1.6		
1/27/2020	15	60	1.6	1.6		
1/28/2020	5	20	0.5	1.5		
1/29/2020	25	100	2.6	1.3		
1/30/2020	10	40	1.0	1.4		
1/31/2020	15	60	1.6	1.4		
2/1/2020				1.3		
2/2/2020				1.3		
2/3/2020	12	48	1.2	1.3		
2/4/2020	9	36	0.9	1.3		
2/5/2020	5	20	0.5	1.2		
2/6/2020	10	40	1.0	1.2		
2/7/2020	18	72	1.9	1.2		
2/8/2020				1.2		
2/9/2020				1.2		
2/10/2020	10	40	1.0	1.2		
2/11/2020	15	60	1.6	1.2		
2/12/2020	10	40	1.0	1.2		
2/13/2020	10	40	1.0	1.1		
2/14/2020	10	40	1.0	1.1		
2/15/2020				1.1		
2/16/2020				1.1		
2/17/2020	6	24	0.6	1.1		
2/18/2020	10	40	1.0	1.1		
2/19/2020	0	0	0.0	1.1		
2/20/2020	10	40	1.0	1.1		
2/21/2020	0	0	0.0	1.1		
2/22/2020				1.1		
2/23/2020				1.1		
2/24/2020	14	56	1.4	1.1		
2/25/2020	15	60	1.6	1.1		
2/26/2020	8	32	0.8	1.1		
2/27/2020	8	32	0.8	1.1		
2/28/2020	8	32	0.8	1.0		
2/29/2020				1.0		
3/1/2020				1.0		
3/2/2020	14	56	1.4	1.0		
3/3/2020	24	96	2.5	1.1		
3/4/2020	20	80	2.1	1.1		
3/5/2020	15	60	1.6	1.1		
3/6/2020	15	60	1.6	1.2		
3/7/2020				1.2		
3/8/2020				1.1		
3/9/2020	15	60	1.6	1.2		
3/10/2020	20	80	2.1	1.2		
3/11/2020	8	32	0.8	1.2		
3/12/2020	20	80	2.1	1.2		
3/13/2020	20	80	2.1	1.3		
3/14/2020				1.3		
3/15/2020				1.3		
3/16/2020	5	20	0.5	1.3		
3/17/2020	14	56	1.4	1.3		
3/18/2020	6	24	0.6	1.3		
3/19/2020	16	64	1.7	1.3		
3/20/2020	18	72	1.9	1.4		
3/21/2020				1.4		
3/22/2020				1.5		
3/23/2020	10	40	1.0	1.4		
3/24/2020	10	40	1.0	1.4		
3/25/2020	25	100	2.6	1.5		
3/26/2020	8	32	0.8	1.4		
3/27/2020	15	60	1.6	1.5		
3/28/2020				1.5		
3/29/2020				1.5		
3/30/2020	5	20	0.5	1.5		

MT. CARBERRY LANDFILL  
 PHASE II - WEST (A)  
 LEAK DETECTION MONITORING  
 NOTE: IF **S APPEAR, CALL AVRROD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 14.7 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
3/31/2020	32	128	3.3	1.6		
4/1/2020	30	120	3.1	1.7		
4/2/2020	14	56	1.4	1.6		
4/3/2020	10	40	1.0	1.6		
4/4/2020				1.6		
4/5/2020				1.6		
4/6/2020	8	32	0.8	1.5		
4/7/2020	20	80	2.1	1.5		
4/8/2020	11	44	1.1	1.5		
4/9/2020	20	80	2.1	1.5		
4/10/2020	6	24	0.6	1.5		
4/11/2020				1.5		
4/12/2020				1.5		
4/13/2020	30	120	3.1	1.5		
4/14/2020	3	12	0.3	1.5		
4/15/2020	10	40	1.0	1.5		
4/16/2020	10	40	1.0	1.5		
4/17/2020	20	80	2.1	1.6		
4/18/2020				1.6		
4/19/2020				1.5		
4/20/2020	10	40	1.0	1.5		
4/21/2020	18	72	1.9	1.5		
4/22/2020	10	40	1.0	1.5		
4/23/2020	3	12	0.3	1.5		
4/24/2020	3	12	0.3	1.4		
4/25/2020				1.4		
4/26/2020				1.4		
4/27/2020	3	12	0.3	1.4		
4/28/2020	6	24	0.6	1.3		
4/29/2020	8	32	0.8	1.3		
4/30/2020	22	88	2.3	1.3		
5/1/2020	12	48	1.2	1.2		
5/2/2020				1.2		
5/3/2020				1.2		
5/4/2020	10	40	1.0	1.2		
5/5/2020	10	40	1.0	1.2		
5/6/2020	14	56	1.4	1.2		
5/7/2020	10	40	1.0	1.2		
5/8/2020	10	40	1.0	1.2		
5/9/2020				1.1		
5/10/2020				1.1		
5/11/2020	20	80	2.1	1.2		
5/12/2020	10	40	1.0	1.2		
5/13/2020	5	20	0.5	1.1		
5/14/2020	16	64	1.7	1.1		
5/15/2020	10	40	1.0	1.1		
5/16/2020				1.1		
5/17/2020				1.1		
5/18/2020	14	56	1.4	1.1		
5/19/2020	10	40	1.0	1.1		
5/20/2020	40	160	4.1	1.2		
5/21/2020	10	40	1.0	1.2		
5/22/2020	10	40	1.0	1.2		
5/23/2020				1.2		
5/24/2020				1.3		
5/25/2020				1.3		
5/26/2020	25	100	2.6	1.4		
5/27/2020	110	440	11.4	1.9		
5/28/2020	15	60	1.6	1.9		
5/29/2020	28	112	2.9	2.0		
5/30/2020				2.0		
5/31/2020				2.1		
6/1/2020	12	48	1.2	2.0		
6/2/2020	28	112	2.9	2.1		
6/3/2020	21	84	2.2	2.1		
6/4/2020	15	60	1.6	2.1		
6/5/2020	5	20	0.5	2.1		
6/6/2020				2.1		
6/7/2020				2.2		
6/8/2020	15	60	1.6	2.2		
6/9/2020	20	80	2.1	2.2		
6/10/2020	20	80	2.1	2.2		
6/11/2020	14	56	1.4	2.2		
6/12/2020	20	80	2.1	2.3		
6/13/2020				2.3		
6/14/2020				2.4		

MT. CARBERRY LANDFILL  
 PHASE II - WEST (A)  
 LEAK DETECTION MONITORING  
 NOTE: IF **S APPEAR, CALL AVRROD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 14.7 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
6/15/2020	12	48	1.2	2.3		
6/16/2020	22	88	2.3	2.3		
6/17/2020	20	80	2.1	2.3		
6/18/2020	15	60	1.6	2.4		
6/19/2020	30	120	3.1	2.3		
6/20/2020				2.4		
6/21/2020				2.4		
6/22/2020	10	40	1.0	2.4		
6/23/2020	15	60	1.6	2.3		
6/24/2020	15	60	1.6	2.3		
6/25/2020	14	56	1.4	2.2		
6/26/2020	12	48	1.2	1.8		
6/27/2020				1.8		
6/28/2020				1.7		
6/29/2020	10	40	1.0	1.7		
6/30/2020	12	48	1.2	1.7		
7/1/2020	10	40	1.0	1.7		
7/2/2020	15	60	1.6	1.6		
7/3/2020	10	40	1.0	1.6		
7/4/2020				1.6		
7/5/2020				1.6		
7/6/2020	15	60	1.6	1.6		
7/7/2020	18	72	1.9	1.6		
7/8/2020	25	100	2.6	1.7		
7/9/2020	20	80	2.1	1.7		
7/10/2020	30	120	3.1	1.7		
7/11/2020				1.7		
7/12/2020				1.7		
7/13/2020	10	40	1.0	1.7		
7/14/2020	15	60	1.6	1.7		
7/15/2020	15	60	1.6	1.7		
7/16/2020	20	80	2.1	1.7		
7/17/2020	20	80	2.1	1.7		
7/18/2020				1.7		
7/19/2020				1.6		
7/20/2020	10	40	1.0	1.6		
7/21/2020	14	56	1.4	1.6		
7/22/2020	15	60	1.6	1.6		
7/23/2020	20	80	2.1	1.6		
7/24/2020	5	20	0.5	1.6		
7/25/2020				1.6		
7/26/2020				1.6		
7/27/2020	10	40	1.0	1.6		
7/28/2020	10	40	1.0	1.5		
7/29/2020	25	100	2.6	1.6		
7/30/2020	5	20	0.5	1.6		
7/31/2020	10	40	1.0	1.6		
8/1/2020				1.6		
8/2/2020				1.6		
8/3/2020	10	40	1.0	1.6		
8/4/2020	15	60	1.6	1.6		
8/5/2020	5	20	0.5	1.5		
8/6/2020	5	20	0.5	1.5		
8/7/2020	10	40	1.0	1.4		
8/8/2020				1.4		
8/9/2020				1.3		
8/10/2020	20	80	2.1	1.3		
8/11/2020	25	100	2.6	1.4		
8/12/2020	20	80	2.1	1.4		
8/13/2020	20	80	2.1	1.5		
8/14/2020	10	40	1.0	1.4		
8/15/2020				1.4		
8/16/2020				1.4		
8/17/2020	15	60	1.6	1.4		
8/18/2020	25	100	2.6	1.4		
8/19/2020	10	40	1.0	1.4		
8/20/2020	20	80	2.1	1.5		
8/21/2020	15	60	1.6	1.5		
8/22/2020				1.4		
8/23/2020				1.5		
8/24/2020	25	100	2.6	1.5		
8/25/2020	10	40	1.0	1.5		
8/26/2020	15	60	1.6	1.5		
8/27/2020	15	60	1.6	1.6		
8/28/2020	20	80	2.1	1.5		
8/29/2020				1.6		

MT. CARBERRY LANDFILL  
 PHASE II - WEST (A)  
 LEAK DETECTION MONITORING  
 NOTE: IF **S APPEAR, CALL AVRROD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 14.7 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
8/30/2020				1.6		
8/31/2020	25	100	2.6	1.7		
9/1/2020	18	72	1.9	1.7		
9/2/2020	15	60	1.6	1.7		
9/3/2020	5	20	0.5	1.6		
9/4/2020	15	60	1.6	1.7		
9/5/2020				1.7		
9/6/2020				1.8		
9/7/2020				1.8		
9/8/2020	15	60	1.6	1.8		
9/9/2020	10	40	1.0	1.7		
9/10/2020	15	60	1.6	1.7		
9/11/2020	5	20	0.5	1.6		
9/12/2020				1.6		
9/13/2020				1.6		
9/14/2020	15	60	1.6	1.6		
9/15/2020	15	60	1.6	1.6		
9/16/2020	15	60	1.6	1.6		
9/17/2020	10	40	1.0	1.5		
9/18/2020	25	100	2.6	1.6		
9/19/2020				1.6		
9/20/2020				1.6		
9/21/2020	20	80	2.1	1.6		
9/22/2020	20	80	2.1	1.6		
9/23/2020	20	80	2.1	1.6		
9/24/2020	10	40	1.0	1.6		
9/25/2020	10	40	1.0	1.6		
9/26/2020				1.6		
9/27/2020				1.5		
9/28/2020	15	60	1.6	1.5		
9/29/2020	15	60	1.6	1.5		
9/30/2020	25	100	2.6	1.5		

MT. CARBERRY LANDFILL  
 PHASE II - EAST (B)  
 LEAK DETECTION MONITORING  
 NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 14.9 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
1/1/2019				5.0		
1/2/2019	20	80	2.0	3.9		
1/3/2019	30	120	3.1	3.4		
1/4/2019	40	160	4.1	3.3		
1/5/2019	25	100	2.6	3.2		
1/6/2019				3.2		
1/7/2019				3.2		
1/8/2019	40	160	4.1	3.2		
1/9/2019	15	60	1.5	3.1		
1/10/2019	15	60	1.5	3.1		
1/11/2019	25	100	2.6	3.1		
1/12/2019				3.1		
1/13/2019				3.1		
1/14/2019	10	40	1.0	3.0		
1/15/2019				3.0		
1/16/2019				3.0		
1/17/2019				3.0		
1/18/2019	25	100	2.6	3.0		
1/19/2019				2.8		
1/20/2019				2.9		
1/21/2019	20	80	2.0	2.9		
1/22/2019	15	60	1.5	2.8		
1/23/2019	20	80	2.0	2.6		
1/24/2019	50	200	5.1	2.8		
1/25/2019	40	160	4.1	2.8		
1/26/2019				2.8		
1/27/2019				2.7		
1/28/2019	25	100	2.6	2.7		
1/29/2019	15	60	1.5	2.7		
1/30/2019	25	100	2.6	2.6		
1/31/2019	10	40	1.0	2.5		
2/1/2019	15	60	1.5	2.5		
2/2/2019				2.4		
2/3/2019				2.3		
2/4/2019	30	120	3.1	2.4		
2/5/2019	25	100	2.6	2.4		
2/6/2019	35	140	3.6	2.4		
2/7/2019	15	60	1.5	2.3		
2/8/2019	20	80	2.0	2.3		
2/9/2019				2.4		
2/10/2019				2.4		
2/11/2019	25	100	2.6	2.4		
2/12/2019	15	60	1.5	2.3		
2/13/2019	15	60	1.5	2.4		
2/14/2019	15	60	1.5	2.3		
2/15/2019	15	60	1.5	2.3		
2/16/2019				2.3		
2/17/2019				2.3		
2/18/2019	15	60	1.5	2.2		
2/19/2019	25	100	2.6	2.3		
2/20/2019	25	100	2.6	2.3		
2/21/2019	25	100	2.6	2.3		
2/22/2019	15	60	1.5	2.3		
2/23/2019				2.2		
2/24/2019				2.1		
2/25/2019	15	60	1.5	2.0		
2/26/2019	15	60	1.5	2.0		
2/27/2019	15	60	1.5	2.0		
2/28/2019	20	80	2.0	2.0		
3/1/2019	20	80	2.0	2.0		
3/2/2019				2.0		
3/3/2019				2.0		
3/4/2019	30	120	3.1	2.1		
3/5/2019	25	100	2.6	2.1		
3/6/2019	15	60	1.5	2.0		
3/7/2019	20	80	2.0	2.0		
3/8/2019	30	120	3.1	2.0		
3/9/2019				2.0		
3/10/2019				2.0		
3/11/2019	25	100	2.6	2.0		
3/12/2019	25	100	2.6	2.1		
3/13/2019	20	80	2.0	2.0		
3/14/2019	15	60	1.5	2.0		
3/15/2019	350	1400	35.7	3.6		
3/16/2019				3.7		
3/17/2019				3.8		

MT. CARBERRY LANDFILL  
 PHASE II - EAST (B)  
 LEAK DETECTION MONITORING  
 NOTE: IF *'S APPEAR, CALL AVRROD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 14.9 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
3/18/2019	25	100	2.6	3.7		
3/19/2019	50	200	5.1	3.8		
3/20/2019	110	440	11.2	4.2		
3/21/2019	220	880	22.5	5.2		
3/22/2019	400	1600	40.8	6.9		
3/23/2019				7.1		
3/24/2019				7.4		
3/25/2019	60	240	6.1	7.3		
3/26/2019	70	280	7.1	7.3		
3/27/2019	40	160	4.1	7.4		
3/28/2019	30	120	3.1	7.5		
3/29/2019	40	160	4.1	7.6		
3/30/2019				7.9		
3/31/2019				8.2		
4/1/2019	65	260	6.6	8.1		
4/2/2019	55	220	5.6	8.0		
4/3/2019	340	1360	34.7	9.4		
4/4/2019	45	180	4.6	9.5		
4/5/2019	50	200	5.1	9.7		
4/6/2019				10.0		
4/7/2019				10.4		
4/8/2019	170	680	17.4	10.7		
4/9/2019	45	180	4.6	10.4		
4/10/2019	55	220	5.6	10.6		
4/11/2019	55	220	5.6	10.7		
4/12/2019	25	100	2.6	10.7		
4/13/2019				11.2		
4/14/2019				10.0		
4/15/2019	375	1500	38.3	11.3		
4/16/2019	40	160	4.1	11.0		
4/17/2019	5	20	0.5	10.9		
4/18/2019	5	20	0.5	10.7		
4/19/2019	45	180	4.6	10.4		
4/20/2019				9.8		
4/21/2019				8.2		
4/22/2019	60	240	6.1	8.1		
4/23/2019	150	600	15.3	8.5		
4/24/2019	50	200	5.1	8.4		
4/25/2019	30	120	3.1	8.2		
4/26/2019	50	200	5.1	8.3		
4/27/2019				8.5		
4/28/2019				8.8		
4/29/2019	60	240	6.1	8.6		
4/30/2019	25	100	2.6	8.4		
5/1/2019	15	60	1.5	8.1		
5/2/2019	75	300	7.7	8.2		
5/3/2019	45	180	4.6	6.8		
5/4/2019				7.0		
5/5/2019				7.0		
5/6/2019	30	120	3.1	6.9		
5/7/2019	45	180	4.6	6.8		
5/8/2019	50	200	5.1	6.2		
5/9/2019	50	200	5.1	6.2		
5/10/2019	30	120	3.1	6.1		
5/11/2019				6.1		
5/12/2019				6.3		
5/13/2019	45	180	4.6	6.2		
5/14/2019	40	160	4.1	6.1		
5/15/2019	60	240	6.1	4.7		
5/16/2019	40	160	4.1	4.7		
5/17/2019	45	180	4.6	4.9		
5/18/2019				5.1		
5/19/2019				5.1		
5/20/2019	125	500	12.8	5.4		
5/21/2019	40	160	4.1	5.4		
5/22/2019	50	200	5.1	5.3		
5/23/2019	25	100	2.6	4.8		
5/24/2019	25	100	2.6	4.6		
5/25/2019				4.7		
5/26/2019				4.7		
5/27/2019				4.7		
5/28/2019	40	160	4.1	4.7		
5/29/2019	40	160	4.1	4.6		
5/30/2019	35	140	3.6	4.6		
5/31/2019	25	100	2.6	4.7		

MT. CARBERRY LANDFILL  
 PHASE II - EAST (B)  
 LEAK DETECTION MONITORING  
 NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 14.9 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
6/1/2019						
6/2/2019						
6/3/2019	No sample.	Flare down.				
6/4/2019	No sample.	Flare down.				
6/5/2019	No sample.	Flare down.				
6/6/2019	No sample.	Flare down.				
6/7/2019	No sample.	Flare down.				
6/8/2019						
6/9/2019						
6/10/2019	No sample.	Flare down.				
6/11/2019	No sample.	Flare down.				
6/12/2019	No sample.	Flare down.				
6/13/2019	No sample.	Flare down.				
6/14/2019	No sample.	Flare down.				
6/15/2019						
6/16/2019						
6/17/2019	30	120	3.1	4.4		
6/18/2019	30	120	3.1	4.3		
6/19/2019	30	120	3.1	3.4		
6/20/2019	25	100	2.6	3.3		
6/21/2019	20	80	2.0	3.0		
6/22/2019				3.1		
6/23/2019				3.1		
6/24/2019	25	100	2.6	3.1		
6/25/2019	25	100	2.6	3.0		
6/26/2019	30	120	3.1	3.0		
6/27/2019	25	100	2.6	2.9		
6/28/2019	30	120	3.1	2.8		
6/29/2019				2.7		
6/30/2019				2.8		
7/1/2019	30	120	3.1	2.8		
7/2/2019	30	120	3.1	2.8		
7/3/2019	25	100	2.6	2.8		
7/4/2019				2.8		
7/5/2019	15	60	1.5	2.7		
7/6/2019				2.7		
7/7/2019				2.7		
7/8/2019	30	120	3.1	2.7		
7/9/2019	30	120	3.1	2.7		
7/10/2019	25	100	2.6	2.7		
7/11/2019	30	120	3.1	2.8		
7/12/2019	25	100	2.6	2.7		
7/13/2019				2.7		
7/14/2019				2.7		
7/15/2019	25	100	2.6	2.7		
7/16/2019	25	100	2.6	2.7		
7/17/2019	25	100	2.6	2.7		
7/18/2019	30	120	3.1	2.7		
7/19/2019	30	120	3.1	2.7		
7/20/2019				2.7		
7/21/2019				2.7		
7/22/2019	25	100	2.6	2.7		
7/23/2019	15	60	1.5	2.7		
7/24/2019	20	80	2.0	2.7		
7/25/2019	15	60	1.5	2.6		
7/26/2019	25	100	2.6	2.6		
7/27/2019				2.6		
7/28/2019				2.6		
7/29/2019	25	100	2.6	2.6		
7/30/2019	20	80	2.0	2.5		
7/31/2019	25	100	2.6	2.5		
8/1/2019	25	100	2.6	2.5		
8/2/2019	15	60	1.5	2.4		
8/3/2019				2.4		
8/4/2019				2.5		
8/5/2019	15	60	1.5	2.4		
8/6/2019	10	40	1.0	2.4		
8/7/2019	20	80	2.0	2.3		
8/8/2019	30	120	3.1	2.3		
8/9/2019	25	100	2.6	2.3		
8/10/2019				2.3		
8/11/2019				2.3		
8/12/2019	15	60	1.5	2.2		
8/13/2019	15	60	1.5	2.2		
8/14/2019	15	60	1.5	2.2		
8/15/2019	20	80	2.0	2.1		

MT. CARBERRY LANDFILL  
 PHASE II - EAST (B)  
 LEAK DETECTION MONITORING  
 NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 14.9 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
8/16/2019	25	100	2.6	2.1		
8/17/2019				2.1		
8/18/2019				2.0		
8/19/2019	Construction, no sample			2.0		
8/20/2019	Construction, no sample			2.0		
8/21/2019	25	100	2.6	2.0		
8/22/2019	25	100	2.6	2.1		
8/23/2019	15	60	1.5	2.1		
8/24/2019				2.1		
8/25/2019				2.1		
8/26/2019	20	80	2.0	2.1		
8/27/2019	25	100	2.6	2.1		
8/28/2019	20	80	2.0	2.1		
8/29/2019	15	60	1.5	2.0		
8/30/2019	25	100	2.6	2.0		
8/31/2019				2.0		
9/1/2019				2.0		
9/2/2019				2.0		
9/3/2019	20	80	2.0	2.0		
9/4/2019	20	80	2.0	2.1		
9/5/2019	10	40	1.0	2.1		
9/6/2019	15	60	1.5	2.0		
9/7/2019				2.0		
9/8/2019				2.0		
9/9/2019	10	40	1.0	1.9		
9/10/2019	25	100	2.6	1.9		
9/11/2019	25	100	2.6	2.0		
9/12/2019	25	100	2.6	2.0		
9/13/2019	25	100	2.6	2.1		
9/14/2019				2.1		
9/15/2019				2.1		
9/16/2019	20	80	2.0	2.1		
9/17/2019	25	100	2.6	2.1		
9/18/2019	30	120	3.1	2.1		
9/19/2019	30	120	3.1	2.2		
9/20/2019	20	80	2.0	2.2		
9/21/2019				2.1		
9/22/2019				2.2		
9/23/2019	30	120	3.1	2.2		
9/24/2019	20	80	2.0	2.2		
9/25/2019	15	60	1.5	2.2		
9/26/2019	15	60	1.5	2.1		
9/27/2019	15	60	1.5	2.1		
9/28/2019				2.1		
9/29/2019				2.1		
9/30/2019	25	100	2.6	2.1		
10/1/2019	25	100	2.6	2.2		
10/2/2019	25	100	2.6	2.2		
10/3/2019	20	80	2.0	2.2		
10/4/2019	30	120	3.1	2.2		
10/5/2019				2.3		
10/6/2019				2.3		
10/7/2019	25	100	2.6	2.3		
10/8/2019	20	80	2.0	2.3		
10/9/2019	25	100	2.6	2.4		
10/10/2019	10	40	1.0	2.3		
10/11/2019	15	60	1.5	2.3		
10/12/2019				2.3		
10/13/2019				2.2		
10/14/2019	25	100	2.6	2.3		
10/15/2019	5	20	0.5	2.2		
10/16/2019	15	60	1.5	2.2		
10/17/2019	30	120	3.1	2.2		
10/18/2019	20	80	2.0	2.1		
10/19/2019				2.1		
10/20/2019				2.1		
10/21/2019	30	120	3.1	2.1		
10/22/2019	15	60	1.5	2.1		
10/23/2019	25	100	2.6	2.1		
10/24/2019	20	80	2.0	2.1		
10/25/2019	30	120	3.1	2.2		
10/26/2019				2.2		
10/27/2019				2.2		
10/28/2019	35	140	3.6	2.3		
10/29/2019	25	100	2.6	2.3		
10/30/2019	10	40	1.0	2.2		

MT. CARBERRY LANDFILL  
 PHASE II - EAST (B)  
 LEAK DETECTION MONITORING  
 NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 14.9 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
10/31/2019	20	80	2.0	2.2		
11/1/2019	100	400	10.2	2.6		
11/2/2019				2.6		
11/3/2019				2.6		
11/4/2019	45	180	4.6	2.7		
11/5/2019	30	120	3.1	2.7		
11/6/2019	25	100	2.6	2.7		
11/7/2019	40	160	4.1	2.8		
11/8/2019	30	120	3.1	2.8		
11/9/2019				2.9		
11/10/2019				2.9		
11/11/2019	30	120	3.1	2.9		
11/12/2019	30	120	3.1	2.9		
11/13/2019	30	120	3.1	3.0		
11/14/2019	25	100	2.6	3.1		
11/15/2019	30	120	3.1	3.1		
11/16/2019				3.1		
11/17/2019				3.2		
11/18/2019	30	120	3.1	3.2		
11/19/2019	20	80	2.0	3.1		
11/20/2019	30	120	3.1	3.1		
11/21/2019	30	120	3.1	3.2		
11/22/2019	40	160	4.1	3.3		
11/23/2019				3.3		
11/24/2019				3.3		
11/25/2019	25	100	2.6	3.3		
11/26/2019	30	120	3.1	3.3		
11/27/2019	30	120	3.1	3.3		
11/28/2019				3.3		
11/29/2019	25	100	2.6	3.4		
11/30/2019				3.4		
12/1/2019				3.1		
12/2/2019	35	140	3.6	3.1		
12/3/2019	35	140	3.6	3.1		
12/4/2019	30	120	3.1	3.1		
12/5/2019	30	120	3.1	3.1		
12/6/2019				3.1		
12/7/2019				3.0		
12/8/2019				3.0		
12/9/2019	25	100	2.6	3.0		
12/10/2019	25	100	2.6	3.0		
12/11/2019	110	440	11.2	3.4		
12/12/2019	40	160	4.1	3.4		
12/13/2019	50	200	5.1	3.5		
12/14/2019				3.6		
12/15/2019				3.6		
12/16/2019	35	140	3.6	3.6		
12/17/2019	40	160	4.1	3.7		
12/18/2019	34	136	3.5	3.7		
12/19/2019	30	120	3.1	3.7		
12/20/2019	30	120	3.1	3.7		
12/21/2019				3.8		
12/22/2019				3.7		
12/23/2019	30	120	3.1	3.7		
12/24/2019	30	120	3.1	3.7		
12/25/2019				3.7		
12/26/2019	30	120	3.1	3.7		
12/27/2019	35	140	3.6	3.8		
12/28/2019				3.8		
12/29/2019				3.8		
12/30/2019	55	220	5.6	3.9		
12/31/2019	25	100	2.6	3.9		
1/1/2020				3.9		
1/2/2020	10	40	1.0	3.7		
1/3/2020	28	112	2.9	3.7		
1/4/2020				3.8		
1/5/2020				3.8		
1/6/2020	30	120	3.1	3.7		
1/7/2020	26	104	2.7	3.7		
1/8/2020	20	80	2.0	3.6		
1/9/2020	15	60	1.5	3.6		
1/10/2020	15	60	1.5	3.1		
1/11/2020				3.1		
1/12/2020				2.9		
1/13/2020	10	40	1.0	2.8		
1/14/2020	50	200	5.1	3.0		

MT. CARBERRY LANDFILL  
 PHASE II - EAST (B)  
 LEAK DETECTION MONITORING  
 NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 14.9 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
1/15/2020	5	20	0.5	2.8		
1/16/2020	15	60	1.5	2.7		
1/17/2020	20	80	2.0	2.6		
1/18/2020				2.6		
1/19/2020				2.5		
1/20/2020	10	40	1.0	2.5		
1/21/2020	5	20	0.5	2.4		
1/22/2020	30	120	3.1	2.4		
1/23/2020	10	40	1.0	2.3		
1/24/2020	15	60	1.5	2.2		
1/25/2020				2.2		
1/26/2020				2.1		
1/27/2020	30	120	3.1	2.2		
1/28/2020	10	40	1.0	2.1		
1/29/2020	30	120	3.1	2.0		
1/30/2020	15	60	1.5	1.9		
1/31/2020	30	120	3.1	2.0		
2/1/2020				2.0		
2/2/2020				2.0		
2/3/2020	28	112	2.9	2.0		
2/4/2020	22	88	2.2	2.0		
2/5/2020	30	120	3.1	2.0		
2/6/2020	20	80	2.0	2.0		
2/7/2020	28	112	2.9	2.1		
2/8/2020				2.1		
2/9/2020				2.1		
2/10/2020	29	116	3.0	2.1		
2/11/2020	26	104	2.7	2.2		
2/12/2020	25	100	2.6	2.2		
2/13/2020	24	96	2.5	2.1		
2/14/2020	20	80	2.0	2.2		
2/15/2020				2.2		
2/16/2020				2.2		
2/17/2020	24	96	2.5	2.2		
2/18/2020	15	60	1.5	2.2		
2/19/2020	26	104	2.7	2.3		
2/20/2020	30	120	3.1	2.4		
2/21/2020	15	60	1.5	2.3		
2/22/2020				2.4		
2/23/2020				2.4		
2/24/2020	24	96	2.5	2.4		
2/25/2020	25	100	2.6	2.4		
2/26/2020	20	80	2.0	2.4		
2/27/2020	20	80	2.0	2.4		
2/28/2020	10	40	1.0	2.3		
2/29/2020				2.4		
3/1/2020				2.4		
3/2/2020	24	96	2.5	2.4		
3/3/2020	26	104	2.7	2.4		
3/4/2020	30	120	3.1	2.4		
3/5/2020	25	100	2.6	2.4		
3/6/2020	25	100	2.6	2.4		
3/7/2020				2.4		
3/8/2020				2.4		
3/9/2020	40	160	4.1	2.4		
3/10/2020	720	2880	73.5	5.7		
3/11/2020	428	1712	43.7	7.5		
3/12/2020	55	220	5.6	7.7		
3/13/2020	45	180	4.6	7.8		
3/14/2020				8.0		
3/15/2020				8.3		
3/16/2020	25	100	2.6	8.0		
3/17/2020	44	176	4.5	7.9		
3/18/2020	36	144	3.7	7.9		
3/19/2020	38	152	3.9	8.0		
3/20/2020	130	520	13.3	8.5		
3/21/2020				8.8		
3/22/2020				9.1		
3/23/2020	40	160	4.1	8.9		
3/24/2020	32	128	3.3	8.6		
3/25/2020	0	0	0.0	8.5		
3/26/2020	52	208	5.3	8.7		
3/27/2020	15	60	1.5	8.6		
3/28/2020				8.9		
3/29/2020				9.3		
3/30/2020	25	100	2.6	9.0		

MT. CARBERRY LANDFILL  
 PHASE II - EAST (B)  
 LEAK DETECTION MONITORING  
 NOTE: IF *'S APPEAR, CALL AVRROD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 14.9 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
3/31/2020	52	208	5.3	8.9		
4/1/2020	10	40	1.0	8.8		
4/2/2020	62	248	6.3	9.0		
4/3/2020	1300	5200	132.8	14.8		
4/4/2020				15.4		
4/5/2020				16.1		
4/6/2020	138	552	14.1	16.0		
4/7/2020	106	424	10.8	15.8		
4/8/2020	43	172	4.4	15.8		
4/9/2020	50	200	5.1	12.7		
4/10/2020	600	2400	61.3	13.5		
4/11/2020				13.8		
4/12/2020				14.3		
4/13/2020	400	1600	40.8	15.6		
4/14/2020	105	420	10.7	15.3		
4/15/2020	66	264	6.7	15.5		
4/16/2020	54	216	5.5	15.6		
4/17/2020	60	240	6.1	15.7		
4/18/2020				16.2		
4/19/2020				16.4		
4/20/2020	30	120	3.1	15.8		
4/21/2020	58	232	5.9	15.3		
4/22/2020	54	216	5.5	15.4		
4/23/2020	25	100	2.6	15.3		
4/24/2020	20	80	2.0	15.4		
4/25/2020				15.9		
4/26/2020				16.6		
4/27/2020	20	80	2.0	15.9		
4/28/2020	630	2520	64.3	18.1		
4/29/2020	24	96	2.5	18.1		
4/30/2020	98	392	10.0	18.3		
5/1/2020	270	1080	27.6	19.6		
5/2/2020				20.2		
5/3/2020				14.6		
5/4/2020	34	136	3.5	14.0		
5/5/2020	56	224	5.7	13.7		
5/6/2020	32	128	3.3	13.2		
5/7/2020	5	20	0.5	12.7		
5/8/2020	34	136	3.5	12.6		
5/9/2020				13.0		
5/10/2020				10.6		
5/11/2020	15	60	1.5	10.2		
5/12/2020	22	88	2.2	9.8		
5/13/2020	35	140	3.6	8.1		
5/14/2020	68	272	6.9	7.9		
5/15/2020	40	160	4.1	7.8		
5/16/2020				7.9		
5/17/2020				8.0		
5/18/2020	30	120	3.1	7.8		
5/19/2020	30	120	3.1	7.6		
5/20/2020	50	200	5.1	7.7		
5/21/2020	20	80	2.0	7.5		
5/22/2020	32	128	3.3	7.4		
5/23/2020				7.6		
5/24/2020				7.9		
5/25/2020				7.9		
5/26/2020	40	160	4.1	7.7		
5/27/2020	28	112	2.9	7.7		
5/28/2020	23	92	2.3	4.8		
5/29/2020	30	120	3.1	4.8		
5/30/2020				4.6		
5/31/2020				3.4		
6/1/2020	32	128	3.3	3.3		
6/2/2020	32	128	3.3	3.3		
6/3/2020	11	44	1.1	3.2		
6/4/2020	10	40	1.0	3.0		
6/5/2020	10	40	1.0	2.9		
6/6/2020				3.0		
6/7/2020				3.0		
6/8/2020	5	20	0.5	2.9		
6/9/2020	20	80	2.0	2.8		
6/10/2020	20	80	2.0	2.9		
6/11/2020	17	68	1.7	2.8		
6/12/2020	32	128	3.3	2.8		
6/13/2020				2.6		
6/14/2020				2.5		

MT. CARBERRY LANDFILL  
 PHASE II - EAST (B)  
 LEAK DETECTION MONITORING  
 NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 14.9 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
6/15/2020	22	88	2.2	2.5		
6/16/2020	30	120	3.1	2.5		
6/17/2020	30	120	3.1	2.5		
6/18/2020	5	20	0.5	2.4		
6/19/2020	5	20	0.5	2.2		
6/20/2020				2.2		
6/21/2020				2.2		
6/22/2020	20	80	2.0	2.2		
6/23/2020	20	80	2.0	2.1		
6/24/2020	25	100	2.6	2.2		
6/25/2020	20	80	2.0	2.1		
6/26/2020	24	96	2.5	2.1		
6/27/2020				2.0		
6/28/2020				2.0		
6/29/2020	26	104	2.7	2.0		
6/30/2020	466	1864	47.6	4.1		
7/1/2020	134	536	13.7	4.6		
7/2/2020	100	400	10.2	4.9		
7/3/2020	30	120	3.1	5.0		
7/4/2020				5.2		
7/5/2020				5.4		
7/6/2020	10	40	1.0	5.2		
7/7/2020	50	200	5.1	5.2		
7/8/2020	40	160	4.1	5.3		
7/9/2020	20	80	2.0	5.3		
7/10/2020	25	100	2.6	5.3		
7/11/2020				5.5		
7/12/2020				5.6		
7/13/2020	38	152	3.9	5.5		
7/14/2020	63	252	6.4	5.6		
7/15/2020	30	120	3.1	5.6		
7/16/2020	20	80	2.0	5.6		
7/17/2020	38	152	3.9	5.6		
7/18/2020				5.9		
7/19/2020				6.1		
7/20/2020	34	136	3.5	6.0		
7/21/2020	30	120	3.1	5.9		
7/22/2020	25	100	2.6	5.9		
7/23/2020	20	80	2.0	5.9		
7/24/2020	10	40	1.0	5.8		
7/25/2020				6.0		
7/26/2020				6.2		
7/27/2020	15	60	1.5	6.0		
7/28/2020	15	60	1.5	5.8		
7/29/2020	15	60	1.5	5.7		
7/30/2020	0	0	0.0	3.5		
7/31/2020	22	88	2.2	3.0		
8/1/2020				2.7		
8/2/2020				2.7		
8/3/2020	10	40	1.0	2.6		
8/4/2020	15	60	1.5	2.5		
8/5/2020	15	60	1.5	2.6		
8/6/2020	15	60	1.5	2.4		
8/7/2020	15	60	1.5	2.3		
8/8/2020				2.3		
8/9/2020				2.3		
8/10/2020	35	140	3.6	2.3		
8/11/2020	35	140	3.6	2.4		
8/12/2020	20	80	2.0	2.3		
8/13/2020	20	80	2.0	2.1		
8/14/2020	25	100	2.6	2.1		
8/15/2020				2.1		
8/16/2020				2.0		
8/17/2020	25	100	2.6	2.0		
8/18/2020	15	60	1.5	2.0		
8/19/2020	25	100	2.6	2.0		
8/20/2020	20	80	2.0	1.9		
8/21/2020	25	100	2.6	1.9		
8/22/2020				1.9		
8/23/2020				2.0		
8/24/2020	20	80	2.0	2.0		
8/25/2020	25	100	2.6	2.0		
8/26/2020	20	80	2.0	2.0		
8/27/2020	15	60	1.5	2.0		
8/28/2020	20	80	2.0	2.0		
8/29/2020				2.1		

MT. CARBERRY LANDFILL  
 PHASE II - EAST (B)  
 LEAK DETECTION MONITORING  
 NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 14.9 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
8/30/2020				2.1		
8/31/2020	20	80	2.0	2.1		
9/1/2020	26	104	2.7	2.1		
9/2/2020	25	100	2.6	2.2		
9/3/2020	20	80	2.0	2.2		
9/4/2020	15	60	1.5	2.2		
9/5/2020				2.3		
9/6/2020				2.3		
9/7/2020				2.3		
9/8/2020	15	60	1.5	2.3		
9/9/2020	15	60	1.5	2.2		
9/10/2020	10	40	1.0	2.0		
9/11/2020	20	80	2.0	2.0		
9/12/2020				2.0		
9/13/2020				2.0		
9/14/2020	15	60	1.5	2.0		
9/15/2020	15	60	1.5	2.0		
9/16/2020	15	60	1.5	1.9		
9/17/2020	20	80	2.0	2.0		
9/18/2020	20	80	2.0	1.9		
9/19/2020				1.9		
9/20/2020				1.9		
9/21/2020	20	80	2.0	1.9		
9/22/2020	20	80	2.0	1.9		
9/23/2020	20	80	2.0	1.9		
9/24/2020	15	60	1.5	1.9		
9/25/2020	10	40	1.0	1.8		
9/26/2020				1.8		
9/27/2020				1.8		
9/28/2020	20	80	2.0	1.8		
9/29/2020	15	60	1.5	1.8		
9/30/2020	15	60	1.5	1.8		

MT. CARBERRY LANDFILL  
LEACHATE STORAGE POND  
LEAK DETECTION MONITORING  
NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 0.9 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
1/1/2019				0.0		
1/2/2019	0	0	0.0	0.0		
1/3/2019	0	0	0.0	0.0		
1/4/2019	0	0	0.0	0.0		
1/5/2019	0	0	0.0	0.0		
1/6/2019				0.0		
1/7/2019				0.0		
1/8/2019	0	0	0.0	0.0		
1/9/2019	0	0	0.0	0.0		
1/10/2019	0	0	0.0	0.0		
1/11/2019	0	0	0.0	0.0		
1/12/2019				0.0		
1/13/2019				0.0		
1/14/2019	0	0	0.0	0.0		
1/15/2019				0.0		
1/16/2019				0.0		
1/17/2019				0.0		
1/18/2019	0	0	0.0	0.0		
1/19/2019				0.0		
1/20/2019				0.0		
1/21/2019	0	0	0.0	0.0		
1/22/2019	0	0	0.0	0.0		
1/23/2019	0	0	0.0	0.0		
1/24/2019	0	0	0.0	0.0		
1/25/2019	0	0	0.0	0.0		
1/26/2019				0.0		
1/27/2019				0.0		
1/28/2019	0	0	0.0	0.0		
1/29/2019	0	0	0.0	0.0		
1/30/2019	0	0	0.0	0.0		
1/31/2019	0	0	0.0	0.0		
2/1/2019	0	0	0.0	0.0		
2/2/2019				0.0		
2/3/2019				0.0		
2/4/2019	0	0	0.0	0.0		
2/5/2019	0	0	0.0	0.0		
2/6/2019	0	0	0.0	0.0		
2/7/2019	0	0	0.0	0.0		
2/8/2019	0	0	0.0	0.0		
2/9/2019				0.0		
2/10/2019				0.0		
2/11/2019	0	0	0.0	0.0		
2/12/2019	0	0	0.0	0.0		
2/13/2019	0	0	0.0	0.0		
2/14/2019	0	0	0.0	0.0		
2/15/2019	0	0	0.0	0.0		
2/16/2019				0.0		
2/17/2019				0.0		
2/18/2019	0	0	0.0	0.0		
2/19/2019	0	0	0.0	0.0		
2/20/2019	0	0	0.0	0.0		
2/21/2019	0	0	0.0	0.0		
2/22/2019	0	0	0.0	0.0		
2/23/2019				0.0		
2/24/2019				0.0		
2/25/2019	0	0	0.0	0.0		
2/26/2019	0	0	0.0	0.0		
2/27/2019	0	0	0.0	0.0		
2/28/2019	0	0	0.0	0.0		
3/1/2019	0	0	0.0	0.0		
3/2/2019				0.0		
3/3/2019				0.0		
3/4/2019	0	0	0.0	0.0		
3/5/2019	0	0	0.0	0.0		
3/6/2019	0	0	0.0	0.0		
3/7/2019	0	0	0.0	0.0		
3/8/2019	0	0	0.0	0.0		
3/9/2019				0.0		
3/10/2019				0.0		
3/11/2019	0	0	0.0	0.0		
3/12/2019	0	0	0.0	0.0		
3/13/2019	0	0	0.0	0.0		
3/14/2019	0	0	0.0	0.0		
3/15/2019	0	0	0.0	0.0		
3/16/2019				0.0		
3/17/2019				0.0		

MT. CARBERRY LANDFILL  
LEACHATE STORAGE POND  
LEAK DETECTION MONITORING

NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 0.9 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
3/18/2019	0	0	0.0	0.0		
3/19/2019	0	0	0.0	0.0		
3/20/2019	0	0	0.0	0.0		
3/21/2019	0	0	0.0	0.0		
3/22/2019	0	0	0.0	0.0		
3/23/2019				0.0		
3/24/2019				0.0		
3/25/2019	0	0	0.0	0.0		
3/26/2019	0	0	0.0	0.0		
3/27/2019	0	0	0.0	0.0		
3/28/2019	0	0	0.0	0.0		
3/29/2019	0	0	0.0	0.0		
3/30/2019				0.0		
3/31/2019				0.0		
4/1/2019	0	0	0.0	0.0		
4/2/2019	0	0	0.0	0.0		
4/3/2019	0	0	0.0	0.0		
4/4/2019	0	0	0.0	0.0		
4/5/2019	0	0	0.0	0.0		
4/6/2019				0.0		
4/7/2019				0.0		
4/8/2019	0	0	0.0	0.0		
4/9/2019	0	0	0.0	0.0		
4/10/2019	0	0	0.0	0.0		
4/11/2019	0	0	0.0	0.0		
4/12/2019	0	0	0.0	0.0		
4/13/2019				0.0		
4/14/2019				0.0		
4/15/2019	0	0	0.0	0.0		
4/16/2019	0	0	0.0	0.0		
4/17/2019	0	0	0.0	0.0		
4/18/2019	0	0	0.0	0.0		
4/19/2019	0	0	0.0	0.0		
4/20/2019				0.0		
4/21/2019				0.0		
4/22/2019	0	0	0.0	0.0		
4/23/2019	0	0	0.0	0.0		
4/24/2019	0	0	0.0	0.0		
4/25/2019	0	0	0.0	0.0		
4/26/2019	0	0	0.0	0.0		
4/27/2019				0.0		
4/28/2019				0.0		
4/29/2019	0	0	0.0	0.0		
4/30/2019	0	0	0.0	0.0		
5/1/2019	0	0	0.0	0.0		
5/2/2019	0	0	0.0	0.0		
5/3/2019	0	0	0.0	0.0		
5/4/2019				0.0		
5/5/2019				0.0		
5/6/2019	0	0	0.0	0.0		
5/7/2019	0	0	0.0	0.0		
5/8/2019	0	0	0.0	0.0		
5/9/2019	0	0	0.0	0.0		
5/10/2019	0	0	0.0	0.0		
5/11/2019				0.0		
5/12/2019				0.0		
5/13/2019	0	0	0.0	0.0		
5/14/2019	0	0	0.0	0.0		
5/15/2019	0	0	0.0	0.0		
5/16/2019	0	0	0.0	0.0		
5/17/2019	0	0	0.0	0.0		
5/18/2019				0.0		
5/19/2019				0.0		
5/20/2019	0	0	0.0	0.0		
5/21/2019	0	0	0.0	0.0		
5/22/2019	0	0	0.0	0.0		
5/23/2019	0	0	0.0	0.0		
5/24/2019	0	0	0.0	0.0		
5/25/2019				0.0		
5/26/2019				0.0		
5/27/2019				0.0		
5/28/2019	0	0	0.0	0.0		
5/29/2019	0	0	0.0	0.0		
5/30/2019	0	0	0.0	0.0		
5/31/2019	0	0	0.0	0.0		

MT. CARBERRY LANDFILL  
LEACHATE STORAGE POND  
LEAK DETECTION MONITORING  
NOTE: IF *'S APPEAR, CALL AVRROD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 0.9 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
6/1/2019				0.0		
6/2/2019				0.0		
6/3/2019	0	0	0.0	0.0		
6/4/2019	0	0	0.0	0.0		
6/5/2019	0	0	0.0	0.0		
6/6/2019	0	0	0.0	0.0		
6/7/2019	0	0	0.0	0.0		
6/8/2019				0.0		
6/9/2019				0.0		
6/10/2019	0	0	0.0	0.0		
6/11/2019	0	0	0.0	0.0		
6/12/2019	0	0	0.0	0.0		
6/13/2019	0	0	0.0	0.0		
6/14/2019	0	0	0.0	0.0		
6/15/2019				0.0		
6/16/2019				0.0		
6/17/2019	0	0	0.0	0.0		
6/18/2019	0	0	0.0	0.0		
6/19/2019	0	0	0.0	0.0		
6/20/2019	0	0	0.0	0.0		
6/21/2019	0	0	0.0	0.0		
6/22/2019				0.0		
6/23/2019				0.0		
6/24/2019	0	0	0.0	0.0		
6/25/2019	0	0	0.0	0.0		
6/26/2019	0	0	0.0	0.0		
6/27/2019	0	0	0.0	0.0		
6/28/2019	0	0	0.0	0.0		
6/29/2019		0	0.0	0.0		
6/30/2019		0	0.0	0.0		
7/1/2019	0	0	0.0	0.0		
7/2/2019	0	0	0.0	0.0		
7/3/2019	0	0	0.0	0.0		
7/4/2019		0	0.0	0.0		
7/5/2019	0	0	0.0	0.0		
7/6/2019				0.0		
7/7/2019				0.0		
7/8/2019	0	0	0.0	0.0		
7/9/2019	0	0	0.0	0.0		
7/10/2019	0	0	0.0	0.0		
7/11/2019	0	0	0.0	0.0		
7/12/2019	0	0	0.0	0.0		
7/13/2019				0.0		
7/14/2019				0.0		
7/15/2019	0	0	0.0	0.0		
7/16/2019	0	0	0.0	0.0		
7/17/2019	0	0	0.0	0.0		
7/18/2019	0	0	0.0	0.0		
7/19/2019	0	0	0.0	0.0		
7/20/2019				0.0		
7/21/2019				0.0		
7/22/2019	0	0	0.0	0.0		
7/23/2019	0	0	0.0	0.0		
7/24/2019	0	0	0.0	0.0		
7/25/2019	0	0	0.0	0.0		
7/26/2019	0	0	0.0	0.0		
7/27/2019				0.0		
7/28/2019				0.0		
7/29/2019	0	0	0.0	0.0		
7/30/2019	0	0	0.0	0.0		
7/31/2019	0	0	0.0	0.0		
8/1/2019	0	0	0.0	0.0		
8/2/2019	0	0	0.0	0.0		
8/3/2019				0.0		
8/4/2019				0.0		
8/5/2019	0	0	0.0	0.0		
8/6/2019	0	0	0.0	0.0		
8/7/2019	0	0	0.0	0.0		
8/8/2019	0	0	0.0	0.0		
8/9/2019	0	0	0.0	0.0		
8/10/2019				0.0		
8/11/2019				0.0		
8/12/2019	0	0	0.0	0.0		
8/13/2019	0	0	0.0	0.0		
8/14/2019	0	0	0.0	0.0		
8/15/2019	0	0	0.0	0.0		

MT. CARBERRY LANDFILL  
LEACHATE STORAGE POND  
LEAK DETECTION MONITORING  
NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 0.9 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
8/16/2019	0	0	0.0	0.0		
8/17/2019				0.0		
8/18/2019				0.0		
8/19/2019	0	0	0.0	0.0		
8/20/2019	0	0	0.0	0.0		
8/21/2019	0	0	0.0	0.0		
8/22/2019	0	0	0.0	0.0		
8/23/2019	0	0	0.0	0.0		
8/24/2019				0.0		
8/25/2019				0.0		
8/26/2019	0	0	0.0	0.0		
8/27/2019	0	0	0.0	0.0		
8/28/2019	0	0	0.0	0.0		
8/29/2019	0	0	0.0	0.0		
8/30/2019	0	0	0.0	0.0		
8/31/2019				0.0		
9/1/2019				0.0		
9/2/2019				0.0		
9/3/2019	0	0	0.0	0.0		
9/4/2019	0	0	0.0	0.0		
9/5/2019	0	0	0.0	0.0		
9/6/2019	0	0	0.0	0.0		
9/7/2019				0.0		
9/8/2019				0.0		
9/9/2019	0	0	0.0	0.0		
9/10/2019	0	0	0.0	0.0		
9/11/2019	0	0	0.0	0.0		
9/12/2019	0	0	0.0	0.0		
9/13/2019	0	0	0.0	0.0		
9/14/2019				0.0		
9/15/2019				0.0		
9/16/2019	0	0	0.0	0.0		
9/17/2019	0	0	0.0	0.0		
9/18/2019	0	0	0.0	0.0		
9/19/2019	0	0	0.0	0.0		
9/20/2019	0	0	0.0	0.0		
9/21/2019				0.0		
9/22/2019				0.0		
9/23/2019	0	0	0.0	0.0		
9/24/2019	0	0	0.0	0.0		
9/25/2019	0	0	0.0	0.0		
9/26/2019	0	0	0.0	0.0		
9/27/2019	0	0	0.0	0.0		
9/28/2019				0.0		
9/29/2019				0.0		
9/30/2019	0	0	0.0	0.0		
10/1/2019	0	0	0.0	0.0		
10/2/2019	0	0	0.0	0.0		
10/3/2019	0	0	0.0	0.0		
10/4/2019	0	0	0.0	0.0		
10/5/2019				0.0		
10/6/2019				0.0		
10/7/2019	0	0	0.0	0.0		
10/8/2019	0	0	0.0	0.0		
10/9/2019	0	0	0.0	0.0		
10/10/2019	0	0	0.0	0.0		
10/11/2019	0	0	0.0	0.0		
10/12/2019				0.0		
10/13/2019				0.0		
10/14/2019	0	0	0.0	0.0		
10/15/2019	0	0	0.0	0.0		
10/16/2019	0	0	0.0	0.0		
10/17/2019	0	0	0.0	0.0		
10/18/2019	0	0	0.0	0.0		
10/19/2019				0.0		
10/20/2019				0.0		
10/21/2019	0	0	0.0	0.0		
10/22/2019	0	0	0.0	0.0		
10/23/2019	0	0	0.0	0.0		
10/24/2019	0	0	0.0	0.0		
10/25/2019	0	0	0.0	0.0		
10/26/2019				0.0		
10/27/2019				0.0		
10/28/2019	0	0	0.0	0.0		
10/29/2019	0	0	0.0	0.0		
10/30/2019	0	0	0.0	0.0		

MT. CARBERRY LANDFILL  
LEACHATE STORAGE POND  
LEAK DETECTION MONITORING  
NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 0.9 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
10/31/2019	0	0	0.0	0.0		
11/1/2019	0	0	0.0	0.0		
11/2/2019				0.0		
11/3/2019				0.0		
11/4/2019	0	0	0.0	0.0		
11/5/2019	0	0	0.0	0.0		
11/6/2019	0	0	0.0	0.0		
11/7/2019	0	0	0.0	0.0		
11/8/2019	0	0	0.0	0.0		
11/9/2019				0.0		
11/10/2019				0.0		
11/11/2019	0	0	0.0	0.0		
11/12/2019	0	0	0.0	0.0		
11/13/2019	0	0	0.0	0.0		
11/14/2019	0	0	0.0	0.0		
11/15/2019	0	0	0.0	0.0		
11/16/2019				0.0		
11/17/2019				0.0		
11/18/2019	0	0	0.0	0.0		
11/19/2019	0	0	0.0	0.0		
11/20/2019	0	0	0.0	0.0		
11/21/2019	0	0	0.0	0.0		
11/22/2019	0	0	0.0	0.0		
11/23/2019				0.0		
11/24/2019				0.0		
11/25/2019	0	0	0.0	0.0		
11/26/2019	0	0	0.0	0.0		
11/27/2019	0	0	0.0	0.0		
11/28/2019				0.0		
11/29/2019	0	0	0.0	0.0		
11/30/2019				0.0		
12/1/2019				0.0		
12/2/2019	0	0	0.0	0.0		
12/3/2019	0	0	0.0	0.0		
12/4/2019	0	0	0.0	0.0		
12/5/2019	0	0	0.0	0.0		
12/6/2019				0.0		
12/7/2019				0.0		
12/8/2019				0.0		
12/9/2019	0	0	0.0	0.0		
12/10/2019	0	0	0.0	0.0		
12/11/2019	0	0	0.0	0.0		
12/12/2019	0	0	0.0	0.0		
12/13/2019	0	0	0.0	0.0		
12/14/2019				0.0		
12/15/2019				0.0		
12/16/2019	0	0	0.0	0.0		
12/17/2019	0	0	0.0	0.0		
12/18/2019	0	0	0.0	0.0		
12/19/2019	0	0	0.0	0.0		
12/20/2019	0	0	0.0	0.0		
12/21/2019				0.0		
12/22/2019				0.0		
12/23/2019	0	0	0.0	0.0		
12/24/2019	0	0	0.0	0.0		
12/25/2019				0.0		
12/26/2019	0	0	0.0	0.0		
12/27/2019	0	0	0.0	0.0		
12/28/2019				0.0		
12/29/2019				0.0		
12/30/2019	0	0	0.0	0.0		
12/31/2019	0	0	0.0	0.0		
1/1/2020				0.0		
1/2/2020	0	0	0.0	0.0		
1/3/2020	0	0	0.0	0.0		
1/4/2020				0.0		
1/5/2020				0.0		
1/6/2020	0	0	0.0	0.0		
1/7/2020	0	0	0.0	0.0		
1/8/2020	0	0	0.0	0.0		
1/9/2020	0	0	0.0	0.0		
1/10/2020	0	0	0.0	0.0		
1/11/2020				0.0		
1/12/2020				0.0		
1/13/2020	0	0	0.0	0.0		
1/14/2020	0	0	0.0	0.0		

MT. CARBERRY LANDFILL  
LEACHATE STORAGE POND  
LEAK DETECTION MONITORING  
NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 0.9 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
1/15/2020	0	0	0.0	0.0		
1/16/2020	0	0	0.0	0.0		
1/17/2020	0	0	0.0	0.0		
1/18/2020				0.0		
1/19/2020				0.0		
1/20/2020	0	0	0.0	0.0		
1/21/2020	0	0	0.0	0.0		
1/22/2020	0	0	0.0	0.0		
1/23/2020	0	0	0.0	0.0		
1/24/2020	0	0	0.0	0.0		
1/25/2020				0.0		
1/26/2020				0.0		
1/27/2020	0	0	0.0	0.0		
1/28/2020	0	0	0.0	0.0		
1/29/2020	0	0	0.0	0.0		
1/30/2020	0	0	0.0	0.0		
1/31/2020	0	0	0.0	0.0		
2/1/2020				0.0		
2/2/2020				0.0		
2/3/2020	0	0	0.0	0.0		
2/4/2020	0	0	0.0	0.0		
2/5/2020	0	0	0.0	0.0		
2/6/2020	0	0	0.0	0.0		
2/7/2020	0	0	0.0	0.0		
2/8/2020				0.0		
2/9/2020				0.0		
2/10/2020	0	0	0.0	0.0		
2/11/2020	0	0	0.0	0.0		
2/12/2020	0	0	0.0	0.0		
2/13/2020	0	0	0.0	0.0		
2/14/2020	0	0	0.0	0.0		
2/15/2020				0.0		
2/16/2020				0.0		
2/17/2020	0	0	0.0	0.0		
2/18/2020	0	0	0.0	0.0		
2/19/2020	0	0	0.0	0.0		
2/20/2020	0	0	0.0	0.0		
2/21/2020	0	0	0.0	0.0		
2/22/2020				0.0		
2/23/2020				0.0		
2/24/2020	0	0	0.0	0.0		
2/25/2020	0	0	0.0	0.0		
2/26/2020	0	0	0.0	0.0		
2/27/2020	0	0	0.0	0.0		
2/28/2020	0	0	0.0	0.0		
2/29/2020				0.0		
3/1/2020				0.0		
3/2/2020	0	0	0.0	0.0		
3/3/2020	0	0	0.0	0.0		
3/4/2020	0	0	0.0	0.0		
3/5/2020	0	0	0.0	0.0		
3/6/2020	0	0	0.0	0.0		
3/7/2020				0.0		
3/8/2020				0.0		
3/9/2020	0	0	0.0	0.0		
3/10/2020	0	0	0.0	0.0		
3/11/2020	0	0	0.0	0.0		
3/12/2020	0	0	0.0	0.0		
3/13/2020	0	0	0.0	0.0		
3/14/2020				0.0		
3/15/2020				0.0		
3/16/2020	0	0	0.0	0.0		
3/17/2020	0	0	0.0	0.0		
3/18/2020	0	0	0.0	0.0		
3/19/2020	0	0	0.0	0.0		
3/20/2020	0	0	0.0	0.0		
3/21/2020				0.0		
3/22/2020				0.0		
3/23/2020	0	0	0.0	0.0		
3/24/2020	0	0	0.0	0.0		
3/25/2020	0	0	0.0	0.0		
3/26/2020	0	0	0.0	0.0		
3/27/2020	0	0	0.0	0.0		
3/28/2020				0.0		
3/29/2020				0.0		
3/30/2020	0	0	0.0	0.0		

MT. CARBERRY LANDFILL  
LEACHATE STORAGE POND  
LEAK DETECTION MONITORING  
NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 0.9 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
3/31/2020	0	0	0.0	0.0		
4/1/2020	0	0	0.0	0.0		
4/2/2020	0	0	0.0	0.0		
4/3/2020	0	0	0.0	0.0		
4/4/2020				0.0		
4/5/2020				0.0		
4/6/2020	0	0	0.0	0.0		
4/7/2020	0	0	0.0	0.0		
4/8/2020	0	0	0.0	0.0		
4/9/2020	0	0	0.0	0.0		
4/10/2020	0	0	0.0	0.0		
4/11/2020				0.0		
4/12/2020				0.0		
4/13/2020	0	0	0.0	0.0		
4/14/2020	0	0	0.0	0.0		
4/15/2020	0	0	0.0	0.0		
4/16/2020	0	0	0.0	0.0		
4/17/2020	0	0	0.0	0.0		
4/18/2020				0.0		
4/19/2020				0.0		
4/20/2020	0	0	0.0	0.0		
4/21/2020	0	0	0.0	0.0		
4/22/2020	0	0	0.0	0.0		
4/23/2020	0	0	0.0	0.0		
4/24/2020	0	0	0.0	0.0		
4/25/2020				0.0		
4/26/2020				0.0		
4/27/2020	0	0	0.0	0.0		
4/28/2020	0	0	0.0	0.0		
4/29/2020	0	0	0.0	0.0		
4/30/2020	0	0	0.0	0.0		
5/1/2020	0	0	0.0	0.0		
5/2/2020				0.0		
5/3/2020				0.0		
5/4/2020	0	0	0.0	0.0		
5/5/2020	0	0	0.0	0.0		
5/6/2020	0	0	0.0	0.0		
5/7/2020	0	0	0.0	0.0		
5/8/2020	0	0	0.0	0.0		
5/9/2020				0.0		
5/10/2020				0.0		
5/11/2020	0	0	0.0	0.0		
5/12/2020	0	0	0.0	0.0		
5/13/2020	0	0	0.0	0.0		
5/14/2020	0	0	0.0	0.0		
5/15/2020	0	0	0.0	0.0		
5/16/2020				0.0		
5/17/2020				0.0		
5/18/2020	0	0	0.0	0.0		
5/19/2020	0	0	0.0	0.0		
5/20/2020	0	0	0.0	0.0		
5/21/2020	0	0	0.0	0.0		
5/22/2020	0	0	0.0	0.0		
5/23/2020				0.0		
5/24/2020				0.0		
5/25/2020				0.0		
5/26/2020	0	0	0.0	0.0		
5/27/2020	0	0	0.0	0.0		
5/28/2020	0	0	0.0	0.0		
5/29/2020	0	0	0.0	0.0		
5/30/2020				0.0		
5/31/2020				0.0		
6/1/2020	0	0	0.0	0.0		
6/2/2020	0	0	0.0	0.0		
6/3/2020	0	0	0.0	0.0		
6/4/2020	0	0	0.0	0.0		
6/5/2020	0	0	0.0	0.0		
6/6/2020				0.0		
6/7/2020				0.0		
6/8/2020	0	0	0.0	0.0		
6/9/2020	0	0	0.0	0.0		
6/10/2020	0	0	0.0	0.0		
6/11/2020	0	0	0.0	0.0		
6/12/2020	0	0	0.0	0.0		
6/13/2020				0.0		
6/14/2020				0.0		

MT. CARBERRY LANDFILL  
LEACHATE STORAGE POND  
LEAK DETECTION MONITORING  
NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 0.9 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
6/15/2020	0	0	0.0	0.0		
6/16/2020	0	0	0.0	0.0		
6/17/2020	0	0	0.0	0.0		
6/18/2020	0	0	0.0	0.0		
6/19/2020	0	0	0.0	0.0		
6/20/2020				0.0		
6/21/2020				0.0		
6/22/2020	0	0	0.0	0.0		
6/23/2020	0	0	0.0	0.0		
6/24/2020	0	0	0.0	0.0		
6/25/2020	0	0	0.0	0.0		
6/26/2020	0	0	0.0	0.0		
6/27/2020				0.0		
6/28/2020				0.0		
6/29/2020	0	0	0.0	0.0		
6/30/2020	0	0	0.0	0.0		
7/1/2020	0	0	0.0	0.0		
7/2/2020	0	0	0.0	0.0		
7/3/2020	0	0	0.0	0.0		
7/4/2020				0.0		
7/5/2020				0.0		
7/6/2020	0	0	0.0	0.0		
7/7/2020	0	0	0.0	0.0		
7/8/2020	0	0	0.0	0.0		
7/9/2020	0	0	0.0	0.0		
7/10/2020	0	0	0.0	0.0		
7/11/2020				0.0		
7/12/2020				0.0		
7/13/2020	0	0	0.0	0.0		
7/14/2020	0	0	0.0	0.0		
7/15/2020	0	0	0.0	0.0		
7/16/2020	0	0	0.0	0.0		
7/17/2020	0	0	0.0	0.0		
7/18/2020				0.0		
7/19/2020				0.0		
7/20/2020	0	0	0.0	0.0		
7/21/2020	0	0	0.0	0.0		
7/22/2020	0	0	0.0	0.0		
7/23/2020	0	0	0.0	0.0		
7/24/2020	0	0	0.0	0.0		
7/25/2020				0.0		
7/26/2020				0.0		
7/27/2020	0	0	0.0	0.0		
7/28/2020	0	0	0.0	0.0		
7/29/2020	0	0	0.0	0.0		
7/30/2020	0	0	0.0	0.0		
7/31/2020	0	0	0.0	0.0		
8/1/2020				0.0		
8/2/2020				0.0		
8/3/2020	0	0	0.0	0.0		
8/4/2020	0	0	0.0	0.0		
8/5/2020	0	0	0.0	0.0		
8/6/2020	0	0	0.0	0.0		
8/7/2020	0	0	0.0	0.0		
8/8/2020				0.0		
8/9/2020				0.0		
8/10/2020	0	0	0.0	0.0		
8/11/2020	0	0	0.0	0.0		
8/12/2020	0	0	0.0	0.0		
8/13/2020	0	0	0.0	0.0		
8/14/2020	0	0	0.0	0.0		
8/15/2020				0.0		
8/16/2020				0.0		
8/17/2020	0	0	0.0	0.0		
8/18/2020	0	0	0.0	0.0		
8/19/2020	0	0	0.0	0.0		
8/20/2020	0	0	0.0	0.0		
8/21/2020	0	0	0.0	0.0		
8/22/2020				0.0		
8/23/2020				0.0		
8/24/2020	0	0	0.0	0.0		
8/25/2020	0	0	0.0	0.0		
8/26/2020	0	0	0.0	0.0		
8/27/2020	0	0	0.0	0.0		
8/28/2020	0	0	0.0	0.0		
8/29/2020				0.0		

MT. CARBERRY LANDFILL  
LEACHATE STORAGE POND  
LEAK DETECTION MONITORING  
NOTE: IF *'S APPEAR, CALL AVRDD OFFICE IMMEDIATELY AT 752-3342

DATE	M/L PER 15 SECONDS	M/L PER MINUTE	GAL/DAY PER 0.9 ACRES	30 DAY RUNNING AVERAGE	* IF OVER 25 GAL/DAY	* IF OVER 100 GAL/DAY
8/30/2020				0.0		
8/31/2020	0	0	0.0	0.0		
9/1/2020	0	0	0.0	0.0		
9/2/2020	0	0	0.0	0.0		
9/3/2020	0	0	0.0	0.0		
9/4/2020	0	0	0.0	0.0		
9/5/2020				0.0		
9/6/2020				0.0		
9/7/2020				0.0		
9/8/2020	0	0	0.0	0.0		
9/9/2020	0	0	0.0	0.0		
9/10/2020	0	0	0.0	0.0		
9/11/2020	0	0	0.0	0.0		
9/12/2020				0.0		
9/13/2020				0.0		
9/14/2020	0	0	0.0	0.0		
9/15/2020	0	0	0.0	0.0		
9/16/2020	0	0	0.0	0.0		
9/17/2020	0	0	0.0	0.0		
9/18/2020	0	0	0.0	0.0		
9/19/2020				0.0		
9/20/2020				0.0		
9/21/2020	0	0	0.0	0.0		
9/22/2020	0	0	0.0	0.0		
9/23/2020	0	0	0.0	0.0		
9/24/2020	0	0	0.0	0.0		
9/25/2020	0	0	0.0	0.0		
9/26/2020				0.0		
9/27/2020				0.0		
9/28/2020	0	0	0.0	0.0		
9/29/2020	0	0	0.0	0.0		
9/30/2020	0	0	0.0	0.0		

ANDROSCOGGIN VALLEY  
REGIONAL REFUSE DISPOSAL DISTRICT  
PO BOX 336  
BERLIN, NH 03570

CERTIFIED MAIL



7014 1120 0001 1368 0080

ATT  
5-21

1st notice 4/1/00  
4-7 ✓

Norman Poirier Jr.  
202 Hillsboro St.  
Berlin, NH 03570

WMC



1000



03570

U.S. POSTAGE PAID  
FIRST CLASS PERMIT NO. 100  
BERLIN, NH  
03570  
MAR 31, 20  
AMOUNT

\$4.10

R2305K132888-03

*Norman Poirier Jr*

# USPS Tracking®

[FAQs >](#)[Track Another Package +](#)**Tracking Number:** 70191120000113680080[Remove X](#)

Your package is moving within the USPS network and is on track to be delivered to its final destination. It is currently in transit to the next facility.

## In-Transit

May 9, 2020  
In Transit to Next Facility

[Get Updates ✓](#)[Feedback](#)

---

[Text & Email Updates](#)

---

[Tracking History](#)**May 9, 2020**

In Transit to Next Facility

Your package is moving within the USPS network and is on track to be delivered to its final destination. It is currently in transit to the next facility.

**May 5, 2020, 7:14 am**

Departed USPS Regional Origin Facility  
SHREWSBURY MA DISTRIBUTION CENTER

**May 4, 2020, 1:23 pm**

Arrived at USPS Regional Origin Facility  
SHREWSBURY MA DISTRIBUTION CENTER

**May 1, 2020, 8:26 am**

Unclaimed/Being Returned to Sender  
BERLIN, NH 03570

Reminder to Schedule Redelivery of your item

**April 1, 2020, 2:44 pm**

Notice Left (No Authorized Recipient Available)  
BERLIN, NH 03570

**April 1, 2020, 7:21 am**

Out for Delivery  
BERLIN, NH 03570

**April 1, 2020, 7:10 am**

Arrived at Unit  
BERLIN, NH 03570

**March 31, 2020, 2:12 pm**

Departed Post Office  
BERLIN, NH 03570

**March 31, 2020, 11:03 am**

USPS in possession of item  
BERLIN, NH 03570

Feedback

---

**Product Information**

---





*Normal  
Poiner*

FAQs >

Track Another Package +

Tracking Number: 70191120000113680080

Remove X

Your item arrived at the BERLIN, NH 03570 post office at 8:45 am on May 21, 2020 and is ready for pickup.

Available for Pickup

May 21, 2020 at 8:45 am  
Available for Pickup  
BERLIN, NH 03570

Get Updates v

Feedback

Text & Email Updates



Tracking History



May 21, 2020, 8:45 am

Available for Pickup  
BERLIN, NH 03570

Your item arrived at the BERLIN, NH 03570 post office at 8:45 am on May 21, 2020 and is ready for pickup.

May 21, 2020, 7:39 am

Out for Delivery  
BERLIN, NH 03570

**May 21, 2020, 7:28 am**

Arrived at Unit  
BERLIN, NH 03570

**May 20, 2020, 9:00 pm**

Departed USPS Regional Facility  
WHITE RIVER JUNCTION VT DISTRIBUTION CENTER

**May 20, 2020, 9:13 am**

Arrived at USPS Regional Facility  
WHITE RIVER JUNCTION VT DISTRIBUTION CENTER

**May 19, 2020, 1:27 pm**

Departed USPS Regional Facility  
SHREWSBURY MA DISTRIBUTION CENTER

**May 19, 2020, 8:40 am**

Arrived at USPS Regional Facility  
SHREWSBURY MA DISTRIBUTION CENTER

Feedback

---

**Product Information**

---




**See Less** ^

**Can't find what you're looking for?**

Go to our FAQs section to find answers to your tracking questions.

**FAQs**



# Androscoggin Valley

Regional Refuse Disposal District

March 27, 2020 ^{resent 5/6/20}  
Norman B. Poirier, Jr.  
202 Hillsboro Street  
Berlin, NH 03570

Map 116 Lot #25  
Map 117 Lot #2

**VIA CERTIFIED MAIL RETURN RECEIPT REQUESTED**

**RE: Androscoggin Valley Regional Refuse Disposal District,  
Mt. Carberry Secure Landfill (DES-SW-88-029)  
Notice to Abutters for Phase IIIA Landfill Expansion  
New Hampshire Department of Environmental Services  
Waste Management Division, Permitting & Design Review Section  
Type I-A Permit Modification and Waiver Applications**

Dear Norman B. Poirier, Jr.,

The Androscoggin Valley Regional Refuse Disposal District (the District) is in the process of applying for a Type I-A permit modification and a related Application for Waiver that would provide for additional landfill capacity in a horizontal expansion of the Mt. Carberry Secure Landfill. Our records indicate you own land abutting the landfill site. This letter serves as notice to abutters of the filing of the application with the New Hampshire Department of Environmental Services (NHDES) as required in RSA 149-M and the New Hampshire Solid Waste Rules.

The Mt. Carberry Secure Landfill is located in Success township on Bean Brook Road and is accessed from Hutchins Street in Berlin, NH. The NHDES Standard Facility Permit for the landfill is number DES-SW-88-029. The Type I-A Permit Modification application is scheduled to be submitted to NHDES on or around April 1, 2020.

The waiver application seeks a waiver of NH Solid Waste Rules Env-Sw 804.03(e), Env-Sw 805.07(b)(1), and Env-Sw 805.07(b)(1) of the New Hampshire Code of Administrative Rules. These rules relate to the proximity of wetlands, liner system design standards within the existing landfill liner system, and leachate collection system standards within the existing landfill as based on the evaluation presented in the Type I-A Permit Modification application and as required by NHDES.

The modification, if approved, would allow for a horizontal expansion, referred to as Phase IIIA, which is located within the originally permitted Phase III landfill footprint from the late 1980's. The landfill is a municipally-owned commercial facility accepting wastes from residents and businesses located in the District, New Hampshire, and neighboring states plus the Gorham Paper and Tissue (GPT) mill. Phase IIIA would be permitted to accept the same types of wastes as currently permitted, including municipal solid waste, wastes from the GPT paper mill, construction and demolition debris, asbestos containing materials, automobile shredder residue, treatment plant sludge and special wastes meeting NHDES requirements. Phase IIIA will be 22.9 acres of new landfill base

Berlin, NH 03570  
Tel. (603) 752-3342

area construction of the original 46.9 acres permitted for Phase III. Construction for Phase IIIA is anticipated to start as early as late 2022 and operations to begin at the end of filling Stage 12, in approximately 2024. Phase IIIA would provide approximately 4,992,000 cubic yards of additional disposal capacity over an approximately 16.3 year operating period.

The applications can be reviewed during normal business hours at the District's offices at 3 Twelfth Street, Berlin, NH 03570, at the Coos County offices at 136 County Farm Road, West Stewartstown, NH 03597, and at NHDES located at 29 Hazen Drive, Concord, NH. Due to recent coronavirus concerns, and potential changes to office hours, if you wish to review the application, please contact us in advance to make appropriate arrangements which may including making available an electronic copy for review. The permit applicant, facility owner, and property owner is the District. The facility is operated under contract with the District by the Cianbro Corporation.

The New Hampshire Solid Waste Rules include specific procedures regarding the review and issuance or denial of permit modification applications. Once the application is submitted, the NHDES will make a determination of completeness. Once determined complete, the NHDES will undertake a technical review and determine whether the proposal meets all requirements of the Rules. In addition, the NHDES will hold a public hearing in Berlin during the review process and provide a period for public comment. Following the close of the technical review process and no earlier than 30 days after the hearing, the NHDES will make a final decision to issue or deny the requested modification. Attached is a flow chart for a standard permit application, which is substantially the same as the process for a Type I-A permit modification.

The District's mailing address is 3 Twelfth Street, P.O. Box 336, Berlin, NH 03570. The contact person for the District is Ms. Sharon Gauthier, Executive Director, who can be reached at the District's office in Berlin or at 603-752-3342 or at [sgauthier@avrrdd.org](mailto:sgauthier@avrrdd.org).

The contact person at NHDES is Ms. Jaime Colby, NHDES Waste Management Division, P.O. Box 95, 29 Hazen Drive, Concord, NH 03302-0095 or at (603) 271-2935 or [jaime.colby@des.nh.gov](mailto:jaime.colby@des.nh.gov).

Sincerely,

Androscoggin Valley Regional Refuse Disposal District



Sharon Gauthier  
Executive Director

Enclosure: NHDES Application Flow Chart

cc w/o enc: Jaime Colby, P.E., NHDES  
Paul Schmidt, P.E. CMA Engineers

0420 9827 1368 0240

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**BERLIN NH 03570**  
**OFFICIAL USE**

Certified Mail Fee	\$3.55	0570
Extra Services & Fees (check box, add fee as appropriate)	\$0.00	03
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	
Postage	\$0.55	
Total Postage and Fees	\$4.10	

Sent To: Sterent, Lisa Vien  
Street and Apt. No., or PO Box No.  
171 Enman Hill Road  
City, State, ZIP+4®  
Berlin NH 03570

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

0420 9827 1368 0233

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**CONCORD NH 03301**  
**OFFICIAL USE**

Certified Mail Fee	\$3.55	0570
Extra Services & Fees (check box, add fee as appropriate)	\$0.00	03
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	
Postage	\$0.55	
Total Postage and Fees	\$4.10	

Sent To: NH Public Radio, Inc. Attn: Scott McPherson  
Street and Apt. No., or PO Box No.  
2 Pillsbury St. 6th Floor  
City, State, ZIP+4®  
Concord NH 03301

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

0420 9827 1368 0127

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**BERLIN NH 03570**  
**OFFICIAL USE**

Certified Mail Fee	\$3.55	0570
Extra Services & Fees (check box, add fee as appropriate)	\$0.00	03
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	
Postage	\$0.55	
Total Postage and Fees	\$4.10	

Sent To: Danielle Demers  
Street and Apt. No., or PO Box No.  
496 Enman Hill Rd  
City, State, ZIP+4®  
Berlin NH 03570

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

0420 9827 1368 0080

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**BERLIN NH 03570**  
**OFFICIAL USE**

Certified Mail Fee	\$3.55	0570
Extra Services & Fees (check box, add fee as appropriate)	\$0.00	03
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	
Postage	\$0.55	
Total Postage and Fees	\$4.10	

Sent To: Norman Poirier Jr.  
Street and Apt. No., or PO Box No.  
202 Hillsboro St.  
City, State, ZIP+4®  
Berlin NH 03570

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

0420 9827 1368 0325

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**BERLIN NH 03570**  
**OFFICIAL USE**

Certified Mail Fee	\$3.55	0570
Extra Services & Fees (check box, add fee as appropriate)	\$0.00	03
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	
Postage	\$0.55	
Total Postage and Fees	\$4.10	

Sent To: Lucien + Searne Cloutier  
Street and Apt. No., or PO Box No.  
505 Enman Hill Rd.  
City, State, ZIP+4®  
Berlin NH 03570

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

0420 9827 1368 0216

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**RIDGEWOOD NJ 07450**  
**OFFICIAL USE**

Certified Mail Fee	\$3.55	0570
Extra Services & Fees (check box, add fee as appropriate)	\$0.00	03
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	
Postage	\$0.55	
Total Postage and Fees	\$4.10	

Sent To: Harst-Arlyle Properties % FANDE LLC  
Street and Apt. No., or PO Box No.  
1706 Ridge Wood Ave  
City, State, ZIP+4®  
Ridge wood NJ 07450

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

# USPS Tracking®

[FAQs >](#)[Track Another Package +](#)**Tracking Number:** 70191120000113680233[Remove X](#)

Your item was delivered to an individual at the address at 10:00 am on April 2, 2020 in CONCORD, NH 03301.

## Delivered

April 2, 2020 at 10:00 am  
Delivered, Left with Individual  
CONCORD, NH 03301

[Get Updates ∨](#)[Feedback](#)

---

### Text & Email Updates

---



### Tracking History



**April 2, 2020, 10:00 am**

Delivered, Left with Individual  
CONCORD, NH 03301

Your item was delivered to an individual at the address at 10:00 am on April 2, 2020 in CONCORD, NH 03301.

*Lucien & Jeanne Cloutier***USPS Tracking®**[FAQs >](#)**Track Another Package +****Tracking Number:** 70191120000113680325[Remove X](#)

Your item was delivered to an individual at the address at 1:24 pm on April 1, 2020 in BERLIN, NH 03570.

 **Delivered**

April 1, 2020 at 1:24 pm  
Delivered, Left with Individual  
BERLIN, NH 03570

**Get Updates** 

Feedback

---

**Text & Email Updates** 

---

**Tracking History** **April 1, 2020, 1:24 pm**

Delivered, Left with Individual  
BERLIN, NH 03570

Your item was delivered to an individual at the address at 1:24 pm on April 1, 2020 in BERLIN, NH 03570.

# USPS Tracking®

[FAQs >](#)[Track Another Package +](#)**Tracking Number:** 70191120000113680127[Remove X](#)

Your item was delivered to an individual at the address at 1:27 pm on April 1, 2020 in BERLIN, NH 03570.

## Delivered

April 1, 2020 at 1:27 pm  
Delivered, Left with Individual  
BERLIN, NH 03570

[Get Updates ∨](#)[Feedback](#)

---

**Text & Email Updates**

---

**Tracking History**

**April 1, 2020, 1:27 pm**  
Delivered, Left with Individual  
BERLIN, NH 03570

Your item was delivered to an individual at the address at 1:27 pm on April 1, 2020 in BERLIN, NH 03570.

Hearst Argyle Properties

**USPS Tracking®**[FAQs >](#)**Track Another Package +****Tracking Number:** 70191120000113680219[Remove X](#)

Your item was delivered to an individual at the address at 11:01 am on April 2, 2020 in RIDGEWOOD, NJ 07450.

 **Delivered**

April 2, 2020 at 11:01 am  
Delivered, Left with Individual  
RIDGEWOOD, NJ 07450

**Get Updates** 

Feedback

**Text & Email Updates****Tracking History****April 2, 2020, 11:01 am**

Delivered, Left with Individual  
RIDGEWOOD, NJ 07450

Your item was delivered to an individual at the address at 11:01 am on April 2, 2020 in RIDGEWOOD, NJ 07450.

7019 1120 0001 1368 0047

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**BERLIN NH 03570**

**OFFICIAL USE**

Certified Mail Fee	\$3.55	0570
Extra Services & Fees (check box, add fee as appropriate)	\$0.00	03
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	
Postage	\$0.55	
Total Postage and Fees	\$4.10	

Sent To  
Paul Bernier  
Street and Apt. No., or PO Box No.  
480 Enman Hill Road  
City, State, ZIP+4®  
Berlin NH 03570

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

7019 1120 0001 1368 0167

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**BERLIN NH 03570**

**OFFICIAL USE**

Certified Mail Fee	\$3.55	0570
Extra Services & Fees (check box, add fee as appropriate)	\$0.00	03
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	
Postage	\$0.55	
Total Postage and Fees	\$4.10	

Sent To  
Charles Vincent  
Street and Apt. No., or PO Box No.  
454 Enman Hill Road  
City, State, ZIP+4®  
Berlin NH 03570

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

7019 1120 0001 1368 0360

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**BERLIN NH 03570**

**OFFICIAL USE**

Certified Mail Fee	\$3.55	0570
Extra Services & Fees (check box, add fee as appropriate)	\$0.00	03
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	
Postage	\$0.55	
Total Postage and Fees	\$4.10	

Sent To  
Paul + Denise Miller  
Street and Apt. No., or PO Box No.  
422 Enman Hill Rd.  
City, State, ZIP+4®  
Berlin NH 03570

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

7019 1120 0001 1368 0370

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**GORHAM NH 03581**

**OFFICIAL USE**

Certified Mail Fee	\$3.55	0570
Extra Services & Fees (check box, add fee as appropriate)	\$0.00	03
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	
Postage	\$0.55	
Total Postage and Fees	\$4.10	

Sent To  
USA Nat'l Park Serv- Appal. Trail Corridor Forest Serv Mgmt  
Street and Apt. No., or PO Box No.  
300 Glen Rd  
City, State, ZIP+4®  
Gorham NH 03581

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

7019 1120 0001 1368 0370

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**OMAHA NE 68154**

**OFFICIAL USE**

Certified Mail Fee	\$3.55	0570
Extra Services & Fees (check box, add fee as appropriate)	\$0.00	03
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	
Postage	\$0.55	
Total Postage and Fees	\$4.10	

Sent To  
PINGS Operating Co. LLC  
Street and Apt. No., or PO Box No.  
13710 FNB Parkway  
City, State, ZIP+4®  
Omaha NE 68154-5200

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

7019 1120 0001 1368 0370

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**PHILADELPHIA PA 19103**

**OFFICIAL USE**

Certified Mail Fee	\$3.55	0570
Extra Services & Fees (check box, add fee as appropriate)	\$0.00	03
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	
Postage	\$0.55	
Total Postage and Fees	\$4.10	

Sent To  
PPA % C Schubert Trust Bankruptcy Est. Michael Akabak  
Street and Apt. No., or PO Box No.  
2000 Market St. 10th Floor  
City, State, ZIP+4®  
Philadelphia PA 19103

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

# USPS Tracking®

[FAQs >](#)[Track Another Package +](#)**Tracking Number:** 70191120000113680097[Remove X](#)

Your item was delivered to an individual at the address at 1:29 pm on April 1, 2020 in BERLIN, NH 03570.

 **Delivered**

April 1, 2020 at 1:29 pm  
Delivered, Left with Individual  
BERLIN, NH 03570

[Get Updates ∨](#)

Feedback

---

**Text & Email Updates**

---

**Tracking History****April 1, 2020, 1:29 pm**

Delivered, Left with Individual  
BERLIN, NH 03570

Your item was delivered to an individual at the address at 1:29 pm on April 1, 2020 in BERLIN, NH 03570.

Charles Vincent

# USPS Tracking®

[FAQs >](#)[Track Another Package +](#)**Tracking Number:** 70191120000113680165[Remove X](#)

Your item was delivered to an individual at the address at 1:31 pm on April 1, 2020 in BERLIN, NH 03570.

## Delivered

April 1, 2020 at 1:31 pm  
Delivered, Left with Individual  
BERLIN, NH 03570

[Get Updates v](#)[Feedback](#)

---

### Text & Email Updates



---

### Tracking History

**April 1, 2020, 1:31 pm**

Delivered, Left with Individual  
BERLIN, NH 03570

Your item was delivered to an individual at the address at 1:31 pm on April 1, 2020 in BERLIN, NH 03570.

# USPS Tracking®

[FAQs >](#)[Track Another Package +](#)**Tracking Number:** 70191120000113680363[Remove X](#)

Your item was delivered at 11:23 am on April 2, 2020 in BERLIN, NH 03570.

## Delivered

April 2, 2020 at 11:23 am  
Delivered  
BERLIN, NH 03570

[Get Updates ∨](#)[Feedback](#)

---

[Text & Email Updates ∨](#)

---

[Tracking History ^](#)**April 2, 2020, 11:23 am**

Delivered

BERLIN, NH 03570

Your item was delivered at 11:23 am on April 2, 2020 in BERLIN, NH 03570.

**April 1, 2020, 1:55 pm**

Notice Left (No Authorized Recipient Available)

BERLIN, NH 03570

# USPS Tracking®

[FAQs >](#)[Track Another Package +](#)**Tracking Number:** 70191120000113680318[Remove X](#)

Your item was delivered at 3:49 pm on April 14, 2020 in GORHAM, NH 03581.

## Delivered

April 14, 2020 at 3:49 pm  
Delivered  
GORHAM, NH 03581

[Get Updates ✓](#)[Feedback](#)

---

[Text & Email Updates](#)

---

[Tracking History](#)**April 14, 2020, 3:49 pm**

Delivered  
GORHAM, NH 03581

Your item was delivered at 3:49 pm on April 14, 2020 in GORHAM, NH 03581.

**April 2, 2020, 9:00 am**

Delivery Attempted - No Access to Delivery Location  
GORHAM, NH 03581

PNGTS Operating Co.  
letter came back to us

# USPS Tracking®

[FAQs >](#)

**Track Another Package +**

**Tracking Number:** 70191120000113680370

Remove X

Your item was delivered at 1:51 pm on April 15, 2020 in BERLIN, NH 03570.

## ✓ Delivered

April 15, 2020 at 1:51 pm  
Delivered  
BERLIN, NH 03570

Feedback

**Get Updates** ✓

---

**Text & Email Updates**



---

**Tracking History**



**April 15, 2020, 1:51 pm**

Delivered

BERLIN, NH 03570

Your item was delivered at 1:51 pm on April 15, 2020 in BERLIN, NH 03570.

**April 15, 2020, 8:10 am**

Available for Pickup

BERLIN, NH 03570

PPA

# USPS Tracking®

[FAQs >](#)[Track Another Package +](#)**Tracking Number:** 70191120000113680202[Remove X](#)

Your item was delivered at 1:55 pm on April 14, 2020 in PHILADELPHIA, PA 19103.

## ✓ Delivered

April 14, 2020 at 1:55 pm  
Delivered  
PHILADELPHIA, PA 19103

[Feedback](#)[Get Updates ✓](#)

---

[Text & Email Updates](#)

---

[Tracking History](#)**April 14, 2020, 1:55 pm**

Delivered  
PHILADELPHIA, PA 19103

Your item was delivered at 1:55 pm on April 14, 2020 in PHILADELPHIA, PA 19103.

**April 13, 2020, 4:30 am**

Arrived at Unit  
PHILADELPHIA, PA 19104

7019 1120 0001 1368 0264

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
 Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**BERLIN, NH 03570**

**OFFICIAL USE**

Certified Mail Fee	\$3.55
Extra Services & Fees (check box, add fee as appropriate)	\$0.00
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00
<input type="checkbox"/> Return Receipt (electronic)	\$0.00
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00
<input type="checkbox"/> Adult Signature Required	\$0.00
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00
Postage	\$0.55
Total Postage and Fees	\$4.10

Sent To: Maurice + Anne Larzche  
 Street and Apt. No., or PO Box No. 629 Bliss St.  
 City, State, ZIP+4® Berlin NH 03570

PS Form 3800, April 2015 PSN 7530-02-000-9007 See Reverse for Instructions

7019 1120 0001 1368 0257

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
 Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**CHICHESTER, NH 03258**

**OFFICIAL USE**

Certified Mail Fee	\$3.55
Extra Services & Fees (check box, add fee as appropriate)	\$0.00
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00
<input type="checkbox"/> Return Receipt (electronic)	\$0.00
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00
<input type="checkbox"/> Adult Signature Required	\$0.00
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00
Postage	\$0.55
Total Postage and Fees	\$4.10

Sent To: Dawn Johnson  
 Street and Apt. No., or PO Box No. 46 Horse Corner Rd.  
 City, State, ZIP+4® Chichester NH 03258

PS Form 3800, April 2015 PSN 7530-02-000-9007 See Reverse for Instructions

7006 0100 0002 3495 6915

**U.S. Postal Service**  
**CERTIFIED MAIL™ RECEIPT**  
 (Domestic Mail Only; No Insurance Coverage Provided)

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**HARPERS FERRY, WV 25425**

**OFFICIAL USE**

Postage	\$3.55
Certified Fee	\$0.00
Return Receipt Fee (Endorsement Required)	\$0.00
Restricted Delivery Fee (Endorsement Required)	\$0.00
Total Postage & Fees	\$4.10

Sent To: USP Appalachian Conservancy  
 Street, Apt. No., or PO Box No. 299 Washington St. PO Box 807  
 City, State, ZIP+4® Harpers Ferry WV 25425-0807

PS Form 3800, June 2002 See Reverse for Instructions

6910 9961 1000 0001 1368 0189

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
 Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**GORHAM, NH 03581**

**OFFICIAL USE**

Certified Mail Fee	\$3.55
Extra Services & Fees (check box, add fee as appropriate)	\$0.00
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00
<input type="checkbox"/> Return Receipt (electronic)	\$0.00
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00
<input type="checkbox"/> Adult Signature Required	\$0.00
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00
Postage	\$0.55
Total Postage and Fees	\$4.10

Sent To: Gorham Paper + Tissue LLC  
 Street and Apt. No., or PO Box No. 77 Cascade Flats  
 City, State, ZIP+4® Gorham NH 03581

PS Form 3800, April 2015 PSN 7530-02-000-9007 See Reverse for Instructions

7019 1120 0001 1368 0356

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
 Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**FOSTER, RI 02825**

**OFFICIAL USE**

Certified Mail Fee	\$3.55
Extra Services & Fees (check box, add fee as appropriate)	\$0.00
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00
<input type="checkbox"/> Return Receipt (electronic)	\$0.00
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00
<input type="checkbox"/> Adult Signature Required	\$0.00
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00
Postage	\$0.55
Total Postage and Fees	\$4.10

Sent To: Marky Kimberly Leigh Selter  
 Street and Apt. No., or PO Box No. 119 Rainswood Rd.  
 City, State, ZIP+4® Foster RI 02828

PS Form 3800, April 2015 PSN 7530-02-000-9007 See Reverse for Instructions

7006 0100 0002 3495 6908

**U.S. Postal Service**  
**CERTIFIED MAIL™ RECEIPT**  
 (Domestic Mail Only; No Insurance Coverage Provided)

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**WEST STEWARTSTOWN, NH 03597**

**OFFICIAL USE**

Postage	\$3.55
Certified Fee	\$0.00
Return Receipt Fee (Endorsement Required)	\$0.00
Restricted Delivery Fee (Endorsement Required)	\$0.00
Total Postage & Fees	\$4.10

Sent To: Kimber Fish, County Admin - Coos County Commis Office  
 Street, Apt. No., or PO Box No. PO Box 10  
 City, State, ZIP+4® West Stewartstown NH 03597

PS Form 3800, June 2002 See Reverse for Instructions

*Maurice + Anne Laroche*

# USPS Tracking®

[FAQs >](#)[Track Another Package +](#)**Tracking Number:** 70191120000113680264[Remove X](#)

Your item was delivered to an individual at the address at 2:14 pm on April 9, 2020 in BERLIN, NH 03570.

## Delivered

April 9, 2020 at 2:14 pm  
Delivered, Left with Individual  
BERLIN, NH 03570

[Get Updates ✓](#)[Feedback](#)

---

**Text & Email Updates**

---

**Tracking History****April 9, 2020, 2:14 pm**

Delivered, Left with Individual  
BERLIN, NH 03570

Your item was delivered to an individual at the address at 2:14 pm on April 9, 2020 in BERLIN, NH 03570.

[Reminder to Schedule Redelivery of your item](#)

GPT

# USPS Tracking®

[FAQs >](#)[Track Another Package +](#)**Tracking Number:** 70191120000113680189[Remove X](#)

Your item was delivered to an individual at the address at 2:22 pm on April 2, 2020 in GORHAM, NH 03581.

## Delivered

April 2, 2020 at 2:22 pm  
Delivered, Left with Individual  
GORHAM, NH 03581

[Get Updates ∨](#)[Feedback](#)

---

[Text & Email Updates ∨](#)

---

[Tracking History ^](#)**April 2, 2020, 2:22 pm**

Delivered, Left with Individual  
GORHAM, NH 03581

Your item was delivered to an individual at the address at 2:22 pm on April 2, 2020 in GORHAM, NH 03581.

*Dawn Johnson***USPS Tracking®**[FAQs >](#)**Track Another Package +****Tracking Number:** 70191120000113680257[Remove X](#)

Your item was delivered to an individual at the address at 11:29 am on April 3, 2020 in CHICHESTER, NH 03258.

 **Delivered**

April 3, 2020 at 11:29 am  
Delivered, Left with Individual  
CHICHESTER, NH 03258

**Get Updates** ▾

Feedback

---

**Text & Email Updates** ▾

---

**Tracking History** ▴**April 3, 2020, 11:29 am**

Delivered, Left with Individual  
CHICHESTER, NH 03258

Your item was delivered to an individual at the address at 11:29 am on April 3, 2020 in CHICHESTER, NH 03258.

*Mark & Kimberly Setter*

# USPS Tracking®

[FAQs >](#)[Track Another Package +](#)**Tracking Number:** 70191120000113680356[Remove X](#)

Your item was picked up at the post office at 12:14 pm on April 3, 2020 in FOSTER, RI 02825.

## Delivered

April 3, 2020 at 12:14 pm  
Delivered, Individual Picked Up at Post Office  
FOSTER, RI 02825

[Get Updates ▼](#)[Feedback](#)

---

### Text & Email Updates ▼

---

### Tracking History ^

**April 3, 2020, 12:14 pm**

Delivered, Individual Picked Up at Post Office  
FOSTER, RI 02825

Your item was picked up at the post office at 12:14 pm on April 3, 2020 in FOSTER, RI 02825.

**April 2, 2020, 12:20 pm**

Notice Left (No Authorized Recipient Available)  
FOSTER, RI 02825

**USPS Tracking®**

USA Appalachian Conservancy

FAQs &gt;

**Track Another Package +****Tracking Number:** 70060100000234956915

Remove X

Your item was delivered at 8:20 am on April 3, 2020 in HARPERS FERRY, WV 25425.

**✓ Delivered**

April 3, 2020 at 8:20 am

Delivered

HARPERS FERRY, WV 25425

**Get Updates** ✓**Text & Email Updates****Tracking History****April 3, 2020, 8:20 am**

Delivered

HARPERS FERRY, WV 25425

Your item was delivered at 8:20 am on April 3, 2020 in HARPERS FERRY, WV 25425.

**April 3, 2020, 7:16 am**

Arrived at Unit

HARPERS FERRY, WV 25425

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

USA Appalachian Conservancy  
299 Washington St  
PO Box 807  
Harpers Ferry WV  
25425-0807



9590 9402 5135 9092 2149 04

2. Article Number (Transfer from service label)

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature

X

Kalyann Petrie

☐ Agent☐ Addressee

B. Received by (Printed Name)

Kalyann Petrie

C. Date of Delivery

4-3-20

D. Is delivery address different from item 1? ☐ Yes  
If YES, enter delivery address below: ☐ No

3. Service Type

- ☐ Adult Signature
- ☐ Adult Signature Restricted Delivery
- ☐ Certified Mail®
- ☐ Certified Mail Restricted Delivery
- ☐ Collect on Delivery
- ☐ Collect on Delivery Restricted Delivery
- ☐ Insured Mail
- ☐ Insured Mail Restricted Delivery (over \$500)

- ☐ Priority Mail Express®
- ☐ Registered Mail™
- ☐ Registered Mail Restricted Delivery
- ☐ Return Receipt for Merchandise
- ☐ Signature Confirmation™
- ☐ Signature Confirmation Restricted Delivery

Domestic Return Receipt

Covs County

**USPS Tracking®**

FAQs &gt;

**Track Another Package +****Tracking Number:** 70060100000234956908

Remove X

Your item was picked up at the post office at 9:53 am on April 2, 2020 in WEST STEWARTSTOWN, NH 03597.

 **Delivered**

April 2, 2020 at 9:53 am  
Delivered, Individual Picked Up at Post Office  
WEST STEWARTSTOWN, NH 03597

**Get Updates** v

Feedback

---

**Text & Email Updates**

---

**Tracking History****April 2, 2020, 9:53 am**

Delivered, Individual Picked Up at Post Office  
WEST STEWARTSTOWN, NH 03597

Your item was picked up at the post office at 9:53 am on April 2, 2020 in WEST STEWARTSTOWN, NH 03597.

7006 0100 0002 3495 6946

**U.S. Postal Service**  
**CERTIFIED MAIL[®] RECEIPT**  
 (Domestic Mail Only. No Insurance Coverage Provided)

For delivery information visit our website at [www.usps.com](http://www.usps.com)

**BERLIN, NH 03570**

**OFFICIAL USE**

Postage	\$3.55
Certified Fee	\$0.00
Return Receipt Fee (Endorsement Required)	\$0.00
Restricted Delivery Fee (Endorsement Required)	\$0.00
Total Postage & Fees	\$4.10

Sent To: **Richard Riendeau**  
 Street, Apt. No., or PO Box No. **361 Madison Ave.**  
 City, State, ZIP+4[®] **Berlin, NH 03570**

PS Form 3800, June 2002 See Reverse for Instructions

7006 0100 0002 3495 5901

**U.S. Postal Service**  
**CERTIFIED MAIL[®] RECEIPT**  
 (Domestic Mail Only. No Insurance Coverage Provided)

For delivery information visit our website at [www.usps.com](http://www.usps.com)

**RUMFORD, ME 04276**

**OFFICIAL USE**

Postage	\$3.55
Certified Fee	\$0.00
Return Receipt Fee (Endorsement Required)	\$0.00
Restricted Delivery Fee (Endorsement Required)	\$0.00
Total Postage & Fees	\$4.10

Sent To: **A+B Forestry Inc.**  
 Street, Apt. No., or PO Box No. **6 Ted Martin Rd.**  
 City, State, ZIP+4[®] **Rumford, ME 04276**

PS Form 3800, June 2002 See Reverse for Instructions

7006 0100 0002 3495 5925

**U.S. Postal Service**  
**CERTIFIED MAIL[®] RECEIPT**  
 (Domestic Mail Only. No Insurance Coverage Provided)

For delivery information visit our website at [www.usps.com](http://www.usps.com)

**BERLIN, NH 03570**

**OFFICIAL USE**

Postage	\$3.55
Certified Fee	\$0.00
Return Receipt Fee (Endorsement Required)	\$0.00
Restricted Delivery Fee (Endorsement Required)	\$0.00
Total Postage & Fees	\$4.10

Sent To: **Howard Woodward Heirs**  
 Street, Apt. No., or PO Box No. **PO Box 232**  
 City, State, ZIP+4[®] **Berlin, NH 03570**

PS Form 3800, June 2002 See Reverse for Instructions

7006 0100 0002 3495 6951

**U.S. Postal Service**  
**CERTIFIED MAIL[®] RECEIPT**  
 (Domestic Mail Only. No Insurance Coverage Provided)

For delivery information visit our website at [www.usps.com](http://www.usps.com)

**WASHINGTON, DC 20240**

**OFFICIAL USE**

Postage	\$3.55
Certified Fee	\$0.00
Return Receipt Fee (Endorsement Required)	\$0.00
Restricted Delivery Fee (Endorsement Required)	\$0.00
Total Postage & Fees	\$4.10

Sent To: **USA National Parks Service**  
 Street, Apt. No., or PO Box No. **1849 C St. NW**  
 City, State, ZIP+4[®] **Washington, DC 20240**

PS Form 3800, June 2002 See Reverse for Instructions

7006 0100 0002 3495 6956

**U.S. Postal Service**  
**CERTIFIED MAIL[®] RECEIPT**  
 (Domestic Mail Only. No Insurance Coverage Provided)

For delivery information visit our website at [www.usps.com](http://www.usps.com)

**CONCORD, NH 03301**

**OFFICIAL USE**

Postage	\$3.55
Certified Fee	\$0.00
Return Receipt Fee (Endorsement Required)	\$0.00
Restricted Delivery Fee (Endorsement Required)	\$0.00
Total Postage & Fees	\$4.10

Sent To: **Society for the Protection of NH Forests**  
 Street, Apt. No., or PO Box No. **54 Portsmouth St.**  
 City, State, ZIP+4[®] **Concord, NH 03301**

PS Form 3800, June 2002 See Reverse for Instructions

7006 0100 0002 3495 5915

**U.S. Postal Service**  
**CERTIFIED MAIL[®] RECEIPT**  
 (Domestic Mail Only. No Insurance Coverage Provided)

For delivery information visit our website at [www.usps.com](http://www.usps.com)

**GORHAM, NH 03581**

**OFFICIAL USE**

Postage	\$3.55
Certified Fee	\$0.00
Return Receipt Fee (Endorsement Required)	\$0.00
Restricted Delivery Fee (Endorsement Required)	\$0.00
Total Postage & Fees	\$4.10

Sent To: **Gorham Land Co. % Howie Wemyss**  
 Street, Apt. No., or PO Box No. **PO Box 278**  
 City, State, ZIP+4[®] **Gorham, NH 03581**

PS Form 3800, June 2002 See Reverse for Instructions

*Richard Rendeau***USPS Tracking®**[FAQs >](#)**Track Another Package +****Tracking Number:** 70060100000234956946[Remove X](#)

Your item was delivered to an individual at the address at 8:56 am on April 1, 2020 in BERLIN, NH 03570.

 **Delivered**

April 1, 2020 at 8:56 am  
Delivered, Left with Individual  
BERLIN, NH 03570

[Feedback](#)**Get Updates** 

---

**Text & Email Updates** 

---

**Tracking History** **April 1, 2020, 8:56 am**

Delivered, Left with Individual  
BERLIN, NH 03570

Your item was delivered to an individual at the address at 8:56 am on April 1, 2020 in BERLIN, NH 03570.

# USPS Tracking®

[FAQs >](#)[Track Another Package +](#)**Tracking Number:** 70060100000234956939[Remove X](#)

Your item was delivered to an individual at the address at 7:30 am on April 6, 2020 in WASHINGTON, DC 20240.

## Delivered

April 6, 2020 at 7:30 am  
Delivered, Left with Individual  
WASHINGTON, DC 20240

[Get Updates ▾](#)[Feedback](#)

---

[Text & Email Updates ▾](#)

---

[Tracking History ▲](#)**April 6, 2020, 7:30 am**

Delivered, Left with Individual  
WASHINGTON, DC 20240

Your item was delivered to an individual at the address at 7:30 am on April 6, 2020 in WASHINGTON, DC 20240.

# USPS Tracking®

[FAQs >](#)[Track Another Package +](#)**Tracking Number:** 70060100000234955901[Remove X](#)

Your item has been delivered to an agent at 1:41 pm on April 3, 2020 in RUMFORD, ME 04276.

## Delivered

April 3, 2020 at 1:41 pm  
Delivered, To Agent  
RUMFORD, ME 04276

[Get Updates ✓](#)[Feedback](#)

---

### Text & Email Updates



---

### Tracking History

**April 3, 2020, 1:41 pm**

Delivered, To Agent  
RUMFORD, ME 04276

Your item has been delivered to an agent at 1:41 pm on April 3, 2020 in RUMFORD, ME 04276.

**April 3, 2020, 7:45 am**

Out for Delivery  
RUMFORD, ME 04276

*Society for protection of NH forests***USPS Tracking®****FAQs >****Track Another Package +****Tracking Number:** 70060100000234956953

Remove X

Your item was delivered to an individual at the address at 10:57 am on April 2, 2020 in CONCORD, NH 03301.

 **Delivered**

April 2, 2020 at 10:57 am  
Delivered, Left with Individual  
CONCORD, NH 03301

**Get Updates** v

Feedback

---

**Text & Email Updates**

---

**Tracking History****April 2, 2020, 10:57 am**

Delivered, Left with Individual  
CONCORD, NH 03301

Your item was delivered to an individual at the address at 10:57 am on April 2, 2020 in CONCORD, NH 03301.

*Howard Woodward Heirs***USPS Tracking®****FAQs >****Track Another Package +****Tracking Number:** 70060100000234955925

Remove X

Your item was delivered at 11:11 am on April 6, 2020 in BERLIN, NH 03570.

**Delivered**

April 6, 2020 at 11:11 am

Delivered

BERLIN, NH 03570

**Get Updates** ▾

Feedback

**Text & Email Updates** ▾**Tracking History** ^**April 6, 2020, 11:11 am**

Delivered

BERLIN, NH 03570

Your item was delivered at 11:11 am on April 6, 2020 in BERLIN, NH 03570.

**April 1, 2020, 8:03 am**

Available for Pickup

BERLIN, NH 03570

Gorham Land Co

**USPS Tracking®**[FAQs >](#)**Track Another Package +****Tracking Number:** 70060100000234955918[Remove X](#)

Your item was delivered at 8:46 am on April 3, 2020 in GORHAM, NH 03581.

**Delivered**

April 3, 2020 at 8:46 am  
Delivered  
GORHAM, NH 03581

**Get Updates**

Feedback

---

**Text & Email Updates**

---

**Tracking History****April 3, 2020, 8:46 am**

Delivered

GORHAM, NH 03581

Your item was delivered at 8:46 am on April 3, 2020 in GORHAM, NH 03581.

**April 2, 2020, 9:40 am**

Available for Pickup

GORHAM, NH 03581

7019 1120 0001 1368 0172

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
*Domestic Mail Only*

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**HARTFORD, CT 06171**

**OFFICIAL USE**

Certified Mail Fee	\$3.55	0570
Extra Services & Fees (check box, add fee as appropriate)	\$0.00	03
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	
Postage	\$0.55	
Total Postage and Fees	\$4.10	

Sent To  
Public Service Co. of NH  
Street and Apt. No., or PO Box No.  
PO Box 370  
City, State, ZIP+4®  
Hartford, CT 06141

PS Form 3800, April 2015 PSN 7530-02-000-9077 See Reverse for Instructions

7019 1120 0001 1368 0011

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
*Domestic Mail Only*

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**BERLIN, NH 03570**

**OFFICIAL USE**

Certified Mail Fee	\$3.55	0570
Extra Services & Fees (check box, add fee as appropriate)	\$0.00	03
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	
Postage	\$0.55	
Total Postage and Fees	\$4.10	

Sent To  
Brandon Roy - Howard E. Kelley  
Street and Apt. No., or PO Box No.  
572 Rockingham St.  
City, State, ZIP+4®  
Berlin, NH 03570

PS Form 3800, April 2015 PSN 7530-02-000-9077 See Reverse for Instructions

7006 0100 0002 3495 5932

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
*(Domestic Mail Only, No Insurance Coverage Provided)*

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**MARLBOROUGH, MA 01752**

**OFFICIAL USE**

Postage	\$3.55	0570
Certified Fee	\$0.00	03
Return Receipt Fee (Endorsement Required)	\$0.00	
Restricted Delivery Fee (Endorsement Required)	\$0.00	
Total Postage & Fees	\$4.25	

Sent To  
Great Lakes HydroAmerica % Paul Benton Brookfield Renewable  
Street, Apt. No., or PO Box No.  
200 Donald Lynch Blvd. Ste. 300  
City, State, ZIP+4®  
Marlborough, MA 01752

PS Form 3800, June 2002 See Reverse for Instructions

7019 1120 0001 1368 0170

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
*Domestic Mail Only*

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**BERLIN, NH 03570**

**OFFICIAL USE**

Certified Mail Fee	\$3.55	0570
Extra Services & Fees (check box, add fee as appropriate)	\$0.00	03
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	
Postage	\$0.55	
Total Postage and Fees	\$4.10	

Sent To  
Paul & Lucie Ramsey  
Street and Apt. No., or PO Box No.  
239 Burgess St.  
City, State, ZIP+4®  
Berlin, NH 03570

PS Form 3800, April 2015 PSN 7530-02-000-9077 See Reverse for Instructions

7019 1120 0001 1368 0010

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
*Domestic Mail Only*

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**BERLIN, NH 03570**

**OFFICIAL USE**

Certified Mail Fee	\$3.55	0570
Extra Services & Fees (check box, add fee as appropriate)	\$0.00	03
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	
Postage	\$0.55	
Total Postage and Fees	\$4.10	

Sent To  
City of Berlin - WWTP  
Street and Apt. No., or PO Box No.  
168 Main St.  
City, State, ZIP+4®  
Berlin, NH 03570

PS Form 3800, April 2015 PSN 7530-02-000-9077 See Reverse for Instructions

7006 0100 0002 3495 6222

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
*(Domestic Mail Only, No Insurance Coverage Provided)*

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**LYME, NH 03768**

**OFFICIAL USE**

Postage	\$3.55	0570
Certified Fee	\$0.00	03
Return Receipt Fee (Endorsement Required)	\$0.00	
Restricted Delivery Fee (Endorsement Required)	\$0.00	
Total Postage & Fees	\$4.25	

Sent To  
Bayroot LLC % Wagner Forest Mgmt  
Street, Apt. No., or PO Box No.  
PO Box 160  
City, State, ZIP+4®  
Lyme, NH 03768

PS Form 3800, June 2002 See Reverse for Instructions

# USPS Tracking®

[FAQs >](#)[Track Another Package +](#)**Tracking Number:** 70191120000113680172[Remove X](#)

Your item was delivered at 7:37 am on April 2, 2020 in HARTFORD, CT 06141.

**Delivered**

April 2, 2020 at 7:37 am  
Delivered  
HARTFORD, CT 06141

[Get Updates ▾](#)[Feedback](#)

---

**Text & Email Updates**

---

**Tracking History****April 2, 2020, 7:37 am**

Delivered

HARTFORD, CT 06141

Your item was delivered at 7:37 am on April 2, 2020 in HARTFORD, CT 06141.

**April 2, 2020, 5:16 am**

Available for Pickup

HARTFORD, CT 06141

*Paul & Lucie Ramsey***USPS Tracking®****FAQs >****Track Another Package +****Tracking Number:** 70191120000113680141

Remove X

Your item was delivered to an individual at the address at 2:12 pm on April 1, 2020 in BERLIN, NH 03570.

 **Delivered**

April 1, 2020 at 2:12 pm  
Delivered, Left with Individual  
BERLIN, NH 03570

**Get Updates** ▾

Feedback

---

**Text & Email Updates**

---

**Tracking History****April 1, 2020, 2:12 pm**

Delivered, Left with Individual

BERLIN, NH 03570

Your item was delivered to an individual at the address at 2:12 pm on April 1, 2020 in BERLIN, NH 03570.

# USPS Tracking®

[FAQs >](#)[Track Another Package +](#)**Tracking Number:** 70191120000113680011[Remove X](#)

Your item was delivered at 3:11 pm on April 7, 2020 in BERLIN, NH 03570.

 **Delivered**

April 7, 2020 at 3:11 pm  
Delivered  
BERLIN, NH 03570

[Get Updates ∨](#)[Feedback](#)

---

**Text & Email Updates**

---

**Tracking History****April 7, 2020, 3:11 pm**

Delivered

BERLIN, NH 03570

Your item was delivered at 3:11 pm on April 7, 2020 in BERLIN, NH 03570.

[Reminder to Schedule Redelivery of your item](#)

# USPS Tracking®

[FAQs >](#)[Track Another Package +](#)**Tracking Number:** 70191120000113680349[Remove X](#)

Your item was delivered to an individual at the address at 7:56 am on April 1, 2020 in BERLIN, NH 03570.

## Delivered

April 1, 2020 at 7:56 am  
Delivered, Left with Individual  
BERLIN, NH 03570

[Get Updates v](#)[Feedback](#)

---

### Text & Email Updates



---

### Tracking History



**April 1, 2020, 7:56 am**

Delivered, Left with Individual  
BERLIN, NH 03570

Your item was delivered to an individual at the address at 7:56 am on April 1, 2020 in BERLIN, NH 03570.

Great Lakes Hydro

# USPS Tracking®

[FAQs >](#)[Track Another Package +](#)**Tracking Number:** 70060100000234955932[Remove X](#)

Your item was delivered to an individual at the address at 10:47 am on April 2, 2020 in MARLBOROUGH, MA 01752.

## Delivered

April 2, 2020 at 10:47 am  
Delivered, Left with Individual  
MARLBOROUGH, MA 01752

[Get Updates v](#)

Feedback

---

### Text & Email Updates



---

### Tracking History

**April 2, 2020, 10:47 am**

Delivered, Left with Individual  
MARLBOROUGH, MA 01752

Your item was delivered to an individual at the address at 10:47 am on April 2, 2020 in MARLBOROUGH, MA 01752.

# USPS Tracking®

[FAQs >](#)[Track Another Package +](#)**Tracking Number:** 70060100000234956922[Remove X](#)

Your item was delivered at 11:44 am on April 3, 2020 in LYME, NH 03768.

## Delivered

April 3, 2020 at 11:44 am

Delivered

LYME, NH 03768

[Get Updates ∨](#)[Feedback](#)

---

### Text & Email Updates



---

### Tracking History

**April 3, 2020, 11:44 am**

Delivered

LYME, NH 03768

Your item was delivered at 11:44 am on April 3, 2020 in LYME, NH 03768.

**April 2, 2020, 9:17 am**

Available for Pickup

LYME, NH 03768

9510 1120 0001 1368 0154

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**BERLIN NH 03570**  
**OFFICIAL USE**

Certified Mail Fee	\$3.55	0570
Extra Services & Fees (check box, add fee as appropriate)	\$0.00	03
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	
Postage	\$0.55	
Total Postage and Fees	\$4.10	

Sent To: Leo & Linda Ponka  
Street and Apt. No., or PO Box No. 323 Cates Hill Rd  
City, State, ZIP+4® Berlin NH 03570

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

7019 1120 0001 1368 0069

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**BERLIN NH 03570**  
**OFFICIAL USE**

Certified Mail Fee	\$3.55	0570
Extra Services & Fees (check box, add fee as appropriate)	\$0.00	03
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	
Postage	\$0.55	
Total Postage and Fees	\$4.10	

Sent To: Matthew & Becky Berthiaume  
Street and Apt. No., or PO Box No. 208 Hillsboro St  
City, State, ZIP+4® Berlin NH 03570

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

7019 1120 0001 1368 0134

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**BERLIN NH 03570**  
**OFFICIAL USE**

Certified Mail Fee	\$3.55	0570
Extra Services & Fees (check box, add fee as appropriate)	\$0.00	03
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	
Postage	\$0.55	
Total Postage and Fees	\$4.10	

Sent To: Barry Kelley  
Street and Apt. No., or PO Box No. 220 Church St  
City, State, ZIP+4® Berlin NH 03570

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

5500 1120 0001 1368 0035

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**BERLIN NH 03570**  
**OFFICIAL USE**

Certified Mail Fee	\$3.55	0570
Extra Services & Fees (check box, add fee as appropriate)	\$0.00	03
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	
Postage	\$0.55	
Total Postage and Fees	\$4.10	

Sent To: Mae Schuerman  
Street and Apt. No., or PO Box No. 2A Hillsboro St  
City, State, ZIP+4® Berlin NH 03570

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

5500 1120 0001 1368 0110

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**BERLIN NH 03570**  
**OFFICIAL USE**

Certified Mail Fee	\$3.55	0570
Extra Services & Fees (check box, add fee as appropriate)	\$0.00	03
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	
Postage	\$0.55	
Total Postage and Fees	\$4.10	

Sent To: Douglas & Deborah Ray  
Street and Apt. No., or PO Box No. 214 Hillsboro St  
City, State, ZIP+4® Berlin NH 03570

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

5500 1120 0001 1368 0102

**U.S. Postal Service**  
**CERTIFIED MAIL® RECEIPT**  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

**BERLIN NH 03570**  
**OFFICIAL USE**

Certified Mail Fee	\$3.55	0570
Extra Services & Fees (check box, add fee as appropriate)	\$0.00	03
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	
Postage	\$0.55	
Total Postage and Fees	\$4.10	

Sent To: Paul & Gail Graney  
Street and Apt. No., or PO Box No. 211 Hillsboro St  
City, State, ZIP+4® Berlin NH 03570

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

Leo + Linda Poulin

# USPS Tracking®

FAQs >

Track Another Package +

**Tracking Number:** 70191120000113680158

Remove X

Your item was delivered at 10:21 am on April 6, 2020 in BERLIN, NH 03570.

 **Delivered**

April 6, 2020 at 10:21 am  
Delivered  
BERLIN, NH 03570

**Get Updates** v

Feedback

---

**Text & Email Updates**




---

**Tracking History**



**April 6, 2020, 10:21 am**

Delivered  
BERLIN, NH 03570

Your item was delivered at 10:21 am on April 6, 2020 in BERLIN, NH 03570.

**April 1, 2020, 11:07 am**

Notice Left (No Authorized Recipient Available)  
BERLIN, NH 03570

MaeSchuerman

**USPS Tracking®**[FAQs >](#)**Track Another Package +****Tracking Number:** 70191120000113680035[Remove X](#)

Your item was delivered to an individual at the address at 2:39 pm on April 1, 2020 in BERLIN, NH 03570.

 **Delivered**

April 1, 2020 at 2:39 pm  
Delivered, Left with Individual  
BERLIN, NH 03570

**Get Updates** 

Feedback

**Text & Email Updates****Tracking History****April 1, 2020, 2:39 pm**

Delivered, Left with Individual  
BERLIN, NH 03570

Your item was delivered to an individual at the address at 2:39 pm on April 1, 2020 in BERLIN, NH 03570.

Matthew+Becky Berthiaume

# USPS Tracking®

[FAQs >](#)[Track Another Package +](#)**Tracking Number:** 70191120000113680066[Remove X](#)

Your item was delivered to an individual at the address at 2:45 pm on April 1, 2020 in BERLIN, NH 03570.

## Delivered

April 1, 2020 at 2:45 pm  
Delivered, Left with Individual  
BERLIN, NH 03570

[Get Updates ∨](#)[Feedback](#)

---

[Text & Email Updates](#)

---

[Tracking History](#)

---

[Product Information](#)

---

[See Less ^](#)

Douglas Deborah Roy

**USPS Tracking®**[FAQs >](#)**Track Another Package +****Tracking Number:** 70191120000113680110[Remove X](#)

Your item was delivered to an individual at the address at 2:48 pm on April 1, 2020 in BERLIN, NH 03570.

 **Delivered**

April 1, 2020 at 2:48 pm  
Delivered, Left with Individual  
BERLIN, NH 03570

**Get Updates** [Feedback](#)**Text & Email Updates** **Tracking History** **April 1, 2020, 2:48 pm**

Delivered, Left with Individual  
BERLIN, NH 03570

Your item was delivered to an individual at the address at 2:48 pm on April 1, 2020 in BERLIN, NH 03570.

Barry Kelley

**USPS Tracking®**[FAQs >](#)**Track Another Package +****Tracking Number:** 70191120000113680134[Remove X](#)

Your item was delivered to an individual at the address at 8:39 am on April 1, 2020 in BERLIN, NH 03570.

 **Delivered**

April 1, 2020 at 8:39 am  
Delivered, Left with Individual  
BERLIN, NH 03570

**Get Updates** 

Feedback

**Text & Email Updates** **Tracking History** **April 1, 2020, 8:39 am**

Delivered, Left with Individual  
BERLIN, NH 03570

Your item was delivered to an individual at the address at 8:39 am on April 1, 2020 in BERLIN, NH 03570.

*Paul & Gail Graney***USPS Tracking®**[FAQs >](#)**Track Another Package +****Tracking Number:** 70191120000113680103[Remove X](#)

Your item was delivered to an individual at the address at 2:41 pm on April 1, 2020 in BERLIN, NH 03570.

 **Delivered**

April 1, 2020 at 2:41 pm  
Delivered, Left with Individual  
BERLIN, NH 03570

**Get Updates** [Feedback](#)

---

**Text & Email Updates**

---

**Tracking History****April 1, 2020, 2:41 pm**

Delivered, Left with Individual  
BERLIN, NH 03570

Your item was delivered to an individual at the address at 2:41 pm on April 1, 2020 in BERLIN, NH 03570.

**USPS Tracking®**

Steve &amp; Lisa Vien

[FAQs >](#)**Track Another Package +****Tracking Number:** 70191120000113680240[Remove X](#)

Your item was delivered at 10:05 am on April 21, 2020 in BERLIN, NH 03570.

 **Delivered**

April 21, 2020 at 10:05 am

Delivered

BERLIN, NH 03570

**Get Updates** 

Feedback

---

**Text & Email Updates**

---

**Tracking History****April 21, 2020, 10:05 am**

Delivered

BERLIN, NH 03570

Your item was delivered at 10:05 am on April 21, 2020 in BERLIN, NH 03570.

Reminder to Schedule Redelivery of your item

**April 1, 2020, 1:21 pm**

Notice Left (No Authorized Recipient Available)

BERLIN, NH 03570