

## PFAS TESTING RESULTS FOR SOME OF THE BOTTLED WATER PRODUCTS SOLD IN NEW HAMPSHIRE

| BOTTLED WATER BRAND                       | SOURCE* / LOCATION                                    | TREATMENT  | DATE SAMPLED | NUMBER OF PFAS COMPOUNDS TESTED FOR | PFOA (ng/L) | PFOS (ng/L) | PFNA (ng/L) | PFHXS (ng/L) | TOTAL PFAS (ng/L)g |
|---|---|--|--------------|-------------------------------------|-------------|-------------|-------------|--------------|--------------------|
| 365 ELECTROLYTE WATER                     | AMBRIDGE WATER AUTHORITY, AMBRIDGE, PA                | UV LIGHT, CARBON FILTRATION, REVERSE OSMOSIS, MINERAL ADDITION, MICRON FILTRATION, OZONATION | 8/21/2019    | 14                                  | ND          | ND          | ND          | ND           | ND                 |
| 365 SPRING WATER - PURCHASED 5/29/19      | SPRING HILL SPRINGS, HAVERHILL, MA                    | NONE*  | 5/30/2019    | 20                                  | 43.2        | 18.4        | 2.55        | 12.2         | 120.38             |
| 365 SPRING WATER - PURCHASED 6/10/19      | SPRING HILL SPRINGS, HAVERHILL, MA                    | NONE*  | 6/11/2019    | 20                                  | 49.1        | 19.5        | 3.01        | 15           | 137.17             |
| BERKSHIRE SPRINGS & BLIZZARD (W.B. MASON) | BERKSHIRE SPRINGS, SOUTHFIELD, MA                     | 5 & 1 MICRON FILTRATION, 1 MICRON ABSOLUTE FILTRATION & OZONATION.                           | 4/17/2019    | 14                                  | ND          | ND          | ND          | ND           | ND                 |
| CIRCLE K FAVORITES SPRING WATER           | SPRINGS IN ROARING GAP, NC AND/OR BLUE RIDGE GEORGIA* | NONE   | 5/30/2019    | 20                                  | ND          | ND          | ND          | ND           | ND                 |
| CRYSTAL GEYSER 1- CG ROXANE               | CG ROXANE SOURCE IN EPHRATAH, NY                      | NONE   | 5/30/2019    | 20                                  | ND          | ND          | ND          | ND           | ND                 |
| CRYSTAL GEYSER 2- MOULTONBOROUGH SOURCE   | SPRING SOURCE MOULTONBOROUGH, NH                      | NONE   | 5/30/2019    | 20                                  | ND          | ND          | ND          | ND           | ND                 |
| CRYSTAL ROCK                              | NOT SPECIFIED   | REVERSE OSMOSIS, OZONATED  | 5/30/2019    | 20                                  | ND          | ND          | ND          | ND           | ND                 |
| CRYSTAL SPRINGS                           | MUNICIPAL SOURCE- MUHLENBERG TOWNSHIP AUTHORITY       | OZONATION, REVERSE OSMOSIS, MICRON FILTRATION AND UV LIGHT (MINERALS ADDED FOR TASTE)        | 3/10/2019    | 14                                  | ND          | ND          | ND          | ND           | ND                 |
| CUMBERLAND FARMS SPRING WATER             | SPRING HILL SPRING, HAVERHILL, MA                     | NONE*  | 6/11/2019    | 20                                  | 45.5        | 19.2        | 2.84        | 15.6         | 131.86             |
| FOOD CLUB                                 | SPRING HILL SPRING, HAVERHILL, MA                     | NONE*  | 6/11/2019    | 20                                  | 45.3        | 19.8        | 2.79        | 15.4         | 132.3              |
| GIANT EAGLE DISTILLED WATER               | AMBRIDGE WATER AUTHORITY, AMBRIDGE, PA                | UV LIGHT, CARBON FILTRATION, REVERSE OSMOSIS, DISTILLATION, MICRON FILTRATION, OZONATION     | 8/27/2019    | ND                                  | ND          | ND          | ND          | ND           | ND                 |
| GNC SPRING WATER                          | HILLSIDE SPRING, SALINEVILLE, OH                      | UV LIGHT, CARBON FILTRATION, MICRON FILTRATION, OZONATION                                    | 8/27/2019    | ND                                  | ND          | ND          | ND          | ND           | ND                 |
| GREAT VALUE                               | MUNICIPAL SOURCE- MUHLENBERG TOWNSHIP AUTHORITY       | OZONATION, REVERSE OSMOSIS, MICRON FILTRATION AND UV LIGHT                                   | 3/10/2019    | 14                                  | ND          | ND          | ND          | ND           | ND                 |
| GREAT VALUE PURIFIED WATER                | ERIE COUNTY MUNICIPAL WATER SUPPLY, BUFFALO, NY       | REVERSE OSMOSIS, ULTRAVIOLET LIGHT   | 5/30/2019    | 20                                  | ND          | ND          | ND          | ND           | ND                 |
| GREAT VALUE SPRING WATER                  | SPRINGBROOK SPRINGS, EAST CONCORD, NY                 | MICRON FILTRATION, OZONATION, ULTRAVIOLET LIGHT  | 5/30/2019    | 20                                  | ND          | ND          | ND          | ND           | ND                 |
| ICE CANYON                                | SPRING HILL SPRING, HAVERHILL, MA                     | NONE*  | 6/11/2019    | 20                                  | 44.8        | 18.5        | 2.7         | 14.4         | 127.74             |
| JUST THE BASICS PURIFIED WATER            | HAVERHILL MUNICIPAL WATER SUPPLY, HAVERHILL, MA       | DISTILLATION   | 6/11/2019    | 20                                  | ND          | ND          | ND          | ND           | ND                 |
| MARKET BASKET NATURAL SPRING WATER        | SPRING SOURCE WILTON, NH                              | NONE   | 5/30/2019    | 20                                  | ND          | ND          | ND          | ND           | ND                 |

## PFAS TESTING RESULTS FOR SOME OF THE BOTTLED WATER PRODUCTS SOLD IN NEW HAMPSHIRE

| BOTTLED WATER BRAND                  | SOURCE* / LOCATION  | TREATMENT   | DATE SAMPLED | NUMBER OF PFAS COMPOUNDS TESTED FOR | PFOA (ng/L) | PFOS (ng/L) | PFNA (ng/L) | PFHXS (ng/L) | TOTAL PFAS (ng/L)g |
|--------------------------------------|---|---|--------------|-------------------------------------|-------------|-------------|-------------|--------------|--------------------|
| MEMBERS MARK PURIFIED WATER          | PITSFIELD, MA MUNICIPAL WATER SUPPLY  | CARBON FILTRATION, MICRON FILTRATION, REVERSE OSMOSIS & OZONATION | 5/30/2019    | 20                                  | ND          | ND          | ND          | ND           | ND                 |
| MONADNOCK                            | MONADNOCK SPRINGS, WILTON, NH   | NONE  | 5/30/2019    | 20                                  | ND          | ND          | ND          | ND           | ND                 |
| NATURES PLACE                        | (1)BRENTWOOD SPRINGS, BRENTWOOD, NH; OR (2) MAINE SPRINGS, POLAND, ME*  | NONE  | 5/30/2019    | 20                                  | 2.64        | ND          | ND          | 2.71         | 16.52              |
| NESTLE PURE LIFE PURIFIED WATER      | WATER SOURCE IN HOLLIS, MAINE   | CARBON, DISTALLATION, ADDITION OF MINERALS & MICROFILTRATION      | 1/31/2019    | 14                                  | ND          | ND          | ND          | ND           | ND                 |
| NESTLE PURE LIFE PURIFIED WATER      | FRAMINGHAM MUNICIPAL WATER SUPPLY   | CARBON, DISTALLATION, ADDITION OF MINERALS & MICROFILTRATION      | 1/25/2019    | 14                                  | ND          | ND          | ND          | ND           | ND                 |
| NICE!                                | MUNICIPAL SOURCE- MUHLENBERG TOWNSHIP AUTHORITY   | DISTILLATION, OZONATION, MICRON FILTRATION AND UV LIGHT           | 3/11/2019    | 14                                  | ND          | ND          | ND          | ND           | ND                 |
| NURSERY PURIFIED WATER WITH FLUORIDE | (1) BETHANY SPRING, HEIDELBERG TOWNSHIP, PA; (2) DIAMOND SPRING, CLAY TOWNSHIP, PA; AND/OR (3) WEST EARL TOWNSHIP MUNICIPAL SUPPLY WELL, EPHRATA, PA*   | STEAM DISTILLATION , OZONATED, MINERALS & FLUORIDE ADDED          | 5/30/2019    | 20                                  | ND          | ND          | ND          | ND           | ND                 |
| POLAND SPRING                        | (1) POLAND SPRING, POLAND SPRINGS, ME; (2) EVERYGREEN SPRING, FRYEBURG, ME; (3) SPRUCE SPRING, PIERCE POND TOWNSHIP, ME; (4) GARDEN SPRING, POLAND, ME; (5) WHITE CEDAR SPRING, DALLAS PLT, ME; (6) BRADBURY SPRINGS, KINGFIELD, ME; (7) COLD SPRING, DENAMRK, ME AND/OR (8) BELLA LUNA SPRINGS, LINCOLN, ME* | NONE  | 5/30/2019    | 20                                  | ND          | ND          | ND          | ND           | ND                 |
| POLAND SPRINGS                       | SPRING IN KINGFIELD, ME   | NONE  | 1/22/2019    | 14                                  | ND          | ND          | ND          | ND           | ND                 |
| POLAND SPRINGS                       | SPRING IN HOLLIS, ME  | NONE  | 1/11/2019    | 14                                  | ND          | ND          | ND          | ND           | ND                 |
| POLAND SPRINGS                       | SPRING IN POLAND SPRING, ME   | DISTALLATION  | 1/18/2019    | 14                                  | ND          | ND          | ND          | ND           | ND                 |
| POLAND SPRINGS                       | SPRING IN POLAND SPRING, ME   | NONE  | 1/19/2019    | 14                                  | ND          | ND          | ND          | ND           | ND                 |
| POLAR ARCTIC WATER                   | NOT SPECIFIED   | FILTERED - METHOD NOT SPECIFIED                                   | 5/30/2019    | 20                                  | ND          | ND          | ND          | ND           | ND                 |
| PRIMO PURIFIED WATER                 | NOT SPECIFIED   | REVERSE OSMOSIS   | 5/30/2019    | 20                                  | ND          | ND          | ND          | ND           | ND                 |
| PUR AQUA                             | SPRING SOURCE: PROTECTED SPRINGS IN NEW RINGGOLD, PA; TOWER CITY, PA; AND/OR PINE GROVE, PA   | OZONATION, MICRON FILTRATION AND UV LIGHT                         | 3/8/2019     | 14                                  | ND          | ND          | ND          | ND           | ND                 |
| PUR AQUA                             | FOX LEDGE, WELL 1   | STEAM DISTILLED, MICROFILTERED, OZONATED                          | 5/30/2019    | 20                                  | ND          | ND          | ND          | ND           | ND                 |
| PURE NEW ZEALAND ARTESIAN WATER      | PAEROA, NEW ZEALAND   | NONE  | 5/30/2019    | 20                                  | ND          | ND          | ND          | ND           | ND                 |
| REFRESHE SPRING WATER                | PROTECTED SPRINGS, HINSDALE, PA; AND PRESETON TOWNSHIP, PA*   | NONE  | 5/30/2019    | 20                                  | ND          | ND          | ND          | ND           | ND                 |

## PFAS TESTING RESULTS FOR SOME OF THE BOTTLED WATER PRODUCTS SOLD IN NEW HAMPSHIRE

| BOTTLED WATER BRAND                      | SOURCE <sup>a</sup> / LOCATION   | TREATMENT   | DATE SAMPLED | NUMBER OF PFAS COMPOUNDS TESTED FOR | PFOA (ng/L) | PFOS (ng/L) | PFNA (ng/L) | PFHXS (ng/L) | TOTAL PFAS (ng/L) <sup>g</sup> |
|--|--|---|--------------|-------------------------------------|-------------|-------------|-------------|--------------|--------------------------------|
| TRADER JES NATURAL MOUNTAIN SPRING WATER | CG ROXANE SOURCE, BENTON, TN   | NONE  | 5/30/2019    | 20                                  | ND          | ND          | ND          | ND           | ND                             |
| UPLAND FARM SPRING WATER                 | UPLAND SPRINGS, PETERBOROUGH, NH   | 1 MICRON FILTER, OZONE, UV LIGHT  | 11/11/2019   | 17                                  | ND          | ND          | ND          | ND           | ND                             |
| VERMONT PURE WATER                       | (1) UPLAND SPRINGS, PETERBOROUGH, NH; AND/OR (2) HARVEST SPRING, PLYMPTON, MA <sup>*</sup> | NONE  | 5/30/2019    | 20                                  | 3.52        | ND          | ND          | ND           | 3.52                           |
| WEGMANS PURIFIED WATER                   | AMBRIDGE WATER AUTHORITY, AMBRIDGE, PA   | WEGMANS PURIFIED – UV LIGHT, CARBON FILTRATION, REVERSE OSMOSIS, MICRON FILTRATION, OZONATION | 8/27/2019    | ND                                  | ND          | ND          | ND          | ND           | ND                             |

<sup>a</sup>The source of the water for the bottled water sampled was obtained from the label on the bottle of water that was sampled. Some bottled water products list several sources of water that may be used for a given brand. For bottled water brands listing multiple potential sources of water, the sample results listed above may not be representative of the concentration of PFAS in that product in all cases because different sources of water may be used to produce the same product.

<sup>g</sup> Total PFAS is the summation of all PFAS analytes detected within the sample

<sup>\*\*</sup>NHDES will update this table to include additional PFAS testing results if provided by the bottled water producers. PFAS testing results for both bottled water products and the sources of water for bottled water can be added.

<sup>\*</sup>Spring Hill has contracted to have an NSF-61 compliant Granulated Activated Carbon filtration system installed with an estimated startup date of July 22, 2019.

**ng/L - Nanograms per liter is roughly equivalent to parts-per-trillion**